

Minutes

Of the meeting of the:

Strathfield Local Planning Panel Meeting

Held on:

Thursday, 7 May 2020

Commencing at 10:00am at Town Hall (Supper Room),
65 Homebush Road, Strathfield

TABLE OF CONTENTS

Item	Page No.
SLPP AGENDA ITEMS	
SLPP - Report No. 12 DA2018/064/02 3 Homebush Road, Strathfield.....	4
SLPP - Report No. 13 DA2020/015 - Shop 9, Albert Road, Strathfield Part 2 DP1001738	34
SLPP - Report No. 14 DA2019/223 - 115-127 The Boulevarde, Strathfield - Lot 42 DP 829284	52
SLPP - Report No. 15 DA No. 2020/024 - 22 Melville Avenue, Strathfield - Lot 91 DP 15955	75
SLPP - Report No. 10 DA2019/220: 32 & 34 Bates Street, Homebush Lots 3 & 4 DP105250	93

The meeting of the Strathfield Local Planning Panel Meeting was held in the Town Hall (Supper Room), 65 Homebush Road, Strathfield on Thursday 7 May 2020.
The meeting commenced at 11:45am.

The Public Meeting commenced at 10.00am and closed at 11.44am

Due to the current situation involving COVID19 and government requirements for social distancing, individual Panel members made their own arrangements to visit each site.

PRESENT

The Hon Paul Stein QC AM – Chair
Paul Vergotis – Expert
Ian Stapleton - Expert
David Starr – Community

ALSO PRESENT

Stephen Clements, Deputy CEO/General Manager Planning, Environment & Urban Services
Kandace Lindeberg, Executive Manager, Landuse Planning & Development

DECLARATIONS OF PECUNIARY INTEREST / CONFLICT OF INTEREST

Nil

TO: Strathfield Local Planning Panel Meeting - 7 May 2020
REPORT: SLPP – Report No. 12
SUBJECT: DA2018/064/02 3 HOMEBUSH ROAD, STRATHFIELD
DA NO. 2018/064/02

RECOMMENDATION

Pursuant to Section 4.55(2) of the Environmental Planning and Assessment Act 1979, the proposed modification(s) to Development Consent No. 2018/064 involving numerous modifications, including reconfiguration and additions to rooms and parking, as well as variations to the form and general design at 3 Homebush Road, Strathfield be APPROVED, subject to:

1. The original conditions of consent of Development Application No. (DA2018/064) as approved by SLPP on 4 October 2018 for demolition of existing residential flat building and construction of a boarding house comprised of (36) rooms accommodating up to (72) people over two (2) levels of basement parking under the Affordable Rental Housing SEPP 2009.
2. As modified by the Section 4.55(1A) application (DA2018/064/03) as follows:
 - Modify Development Description of modification;
 - Modify Condition 3; and
 - Modify Condition 49.

Development Description of Modification: Alterations and additions to existing development to provide an at-grade waste collection bay and waste storage areas.

3. As modified by the Section 4.55(2) application (DA2018/064/02) as follows:
 - Modify Development Description of modification;
 - Modify Condition 3;
 - Modify Condition 4;
 - Modify Condition 5; and
 - Modify Condition 38.

Development Description of Modification: Alterations and additions to the approved boarding house including internal reconfiguration to provide two (2) additional rooms, enclosure of hallways, revised fenestration and finishes schedule.

SPECIAL CONDITIONS (SC)

1. AMENDED LANDSCAPE PLAN (SC)

An amended landscape plan prepared by a qualified landscape architect or landscape consultant to a scale of 1:100 or 1:200, conforming to all relevant conditions of consent is to be submitted to the satisfaction of the Principal Certifying Authority with the Construction Certificate application.

The plan must include the following information:

- i) Details demonstrating compliance with SCDCP 2005 in relation to landscaping requirements;
- ii) location of all existing and proposed landscape features including materials to be used;

- iii) All trees to be retained, removed or transplanted;
- iv) Existing and proposed finished ground levels;
- v) Top and bottom wall levels for both existing and proposed retaining and free standing walls; and
- vi) A detailed plant schedule which includes proposed species listed by botanical (genus and species) and common names, quantities of each species, pot sizes and the estimated size at maturity. A minimum of 25% of species shall be locally sourced indigenous species. Species shall be predominantly selected from Council's Recommended Tree List.
- vii) Details demonstrating that the common open space area has been relocated to the north-western portion of the site as dictated by the endorsed architectural plans.

Consideration within the design should be given to the scale of planting in proportion to the proposed development, consistency with the existing landscape character of the area, potential views, solar access and privacy for neighbouring development.

(Reason: Landscape quality.)

2. RE-ALLOCATION OF PARKING SPACE AND BICYCLE PARKING BAY (SC)

The bicycle parking bay on level 2 of the basement shall be redesigned as a carparking space which achieves compliance with AS/NZS 2890.1:2004. Bicycle parking is to be provided at-grade preferably along the southern side boundary of the site. Amended plans demonstrating compliance with these requirements shall be submitted to and approved by Council and a Principal Certifying Authority **prior to the issue of a Construction Certificate.**

(Reason: To achieve compliance with requirements of the ARH SEPP 2009).

GENERAL CONDITIONS (GC)

3. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2018/064:

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
DA1003	Demolition Plan	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA2001	Basement 02	Urbanlink	€ € I	20 August 2018 28 January 2020 MODIFIED: DA2018/064/03 23 March 2020 MODIFIED: DA2018/064/02

DA2002	Basement 01	Urbanlink	€ € I	20 August 2018 28 January 2020 MODIFIED: DA2018/064/03 23 March 2020 MODIFIED: DA2018/064/02
DA2003	Ground Floor Plan	Urbanlink	€ € I	20 August 2018 28 January 2020 MODIFIED: DA2018/064/03 23 March 2020 MODIFIED: DA2018/064/02
DA2004	Level 01	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA2005	Level 02	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA2005	Level 03	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA2005	Roof Plan	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA3001	North & South Elevations	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA3002	East & West	Urbanlink	€	20 August 2018

	Elevations and Streetscape		I	23 March 2020 MODIFIED: DA2018/064/02
DA4001	Section AA & Ramp Section	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
DA6301	Colour Schedule	Urbanlink	€ I	20 August 2018 23 March 2020 MODIFIED: DA2018/064/02
LS01	Landscape Plan	Melissa Wilson Landscape Architects	B	19 July 2018
A8180 - COVER	Stormwater Plans – Cover	Alpha Engineering	C	19 July 2018
A8180 – SW01	Sediment and Erosion Control Plan	Alpha Engineering	C	19 July 2018
A8180-SW02	Basement 2 Drainage Plan	Alpha Engineering	C	19 July 2018
A8180-SW03	Basement 1 Drainage Plan	Alpha Engineering	C	19 July 2018
A8180-SW04	Ground Floor Drainage Plan	Alpha Engineering	C	19 July 2018
A8180-SW05	Roof Drainage Plan	Alpha Engineering	C	19 July 2018
A8180-SW06	Stormwater Sections & Details	Alpha Engineering	C	19 July 2018

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2018/064:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
Flood Impact Report	Alpha Engineering	Ref.: A8180 - REV C Issue Date: 18th of JULY 2018	19 July 2018
Arboricultural Impact Assessment and Tree Management Plan	Redgum Horticultural	Prepared 20 June 2018	20 August 2018
Traffic Report	Varga Traffic Planning	18 July 2018 Ref 17262	19 July 2018
Waste Management Report	Dickens Solutions Pty Ltd	Dated 22 January 2020	28 January 2020 MODIFIED: DA2018/064/03

Loading Bay Design Advice	TTM Consulting Pty Ltd	21 January 2020	28 January 2020 MODIFIED: DA2018/064/03
---------------------------	------------------------	-----------------	-----------------------------------------------

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

MODIFIED: DA2018/064/03 – 6 March 2020

MODIFIED: DA2018/064/02 – 7 May 2020

4. **BOARDING HOUSE - APPROVED USE (GC)**

- The boarding house must be operated in accordance with the Boarding Houses Act 2012.
- The boarding house is required to be registered on a register administered by NSW Fair Trading within 28 days where a proprietor takes over an existing, or begins operating a new, registrable boarding house.

Council will carry out initial (within the first 12 months) and ongoing inspections in accordance with the Boarding Houses Act 2012 subject to payment of inspection fees as detailed in Council's Fees and Charges schedule.

- The boarding house is to comply with the approved Plan of Management required by this consent.
- The use of the premises as a boarding house must comply always with the following:
 - a) A copy of the Plan of Management and House Rules must be annexed to every tenancy/occupation agreement for a room;
 - b) A copy of the approved Plan of Management and House Rules must be clearly displayed within the common room in the building at all times;
 - c) All tenancy/occupation agreements for rooms within the premises must be for a minimum period of three (3) months;
 - d) The premises must be used exclusively as a boarding house containing a maximum total of 76 residents including 74 lodgers and 2 residents in the on-site manager's room, with 2 lodger(s) permitted per lodger room;**
 - e) The premises must not be adapted for use as backpacker's accommodation, serviced apartments or a residential flat building;
 - f) All common rooms/areas and recreation rooms/areas must be maintained at all times for the use of the lodgers;
 - g) Each self-contained room be fitted out with washing up facilities, a cooktop, microwave oven, fridge and storage space with such utilities being maintained in working order at all times;
 - h) All rooms within the boarding house must be connected to a centralised electricity, water and gas (if installed) service and room tariffs must not include a separate charge for these services; and
 - i) The communal room shall be provided with an oven and cooktop.
- The Plan of Management must be updated to reflect the requirements outlined within this condition.
- Any proposed amendments to the Management Plan are to be submitted to Council for consideration and approval prior to any amendments being made.
- If the operator of the boarding house alters from the operator nominated in the Plan of

Management, a new Plan of Management is to be submitted to Council within 28 days of the change in operator unless it is confirmed in writing that the new operator will comply with the Plan of Management approved as part of this consent.

(Reason: To ensure the development is the permanent place of residence for occupants and ensure occupants abide by the rules and regulations identified in the Plan of Management.

MODIFIED: DA2018/064/02 – 7 May 2020

5. **BUILDING HEIGHT - MAXIMUM RL TO BE COMPLIED WITH (GC)**

The height of the building must not exceed RL26 to the roof ridge of the building.

(Reason: To ensure the approved building height is complied with.)

MODIFIED: DA2018/064/02 – 7 May 2020

CONSTRUCTION HOURS (GC)

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

6. **CONSTRUCTION WITHIN BOUNDARIES (GC)**

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

7. **DEMOLITION – GENERALLY (GC)**

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

8. **DEMOLITION - SITE SAFETY FENCING (GC)**

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or

B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

9. LANDSCAPING - CANOPY TREES IN FRONT SETBACK (GC)

New development shall provide at least two (2) canopy trees within the front setback adjacent the front boundary (existing trees may be included). New canopy trees shall be at least three (3) metres high at the time of planting and capable of reaching a mature height of 10m.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

10. LANDSCAPING - IRRIGATION OF COMMON AND PRIVATE LANDSCAPE AREAS (GC)

All common and private landscape areas including all planters of new multi-unit, commercial, mixed-use and industrial development are to have full coverage by a fully automatic irrigation system. The design, materials and installation are to be in accordance with Sydney Water Codes and satisfy all relevant Australian Standards. Details demonstrating compliance shall be submitted to the Principal Certifying Authority, prior occupation of the premises.

(Reason: To ensure appropriate landscape maintenance.)

11. LANDSCAPING - TREES PERMITTED TO BE REMOVED (GC)

The following listed trees are permitted to be removed to accommodate the proposed development:

All trees recommended to be removed as submitted in the arborist report by Redgum Horticultural prepared 20 June 2018 received by Council 20 August 2018 are permitted to be removed to accommodate the proposed development.

All trees permitted to be removed by this consent shall be replaced (2 trees for each tree removed) by species selected from Council's Recommended Tree List and must have a minimum mature height of 10 metres.

Replacement trees shall be a minimum 50 litre container size. Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure appropriate planting back onto the site.)

12. **SITE ACCESS AND UTILITY SERVICES – TREE PRESERVATION (GC)**

All street trees and trees on private property are protected under Council's planning controls.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Australian Standard AS4970 - 2009, Protection of Trees on Development Sites.

All protected trees are to be pruned in accordance with AS 4373 – 2007, Pruning of amenity trees, by and Australian Qualification framework level 3 qualified arborist.

Existing utility connections are to be maintained so that they do not impact on the canopy or root systems of Council's trees. No new utility services (including the temporary or permanent relocation of domestic power pole and connections) are to be located within the canopy or root zone of Councils Street trees without the written consent of Council.

The pruning of a Council tree for site access without Council's written consent is prohibited. Applicants are to make an application for street tree pruning 28 days prior to commencement of all demolition or site works. Applications for site access pruning are to include precise detailed information and support documentation regarding the branches to be pruned. As a general rule clearance pruning of branches of greater than 50mm diameter and a clearance height of 3.5 metres will not be approved.

(Reason: To ensure the protection of Council trees and all protected trees to be retained on the site.)

13 **LIGHTING (GC)**

Any lighting of the premises shall be installed and maintained in accordance with Australian Standard AS 4282-1997: Control of the Obtrusive Effects of Outdoor Lighting so as to avoid annoyance to the occupants of adjoining premises or glare to motorists on nearby roads.

No flashing, moving or intermittent lighting, visible from any public place may be installed on the premises or external signage associated with the development, without the prior approval of Council.

(Reason: To protect the amenity of surrounding development and protect public safety.)

14 MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

15. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) The Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) The Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) The sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

16. PRIVACY - SCREEN PLANTING TO SIDE AND REAR BOUNDARIES (GC)

Evergreen shrubs with a minimum 5 litre container size achieving a minimum mature height of 3m shall be planted along the side and rear boundaries to provide suitable privacy screening. Screen planting shall be maintained at all times. Details of the selected plants shall be submitted to and approved by the Principal Certifying Authority. Compliance with this condition shall be certified by the Principal Certifying Authority, prior to occupation of the premises.

(Reason: To maintain privacy amenity to neighbouring residences.)

17 SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- vii) Any demolition and excess construction materials are to be recycled wherever

- practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
 - ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
 - x) All waste must be contained entirely within the site.
 - xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
 - xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
 - xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
 - xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
 - xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
 - xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
 - xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
 - xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
 - xix) Any work must not prohibit or divert any natural overland flow of water.
 - xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

18 SYDNEY WATER - STAMPED PLANS PRIOR TO COMMENCEMENT (GC)

The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Plans will be appropriately stamped.

For Quick Check agent details please refer to the web site www.sydneywater.com.au (see Building Developing and Plumbing then Quick Check) or telephone 13 20 92. The consent authority or a Certifying Authority must ensure that a Quick Check agent/Sydney Water has stamped the plans before the commencement of work.

(Reason: Compliance with Sydney Water requirements.)

19. UTILITIES AND SERVICES - PROTECTION OF (GC)

Any footings or excavation to be located or undertaken adjacent to Council's stormwater must be designed to address the following requirements:

- i) All footings and excavation must be located wholly within the site and clear of any easement boundaries;
- ii) All footings and excavation must be located a minimum of 1000mm from the centreline of the pipeline or 500mm from the outside of the pipeline, whichever is the greater distance from the centreline; and
- iii) Footings must extend to at least the depth of the invert of the pipeline unless the footings are to be placed on competent bedrock.

If permanent excavation is proposed beneath the obvert of the pipeline, suitable means to protect the excavation and proposed retaining structures from seepage or other water flow from the pipeline and surrounding subsoil, must be provided. The design must be prepared by a qualified practicing Structural/Civil Engineer.

Construction plans must be approved by the appropriate utility's office (e.g. council, Sydney Water Corporation) to demonstrate that the development complies with the utility's requirements.

The applicant must provide written evidence (e.g. compliance certificate, formal advice) of compliance with the requirements of all relevant utility providers (e.g. Water, Energy, Telecommunications, Gas).

(Reason: To ensure protection of Council assets.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (CC)

20. ACCESS - ACCESS FOR PEOPLE WITH DISABILITIES (CC)

Access for people with disabilities must be provided in accordance with the requirements of the Building Code of Australia, relevant Australian Standards and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

21. ACCESS - DISABLED TOILETS (CC)

Plans and details of the disabled toilet/s complying with the relevant Australian Standards, the Building Code of Australia, and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

22.. BICYCLE STORAGE PROVISION (CC)

On-site provision for bicycle storage facilities shall be in accordance with the provisions of Clause 30 of the ARH SEPP. Details demonstrating compliance shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Compliance with SCDCP 2005 and to encourage sustainable transport options.)

23. BOARDING HOUSE - CONSTRUCTION OF (CC)

The construction of the boarding house shall comply with all applicable legislation/regulation and standards, including:

- i) Boarding Houses Act 2012;
- ii) Boarding Houses Regulation 2013;
- iii) Local Government Act 1993; and
- iv) Local Government Regulation 2005.

Details demonstrating compliance shall be submitted to the Principal Certifying Authority, prior to occupation of the premises.

(Reason: To ensure compliance with relevant legislation.)

24. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

25. CAR PARKING - BASEMENT CAR PARKING REQUIREMENTS (CC)

Details demonstrating compliance with the following is to be submitted to the Principal Certifying Authority, prior to issue of the Construction Certificate:

- i) Minimal internal clearance of the basement is 2.2m in accordance with BCA requirements.
- ii) Driveways shall comply with Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking and achieve a maximum gradient of 1:4.

- iii) Basement entries and ramps/driveways within the property are to be no more than 3.5m wide.
- iv) Provision of pump-out systems and stormwater prevention shall be in accordance with Council's Stormwater Management Guide.

(Reason: To ensure suitable development.)

26. CAR PARKING - DISABLED CAR PARKING SPACES (CC)

Two (2) of the car parking spaces provided as part of the total requirement shall be reserved for disabled persons. These spaces shall be a minimum of 2.4m wide x 5.4m long and located near pedestrian access routes designed for disabled persons. Each space shall be clearly marked as such. A shared area 2.4 m wide x 5.4m long shared area should be provided. Bollard shall be placed in this shared area.

Car parking for people with disabilities shall be provided in accordance with the Building Code of Australia, relevant Australian Standards and with regard to the Disability Discrimination Act 1992. Prior to the issue of a Construction Certificate, the plans shall be notated to demonstrate compliance.

The above details shall be submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate.

(Reason: To ensure adequate parking for persons with a disability.)

27. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004. Plans to be submitted shall contain the following details:

- i) Longitudinal section along the extreme wheel paths of each driveway/access ramp at a scale of 1:25 demonstrating compliance with the scraping provisions of AS/NZS 2890.1:2004. It shall include all levels and grades, including those levels stipulated as boundary levels, both existing and proposed. It shall extend from the centre-line of the roadway through to the parking area.
- ii) Sections showing the clearance to the underside of any overhead structure (minimum headroom requirements 2200mm minimum for standard headroom clearance or 2400mm where disabled access provisions are to be provided) demonstrating compliance with the provisions of AS/NZS 2890.1:2004.
- iii) Longitudinal section along the gutter line showing how it is intended to transition the vehicular crossing into the existing kerb and gutter. Boundary levels shall generally run parallel with the kerb levels.
- iv) Location of verge trees, street furniture and service installations.
- v) Superimposition of vehicle turning circles for access into parking spaces.
- vi) Certification that the design complies with AS/NZS 2890.1:2004 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

28. CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 (CC)

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS

2890.1:2004 - Parking facilities - Off-street car parking. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

29. **CAR PARKING - VEHICULAR CIRCULATION, AISLE AND RAMP WIDTHS (CC)**

The aisle widths, internal circulation, ramp widths and grades of the car park shall comply with the Roads and Traffic Authority Guidelines and ASNZS 2890.1:2004 - Off-Street Car Parking Code.

Vehicular manoeuvring paths are to be prepared demonstrating that all vehicles can enter or depart the site in a forward direction without encroaching on required car parking spaces.

(Reason: To ensure compliance with Australian Standards relating to manoeuvring, access and parking of vehicles.)

30. **COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)**

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

31. **CONSTRUCTION AND ENVIRONMENTAL MANAGEMENT PLAN (CC)**

The applicant must prepare and submit a Construction and Environmental Management Plan (CEMP) to the Principal Certifying Authority, including:

- i) Detailed information on any approvals required from other authorities prior to or during construction.
- ii) Traffic management, including details of:
 - ingress and egress of vehicles to the site;
 - management of loading and unloading of materials;
 - the location of heavy vehicle parking off-site; and
 - designated routes for vehicles to the site.
- iii) The proposed areas within the site to be used for a builder's site office and amenities, the storage of excavated material, construction materials and waste containers during the construction period.
- iv) Erosion and sediment control, detailing measures and procedures consistent with the requirements of Council's guidelines for managing stormwater, including:
 - the collection and treatment of stormwater and wastewater generated on site prior to discharge; and
 - procedures to prevent run-off of solid material and waste from the site.
- v) Waste management, including:
 - details of the types and estimated volumes of waste materials that will be generated;
 - procedures for maximising reuse and recycling of construction materials; and
 - details of the off-site disposal or recycling facilities for construction waste.

- vi) Dust control, outlining measures to minimise the generation and off-site transmission of dust and fine particles, such as watering or damp cloth fences.
- vii) A soil and water management plan, which includes:
- measures to minimise the area of soils exposed at any one time and conserve top soil;
 - identification and protection of proposed stockpile locations;
 - preservation of existing vegetation and revegetation;
 - measures to prevent soil, sand, sediments leaving the site in an uncontrolled manner;
 - measures to control surface water flows through the site in a manner that diverts clean run-off around disturbed areas, minimises slope gradient and flow distance within disturbed areas, ensures surface run-off occurs at non-erodible velocities, and ensures disturbed areas are promptly rehabilitated;
 - details of sediment and erosion control measures in place before work commences;
 - measures to ensure materials are not tracked onto the road by vehicles entering or leaving the site; and
 - details of drainage to protect and drain the site during works.
- viii) Asbestos management procedures:
- Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal License which ever applies and a current WorkCover Demolition License where works involve demolition. To find a licensed asbestos removalist please see www.workcover.nsw.gov.au
 - Removal of asbestos by a person who does not hold a Class A or Class B asbestos removal license is permitted if the asbestos being removed is 10m² or less of non-friable asbestos (approximately the size of a small bathroom). Friable asbestos materials must only be removed by a person who holds a current Class A asbestos license.
 - Before starting work, a work site-specific permit approving each asbestos project must be obtained from WorkCover NSW. A permit will not be granted without a current WorkCover licence. All removal, repair or disturbance of or to asbestos material must comply with the following:
 - The Work Health and Safety Act 2011;
 - The Work Health and Safety Regulation 2011;
 - How to Safety Remove Asbestos Code of Practice – WorkCover 2011; and
 - Safe Work Australia Code of Practice for the Management and Control of Asbestos in the Workplace.
 - Following completion of asbestos removal works undertaken by a licensed asbestos removalist re-occupation of a workplace must not occur until an independent and suitably licensed asbestos removalist undertakes a clearance inspection and issues a clearance certificate.
 - The developer or demolition contractor must notify adjoining residents at least two (2) working days (i.e. Monday to Friday exclusive of public holidays) prior to the commencement of asbestos removal works. Notification is to include, at a minimum:
 - the date and time when asbestos removal works will commence;
 - the name, address and business hours contact telephone number of the demolisher, contractor and/or developer;
 - the full name and license number of the asbestos removalist/s; and
 - the telephone number of WorkCover's Hotline 13 10 50
 - warning signs informing all people nearby that asbestos removal work is taking place in the area. Signs should be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These

signs should be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs should be in accordance with AS 1319-1994 Safety signs for the occupational environment for size, illumination, location and maintenance; and

- appropriate barricades installed as appropriate to prevent public access and prevent the escape of asbestos fibres. Barricades must be installed prior to the commencement of asbestos removal works and remain in place until works are completed.

(Reason: Safety, amenity and protection of public infrastructure and the environment.)

32. **COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)**

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

33. DILAPIDATION REPORT - PRE-COMMENCEMENT (CC)

Subject to access being granted, a pre-commencement Dilapidation Report is to be undertaken on all adjoining properties, which in the opinion of a suitably qualified engineer, could be potentially affected by the construction of the project. The Dilapidation Report shall be carried out prior to the issue of a Construction Certificate.

The Dilapidation Report is to be prepared by a suitably Qualified Engineer with current Corporate Membership with the Institution of Engineers, Australia or Geotechnical Practitioner. The report shall include a photographic survey of adjoining properties detailing the physical condition of those properties, both internally and externally, including walls, ceilings, roof, structural members and other such items.

If access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant must demonstrate, in writing, to Council's satisfaction attempts have been made to obtain access and/or advise the affected property owner of the reason for the survey and these attempts have been unsuccessful. Written concurrence must be obtained from Council in such circumstances.

The Report shall cover structural and geotechnical factors likely to arise from the development. A copy of this Report shall be submitted to Council as a record. The person having the benefit of the development consent must, at their own cost, rectify any damage caused to other properties during the construction of the project.

(Reason: To ensure no damage to adjoining properties occurs.)

34. DRIVEWAY WIDTH - MULTI-UNIT DEVELOPMENT (CC)

The internal driveway must be a minimum 5.50m wide (clear width) for the first 6 metres inside the property so as to allow entering & exiting vehicles to pass within the site. Should the driveway narrow after this point it is then to be designed with a minimum 1.5m x 1.5m splay to allow the passing to work. Details demonstrating compliance shall be submitted to the Principal Certifying Authority, prior the issue of a Construction Certificate.

(Reason: Safety and traffic management.)

35. DRIVEWAY DESIGN – CONVEX MIRROR AND STOP SIGN ON EXIT (CC)

The applicant shall install a stop sign and a convex mirror at the exit from the site. The stop sign must be accompanied by the associated line marking. The devices shall be designed and constructed in accordance with the provision of all relevant Australian Standards. The building plans shall indicate compliance with this requirement, prior to the issue of a Construction Certificate.

(Reason: Traffic safety and management.)

36. EROSION AND SEDIMENTATION CONTROL PLAN (CC)

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar.
- viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
- ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

37. EXCAVATION - AFFECTING ADJOINING LAND (CC)

If an excavation associated with the approved development extends below the level of the base of the footings of a building on an adjoining allotment of land, the person having the benefit of the development consent must, at the person's own expense, comply with the requirements of clause 98E of the Environmental Planning and Assessment Regulation 2000, including:

- i) Protect and support the adjoining premises from possible damage from the excavation, and
- ii) Where necessary, underpin the adjoining premises to prevent any such damage.

The condition referred to in subclause (i) does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Structural safety.)

38. FLOODING - COMPLY WITH FLOOD IMPACT REPORT (CC)

The applicant shall comply with the flood recommendations provided in the Flood Impact Report prepared by ALPHA Engineering and Development ref: A8180 – REV C dated 18

July 2018. A certificate from a suitably qualified Engineer shall be submitted to the Certifying Authority stating compliance with these recommendations, prior to the issue of a Construction Certificate.

(Reason: To mitigate flood risk and associated damage.)

39. **SECTION 7.11 CONTRIBUTION PAYMENT - DIRECT CONTRIBUTIONS PLAN (CC)**

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Direct Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

Provision of Community Facilities	\$50,096.94
Provision of Major Open Space	\$227,926.10
Provision of Local Open Space	\$78,115.24
Provision Roads and Traffic Management	\$17,870.34
Administration	\$5,862.50
TOTAL	\$379,871.11

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. Contributions shall be indexed at the time of payment in accordance with clause 2.14 of the Strathfield Direct Development Contributions Plan 2010-2030.

Contributions must be received by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

Please present a copy of this condition when paying the contribution at the Customer Service Centre so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.11 Direct Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

MODIFIED: DA2018/064/02 – 7 May 2020

40. **SECURITY PAYMENT - DAMAGE DEPOSIT FOR COUNCIL INFRASTRUCTURE (CC)**

A security (damage deposit) of **\$24,000.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the Building Code of Australia.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

Any costs associated with works necessary to be carried out to rectify any damages caused by the development, shall be deducted from the Damage Deposit.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

The damage deposit shall be refunded upon completion of all works upon receipt of a Final Occupation Certificate stage and inspection by Council.

(Reason: Protection of Council infrastructure.)

41 **STORMWATER DRAINAGE (CC)**

The following stormwater precautions are required to be provided on the site:

- i) Grated drains shall be provided along the driveway/basement entry at the vehicular crossing(s) and are to connect to the internal drainage system.
- ii) Overflow paths shall be provided to allow for flows in excess of the capacity of the pipe/drainage system draining the site.
- iii) Allowance shall be made for surface runoff from adjacent properties, and to retain existing surface flow path systems through the site. Any redirection or treatment of these flows shall not adversely affect any other properties
- iv) Boundary fencing shall be erected in such a manner as not to interfere with the natural flow of ground and surface water to the detriment of any other party.

(Reason: To ensure the site is drained appropriately and does not interfere with the natural flow of flood waters.)

42. **TRAFFIC - CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CC)**

A Construction Traffic Management Plan (CTMP) is to be prepared by an appropriately qualified Traffic Management Consultant and submitted to and approved by Council's Engineering Section, prior to the commencement of any works including demolition.

The following matters should be addressed in the CTMP (where applicable):

- i) description of the demolition, excavation and construction works;
- ii) site plan/s showing the site, roads, footpaths, site access points and vehicular movements;
- iii) size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site);
- iv) proposed route(s) from the arterial (state) road network to the site and the proposed route from the site back to the arterial road network;
- v) impacts of the work and vehicular movements on the road network, traffic and pedestrians and proposed methods to safely manage pedestrians and construction related vehicles in the frontage roadways;
- vi) any Traffic Control Plans (TCP's) proposed to regulate traffic and pedestrian movements for construction activities (such as concrete pours, crane installation/removal etc.);
- vii) proposed hours of construction related activities and vehicular movements to and from the site;
- viii) current/proposed approvals from other Agencies and Authorities (including Roads and Maritime Services, Police and State Transit Authority);
- ix) any activities proposed to be located or impact upon Council's road, footways or any public place;

- x) measures to maintain public safety and convenience;
- xi) any proposed road and/or footpath closures;
- xii) turning areas within the site for construction and spoil removal vehicles, allowing a forward egress for all construction vehicles on the site;
- xiii) locations of work zones (where it is not possible for loading/unloading to occur on the site) in the frontage roadways accompanied by supporting documentation that such work zones have been approved by the Local Traffic Committee and Council;
- xiv) location of any proposed crane and concrete pump and truck standing areas on and off the site (and relevant approvals from Council for plant on road);
- xv) a dedicated unloading and loading point within the site for all construction vehicles, plant and deliveries;
- xvi) material, plant and spoil bin storage areas within the site, where all materials are to be dropped off and collected;
- xvii) on-site parking area for employees, tradespersons and construction vehicles as far as possible;
- xviii) proposed areas within the site to be used for the storage of excavated material, construction materials and waste and recycling containers during the construction period; and
- xix) how it is proposed to ensure that soil/excavated material is not transported onto surrounding footpaths and roadways.

(Reason: To mitigate traffic impacts on the surrounding area during the construction period.)

43. **TREE BONDS (CC)**

A tree bond of **\$6,600.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

44. **VEHICULAR CROSSINGS - WORKS PERMIT FOR CONSTRUCTION OF (CC)**

Full-width, heavy-duty concrete vehicular crossing(s) shall be provided across the footpath at the entrance(s) and/or exit(s) to the site and designed in accordance with Council's guidelines and specifications. In this regard, a Works Permit is to be obtained (available from Council's Customer Services Centre or downloaded from Council's website), and the appropriate fees and charges paid, prior to the lodgement of a Construction Certificate.

(Reason: To ensure appropriate access to the site can be achieved.)

45 BIN ALLOCATION (CC)

- (a) Multi Dwelling Housing Developments requiring communal bin storage and the residential component of shop top housing developments.

The development will require the provision of the following waste and recycling facilities:

- Domestic Waste – [10] x [240L] mobile bins.
- Domestic Recycling – [4] x [240L] mobile bins.

Applicants requesting 660L bins must provide onsite collection and have a large hardstand for bin presentation.

(Reason: To ensure sufficient space and waste collection containers provided.)

46. WASTE AND RECYCLING STORAGE ROOMS (CC)

Waste (including grease arrestor rooms) and recycling storage rooms must meet all of the following conditions:

- i) The waste and recycling storage room must be of adequate dimensions to comfortably accommodate the required number of waste and recycling bins
 - 240L bin must have 1.1m² of space per bin
 - 660L bin must have 2.03m² of space per bin
- ii) The layout of the waste and recycling storage room must allow easy unobstructed access to all bins (stacked bin arrangements are not acceptable) and allow the bins to be easily removed for servicing purposes.
- iii) A smooth concrete floor graded and drained to a floor waste connected to the sewer of the Water Board.
- iv) The walls being cement rendered with the intersection of the walls and floor being coved to a radius of not less than 25mm.
- v) The door being close fitting to prevent the access of rats and mice.
- vi) A cold water hose cock being provided for the cleaning of containers and the room itself.
- vii) Ventilation being provided by means of direct connection to the outside air to the satisfaction of Council.
- viii) The ceiling of all waste storage rooms must be constructed of a rigid smooth faced non-absorbent material. The ceiling must be a minimum of 2.4m high to accommodate Councils standard bins. This enables access for use, cleaning and enables the lids of bins to be fully opened.
- ix) Contain a sign, minimum size 600mm x 600mm, directing residents not to place recyclables in garbage carts and encouraging residents to recycle. Sample artwork and signs available from Council.
- x) Arrangements must be in place regarding the regular maintenance and cleaning of waste management facilities.
- xi) A caretaker or individual(s) shall be nominated as being responsible for transferring the bins to the collection point and back into the waste storage room/area.
- xii) Detailed plans of waste and recycling storage rooms must be submitted along with Waste Management Plan and Waste and Recycling Storage Room/Area Design Checklist.

(Reason: To keep garbage rooms in a clean and sanitary condition to protect public health.)

47. BULKY WASTE STORAGE (CC)

A store room for storage of bulky household waste such as lounges is to be provided which

meets the following conditions:

- i) Bulky waste rooms/areas must be a minimum of 4m² per 10 dwellings.
- ii) Bulky waste (Clean Up) rooms/areas should be located adjacent to waste and recycling storage rooms.
- iii) Bulky waste rooms/areas must contain a sign, minimum size 600mm x 600mm, directing residents the types of waste which can be deposited and the collection process. Sample artwork and signs available from Council.

(Reason: To ensure hard waste is separated and collected efficiently.)

48. **ONSITE WASTE COLLECTION**

~~Onsite waste and recycling collection is to be provided, all onsite collection areas must meet the following conditions:~~

- ~~i) Minimum vehicle access and standing area dimensions:

 - Width 3.6m
 - Height 3.6m
 - Length 14m
 - Path of travel of waste collection vehicle must be identified on plans; ensure turning circle, height and width requirements are met throughout entire path of travel.~~
- ~~ii) Maximum grade of ramps and driveway 1:5 (20%) suitable for collection vehicle access.~~
- ~~iii) Waste collection area must have room for all waste receptacles and the waste collection vehicle.~~
- ~~iv) Applicant can select the following:~~

At grade collection

- A waste collection point is to be provided:
 - behind the front building line,
 - alongside the driveway into the site.
 - Collection vehicles may access the at grade collection point in a forward or backwards direction and exit in a forward direction only (waste vehicles must not reverse along a main road).
- ~~v) Collection vehicles must not impede access to, within or from the site for other users.~~
- ~~vi) The path of travel for moving bins from the storage area to the identified collection point (if collection is to occur away from the storage area) should be clearly identified.~~
- ~~vii) The waste collection point shall be no more than 15m from the property boundary at the street.~~
- ~~viii) There should be convenient and step free access between the waste storage room/area and the collection point.~~
- ~~ix) The collection area must be designed so that the bin standing area, and the standing area for the vehicle, is level.~~
- ~~x) The collection area must be designed so that there is sufficient room for the standing and manoeuvring of all waste receptacles as well as standing room for the collection vehicle.~~
- ~~xi) Any shutter or roller door providing access to the site/waste collection point must be fitted with a master key to Council's requirements to allow access.~~

Onsite waste and recycling collection is to be provided in accordance with the Waste Management Report prepared by Dickens Solutions Pty Ltd dated 22 January 2020.

(Reason: To ensure an efficient and effective collection system.)

MODIFIED DA2018/062/03 – 6 March 2020

49. WATER SUSTAINABILITY – GENERALLY (CC)

Water collected in the rainwater tank must comprise roof water only and not surface water. Water from the rainwater tank must only be used for following purposes and not for human consumption:

- i) Toilet flushing;
- ii) Clothes washing;
- iii) Garden irrigation;
- iv) Car washing and similar outdoor uses;
- v) Filling swimming pools, spa pools and ornamental ponds; and
- vi) Fire fighting.

(Reason: To promote sustainable water management practice.)

50. WORKS ZONE - APPROVAL BY COUNCIL'S TRAFFIC COMMITTEE (CC)

An application for a 'Works Zone' must be submitted to and approved by the Strathfield Council Traffic Committee prior to the commencement of any site work (including demolition).

The suitability of the proposed length and duration of the Works Zone is to be demonstrated in the application for the Works Zone. The application for the Works Zone must be submitted to Council at least six (6) weeks prior to the commencement of work on the site to allow for assessment and tabling of agenda for the Strathfield Council Traffic Committee.

The requirement for a Works Zone may be varied or waived only if it can be demonstrated in the Construction Traffic Management Plan (to the satisfaction of Council) that all construction related activities (including all loading and unloading operations) can and will be undertaken wholly within the site. The written approval of Council must be obtained to provide a Works Zone or to waive the requirement to provide a Works Zone prior to the commencement of any site work.

(Reason: Council requirement.)

CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (CW)

51. APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
 - notified the Council of his or her appointment, and
 - notified the person having the benefit of the development consent of any critical

- stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
 - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
 - notified the principal certifying authority of such appointment; and
 - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
 - v) The person having the person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

52. NOTICE OF COMMENCEMENT (CW)

No work shall commence until the following details are submitted to Council:

- i) a Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DW)

53. FILL MATERIAL (DW)

The only waste derived material which may be received at the development site is:

- i) Virgin excavated material (within the meaning of the Protection of the Environment Operations Act 1997), and
- ii) any other waste-derived material the subject of a resource recovery exemption under cl.51A of the Protection of the Environment Operations (Waste) Regulation 2005 that is permitted to be used as fill material.

Any (b)-type material received at the development site must be accompanied by documentation certifying by an appropriately qualified environmental consultant the materials compliance with the exemption conditions; and this documentation must be provided to the Principal Certifying Authority on request.

(Reason: To ensure imported fill is of an acceptable standard for environmental protection purposes.)

54. **OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)**

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

55. **PUBLIC INFRASTRUCTURE AND SERVICES (DW)**

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

56. **SURVEY REPORT OF APPROVED LEVELS DURING AND POST CONSTRUCTION (DW)**

A Survey Certificate to Australian Height Datum shall be prepared by a Registered Surveyor as follows:

- i) At the completion of the first structural floor level prior to the pouring of concrete indicating the level of that floor and the relationship of the building to the boundaries.
- ii) At the completed height of the building, prior to the placement of concrete inform work, or the laying of roofing materials.
- iii) At the completion of the development.

Progress certificates in response to points (1) through to (3) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances is work allowed to proceed until such survey information is submitted to and approved by the Principal Certifying Authority.

(Reason: To ensure compliance with the approved plans.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (OC)

57. **ENGINEERING WORKS (CERTIFICATION OF)**

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by a suitably Qualified Engineer, with Corporate Membership standing in the Institution of Engineers Australia and registered on the National Professional Engineers Register (NPER) under the appropriate professional category, demonstrating that:

- i) the stormwater drainage system; and/or
- ii) the car parking arrangement and area; and/or
- iii) any related footpath crossing works; and/or
- iv) the proposed basement pump and well system; and/or
- v) the proposed driveway and layback; and/or

- vi) any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works.

Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

58. **LANDSCAPING - ARBORIST'S FOLLOW UP REPORT OF TREE/S TO BE RETAINED (OC)**

As part of the on-going assessment of the tree/s to be retained, the consulting arborist engaged by the applicant is to assess their health and any impacts suffered by them as a result of the proposed approved development, prior to the issue of an Occupation Certificate. Findings are to be compiled in a detailed report and submitted to the Principle Certifying Authority, which documents the following:

- i) methods of excavation or construction used to carry out the works;
- ii) any damage sustained by the tree/s as a result of the works;
- iii) any subsequent remedial works required to be carried out by the consulting arborist as a result of the damage; and
- iv) any future or on-going remedial work required to be carried out to ensure the long term retention of the tree/s.

(Reason: To ensure the survival of trees to be retained.)

59. **OCCUPATION OF BUILDING (OC)**

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) All required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) Any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

60. **STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

61. **STORMWATER - COVENANT AND RESTRICTION AS TO USER FOR STORMWATER CONTROLLED SYSTEMS (OC)**

Prior to the issue of any Occupation Certificate, the applicant shall register a Positive Covenant and a Restriction as to User under section 88E and or section 88B of the Conveyancing Act as appropriate in favour of Council, ensuring the ongoing retention, maintenance and operation of the stormwater facility (on-site detention, pump-out, charged lines, etc).

Where any drainage line or service conduit is to traverse any property other than that which it serves, an appropriate easement will be required. In this case, the applicant shall register an easement no less than 1200mm wide over the proposed drainage line or service concurrently with any subdivision registration.

The wording on the 88E and/or the 88B Instrument is to make reference to the Council file where the Construction plans and the Work As Executed (as built), plans are held. Typical wording can be obtained from Council's Specification for the Management of Stormwater document.

(Reason: To ensure the on-site detention and/or pump system is maintained to an appropriate operational standard.)

CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)

62. **BOARDING HOUSES - OPERATIONAL PLAN OF MANAGEMENT (OU)**

An Operational Plan of Management is to be formulated and submitted to Council for approval, prior to the issue of any Occupation Certificate.

The Plan of Management must include the minimum criteria as stipulated in Schedule 2 (Standards for Places of Shared Accommodation) of the Local Government (General) Regulation, 2005 under the Local Government Act 1993, the Public Health Act, 1991, Boarding Houses Act 2012 and Boarding Houses Regulation 2013.

The plan shall be dated and the name and signature of the author of the document shall be included. The Plan of Management shall be displayed in prominent locations within the premises and a copy of the Plan shall be provided to all residents of the boarding house. The on-site Caretaker shall be responsible for ensuring that the terms of the Plan are adhered to at all times.

This Operational Plan of Management must incorporate the following:

- i) All the measures to be implemented on the premises in terms of safety & security, amenity and health including but not limited to matters relating to curfews and after-hours access, bringing of visitors on to the site, drug and alcohol policy (including smoking), and use of communal areas etc.
- ii) All the responsibilities of the Caretaker/Manager.
- iii) An Incident Register to be maintained by the Caretaker. This Register must be produced upon demand by any Council officer or NSW Police Officer. The Register must contain a direction that all incidents of a criminal nature are to be reported to the Police immediately.
- iv) Prior to commencement of the boarding house use, a notification letter shall be forwarded to Council, the Police and neighbours providing contact details for the Caretaker/Manager so that any issues regarding the operation of the premises etc

can be addressed promptly. Evidence of this letter being forwarded as required in this condition shall be provided to the Principal Certifying Authority, prior to the issue of any Occupation Certificate and commencement of the use.

The Plan of Management referred to in this condition shall be reviewed by Council annually from the date of issue of an Occupation Certificate by the Principal Certifying Authority. The operator of the boarding house shall contact Council annually to carry out this review and the review shall include the Incident Register referred to in point (iii) above. Should amendments be made to the Plan of Management an updated version of same shall be provided to Council and the residents of the boarding house within one (1) month of the annual review being completed.

(Reason: To minimise the impact of the use on surrounding residences.)

63. BOARDING HOUSE - ONGOING USE OF (OU)

Ongoing operation of the approved use for the purpose of a boarding house shall comply with the following:

- i) Use of the premises shall remain consistent with the definition of 'boarding house' as defined under Strathfield Local Environmental Plan 2012 as a building that:
 - is wholly or partly let in lodgings, and
 - provides lodgers with a principal place of residence for 3 months or more, and
 - may have shared facilities, such as a communal living room, bathroom, kitchen or laundry, and
 - has rooms, some or all of which may have private kitchen and bathroom facilities, that accommodate one or more lodgers but does not include backpackers" accommodation, a group home, a serviced apartment, seniors housing or hotel or motel accommodation.
- ii) Subdivision of the approved boarding house under strata or community title is prohibited.
- iii) The use and operation of the boarding house shall comply with all applicable legislation/regulation and standards, including:
 - Boarding Houses Act 2012;
 - Boarding Houses Regulation 2013;
 - Local Government Act 1993; and
 - Schedule 2 (Standards for Places of Shared Accommodation) of the Local Government (General) Regulation 2005.
- iv) The maximum number of persons accommodated in a bedroom, or in a cubicle of a dormitory, must not exceed the number determined by allowing a minimum floor area within the bedroom or cubicle in accordance with the relevant provisions under the Public Health Act 1991 for each person.
- v) No speakers or music is permitted outdoors or in the communal areas.
- vi) The Boarding house is required to be registered on a register administered by NSW Fair Trading.

(Reason: To minimise the impact of the boarding house on surrounding residences.)

64. MAINTENANCE AND PROTECTION OF LANDSCAPING AND SOFT LANDSCAPED AREAS (OU)

The applicant and property owner/s are to maintain and enhance the completed landscape works in all private and strata areas, in accordance with the approved landscape design and conditions of development (inclusive of the maintenance and protection of all retained and planted trees).

In this regard the applicant is to provide an annual statement to Council, on or by the 1 July of each calendar year, for the first 5 years after the issue of the occupation certificate, from an AQF Level 5 Landscape Designer or Landscape Architect certifying that;

- All plants (including planted and retained trees) are in a healthy safe condition.
- The turf areas are well maintained.
- The landscaped area is free of all notifiable weeds, pests and diseases as detailed in the NSW Biosecurity Act 2015.
- The landscaped area is free of hazards.
- The mulched areas are well maintained.
- The irrigation systems, sub soil drainage and lighting systems are in a good condition and operating according to both design and manufacturers specifications.
- That all missing plants have been replaced and are establishing well.

This annual statement shall also include reports and information from relevant expert consultants, in support of the statements made and as evidence of proof, in the annual statement.

(Reason: To protect landscape amenity and community environmental values)

RESOLUTION

This modification application is **APPROVED** subject to the recommended conditions in the report as amended by the Panel with deletion of Special Condition 2.

FOR: The Hon Paul Stein AM QC , Paul Vergotis, Ian Stapleton, David Starr

AGAINST: Nil

The Panel agrees with the Planning officers report save it has determined to delete Special Condition 2.

**** End Minutes - Report No. 12****

TO: Strathfield Local Planning Panel Meeting - 7 May 2020
REPORT: SLPP – Report No. 13
SUBJECT: DA2020/015 - SHOP 9, ALBERT ROAD, STRATHFIELD
PART 2 DP1001738
DA NO. 2020/15

RECOMMENDATION

That Development Application No. 2020/015 – Shop 9 – 1 Albert Road, Strathfield for Alterations and Internal fit out to an existing ticket office for future use be **APPROVED**, subject to the following conditions and reasons:

SPECIAL CONDITIONS (SC)

1. NSW STATE HERITAGE - S60 APPROVAL CONDITIONS (SC)

All works must be accordance with NSW Heritage Council - S60 Approval Conditions Application Number S60/2018/225.

(Reason: State Heritage Conditions are a requirement of this application.)

2. SECUREMENT OF THE SITE - HOARDING

The completion of the proposed works will leave a “cold shell” without a front window and door prior to fit out. For protection, a hoarding must be erected, around the newly created opening to ensure that the premises is secured. The hoarding would be designed to suit specification requirements of Sydney Trains and Safe Work NSW.

Where the hoarding is to be erected over the footpath or any public place, the approval of Council must be obtained prior to the erection of the hoarding.

The hoarding would be in place for no longer than 12 months from their installation.

(Reason: Protection of unsecure premises)

3. OCCUPATION OF THE SITE

No occupation of the site is allowed until the Occupation Certificate is issued with the issue of the Separate Approval for the change of use/fit out of the premises.

4. LONG SERVICE LEVY

A long service levy, as required under Section 34 of the Building and Construction Industry Long Service Payments Act, 1986, is to be paid in respect to this building work. In this regard, proof that the levy has been paid is to be submitted to Council prior to the issue of a Construction Certificate. Note: Council acts as an agent for the Long Service Payment Corporation and the levy may be paid at Council's office. The levy rate is 0.35% of building work costing \$25,000 or more.

GENERAL CONDITIONS (GC)

5. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)

The development, except where modified by a condition(s) of consent, is to be carried out

in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2020/15

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
17-100-STR-AR-030	Retail Uplift Program AFC Issue – Drawing Index	Ganellen	Issue A0	29.04.2020
17-100-STR-AR-031	Strathfield Council- Location Plan	Ganellen	Issue A0	29.04.2020
17-100-STR-AR-032	Strathfield Station- Existing Demolition No.3 Plan	Ganellen	Issue A0	29.04.2020
17-100-STR-AR-033	Strathfield Station- Proposed Retail No.3	Ganellen	Issue A1	29.04.2020
17-100-STR-AR-034	Strathfield Station- Reflected Ceiling Retail No. 3 Plan	Ganellen	Issue A0	29.04.2020
17-100-STR-AR-035	Strathfield Station- Retail No.3 Elevation 1	Ganellen	Issue A1	29.04.2020
17-100-STR-AR-036	Strathfield Station- Retail No.3 A & B	Ganellen	Issue A0	29.04.2020
17-100-STR-AR-037	Strathfield Station- Retail No.3 C & D	Ganellen	Issue A0	29.04.2020

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2020/015:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
Strathfield Station – Country Link Retail Uplift program (RUP) Scope of Works	Transport Sydney Trains	30.03.2020	14.04.2020
Waste Management Plan	Kristina Sgibneva	22.01.2020	15.04.2020
Application Number S60/2018/225 S60 Approval under the Heritage Act 1977	Heritage Council of NSW	22.12.2018	30.01.2020
COMPLIANCE WITH DEFERRED	Heritage Council of NSW	21.11.2019	30.01.2020

COMMENCEMENT CONSENT CONDITIONS S60 APPROVAL UNDER THE HERITAGE ACT 1977			
-----------------------------------------------------------------------------------------	--	--	--

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

6. APPROVAL - SEPARATE APPROVAL REQUIRED (GC)

This consent does not include approval for Change of Use/Fit out. Separate development consent shall be obtained for Change of Use/Fit out.

(Reason: To control future development of the site.)

7. CONSTRUCTION HOURS (GC)

No noisy construction shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

8. CONSTRUCTION WITHIN BOUNDARIES (GC)

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

9. DEMOLITION - HERITAGE ITEMS (GC)

Alterations to, and demolition of, the existing building shall be limited to that documented on the approved plans (by way of notation) or conditioned in this consent and will be consistent with the Heritage Council of NSW (State Heritage) S60 Approval Conditions S60/2018/225. No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Should any portion of the existing building which is indicated on the approved plans to be retained, be damaged for whatever reason, all the works in the area of this damaged portion are to cease and written notification given to Council. No work is to resume until the written approval of Council is obtained.

(Reason: Heritage conservation.)

10. DEMOLITION - SITE SAFETY FENCING (GC)

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

11. DEMOLITION – ASBESTOS AND HAZARDOUS MATERIALS

The demolition, removal, storage, handling and disposal of products and materials containing asbestos must be carried out in accordance with the relevant requirements of safework NSW and the nsw environment protection authority (epa), including:

- Work Health and Safety Act 2011;
- Work Health and Safety Regulation 2011;
- Safework NSW Code of Practice for the safe removal of Asbestos;
- Australian Standard 2601 (2001) – demolition of structures;
- the protection of the environment operations act 1997;

at least 5 days prior to the demolition, renovation work or alterations and additions to any building, the person acting on the consent shall submit a work plan to the principal certifying authority in accordance with Australian Standard AS 2601-2001, demolition of structure and a hazardous materials assessment prepared by a person with suitable expertise and experience. the work plan and hazardous materials assessment shall:

- (a) outline the identification of any hazardous materials, including surfaces coated with lead paint;
- (b) confirm that no asbestos products are present on the subject land; or
- (c) particularise a method of safely disposing of the asbestos in accordance with the code of practice on how to safely remove asbestos published by safework nsw (catalogue wc03561)
- (d) describe the method of demolition;
- (e) describe the precautions to be employed to minimise any dust nuisance; and
- (f) describe the disposal methods for hazardous materials.

12. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) The Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) The Principal Contractor by showing the Principal Contractor's name, address and

- telephone number (outside of work hours) for that person; and
- iii) The sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

13. **SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)**

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- vii) Any demolition and excess construction materials are to be recycled wherever practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
- x) All waste must be contained entirely within the site.
- xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
- xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
- xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
- xvi) Public footways, include nature strips and roadways adjacent to the site must be

- maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
- xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
 - xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
 - xix) Any work must not prohibit or divert any natural overland flow of water.
 - xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

14. **WASTE – TRACKABLE (GC)**

Removal of trackable waste (as defined by the NSW Environment Protection Authority) from the site must comply with the Protection of the Environment Operations (Waste) Regulation 2005 for the transportation, treatment and disposal of waste materials. Waste materials must not be disposed on land without permission of the land owner and must with the provisions of the Protection of the Environment and Operations Act 1997.

(Reason: To ensure compliance with legislation.)

15. **CLASSIFICATION OF WASTE (GC)**

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be tested and classified in accordance with the provisions of the protection of the environment operations act 1997 and the NSW EPA waste classification guidelines, part 1: classification of waste (November 2014). Testing is required prior to off-site disposal. In accordance with DECC waste classification guidelines (2014) materials identified for off-site disposal must be removed by a suitably qualified contractor to an appropriately licensed waste facility.

Note: attention is drawn to part 4 of the NSW DECC waste classification guidelines (2014) which makes particular reference to the management and disposal of acid & potential acid sulfate soils. The classification of the material is essential to determine where the waste may be legally taken. The protection of the environment operations act 1997 provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for the particular class of waste. For the transport and disposal of industrial, hazardous or group a liquid waste advice should be sought from the EPA.

Evidence that the requirements specified above have been satisfied must be provided to the Council and/or Principal Certifying Authority prior to the issue of an occupation certificate. Where an occupation certificate is not required this evidence must be provided to the satisfaction of Council.

(Reason: To ensure compliance with legislation.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)

16. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

17. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

18. CONSTRUCTION AND ENVIRONMENTAL MANAGEMENT PLAN (CC)

The applicant must prepare and submit a Construction and Environmental Management Plan (CEMP) to the Principal Certifying Authority, including:

- i) Detailed information on any approvals required from other authorities prior to or during construction.
- ii) Traffic management, including details of:
 - ingress and egress of vehicles to the site;
 - management of loading and unloading of materials;
 - the location of heavy vehicle parking off-site; and
 - designated routes for vehicles to the site.
- iii) The proposed areas within the site to be used for a builder's site office and amenities, the storage of excavated material, construction materials and waste containers during the construction period.
- iv) Waste management, including:
 - details of the types and estimated volumes of waste materials that will be generated;
 - procedures for maximising reuse and recycling of construction materials; and
 - details of the off-site disposal or recycling facilities for construction waste.
- v) Dust control, outlining measures to minimise the generation and off-site transmission of dust and fine particles, such as watering or damp cloth fences.

- vi) Asbestos management procedures:
- Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal License which ever applies and a current WorkCover Demolition License where works involve demolition. To find a licensed asbestos removalist please see www.workcover.nsw.gov.au
 - Removal of asbestos by a person who does not hold a Class A or Class B asbestos removal license is permitted if the asbestos being removed is 10m² or less of non-friable asbestos (approximately the size of a small bathroom). Friable asbestos materials must only be removed by a person who holds a current Class A asbestos license.
 - Before starting work, a work site-specific permit approving each asbestos project must be obtained from WorkCover NSW. A permit will not be granted without a current WorkCover licence. All removal, repair or disturbance of or to asbestos material must comply with the following:
 - The Work Health and Safety Act 2011;
 - The Work Health and Safety Regulation 2011;
 - How to Safety Remove Asbestos Code of Practice – WorkCover 2011; and
 - Safe Work Australia Code of Practice for the Management and Control of Asbestos in the Workplace.
 - Following completion of asbestos removal works undertaken by a licensed asbestos removalist re-occupation of a workplace must not occur until an independent and suitably licensed asbestos removalist undertakes a clearance inspection and issues a clearance certificate.
 - The developer or demolition contractor must notify adjoining residents/public/adjoining shop owners at least two (2) working days (i.e. Monday to Friday exclusive of public holidays) prior to the commencement of asbestos removal works. Notification is to include, at a minimum:
 - the date and time when asbestos removal works will commence;
 - the name, address and business hours contact telephone number of the demolisher, contractor and/or developer;
 - the full name and license number of the asbestos removalist/s; and
 - the telephone number of WorkCover's Hotline 13 10 50
 - warning signs informing all people nearby that asbestos removal work is taking place in the area. Signs should be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs should be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs should be in accordance with AS 1319-1994 Safety signs for the occupational environment for size, illumination, location and maintenance; and
 - appropriate barricades installed as appropriate to prevent public access and prevent the escape of asbestos fibres. Barricades must be installed prior to the commencement of asbestos removal works and remain in place until works are completed.

(Reason: Safety, amenity and protection of public infrastructure and the environment.)

19. COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new

stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

20. **FIRE SAFETY UPGRADE - CHANGE OF BUILDING USE (CC)**

Council considers pursuant to clause 93 of the Environmental Planning and Assessment Regulation 2000 that it is appropriate to require the existing building to be upgraded to total or partial conformity with the BCA.

The Construction Certificate plans and specification required to be submitted to the Certifying Authority pursuant to clause 139 of the Regulation must detail building upgrade works required by for the approved use.

The Certifying Authority must be satisfied that such work, to be implemented as part of the development, will upgrade the building to bring it into compliance with the provisions of the BCA in force at the date of issue of the Construction Certificate.

Note: The Certifying Authority issuing the Construction Certificate has no power to remove the requirement to upgrade the existing building as required by this condition. Where this condition specifies compliance with performance requirements of the BCA, the Certifying Authority (subject to their level of accreditation) may be satisfied as to such matters. Where this condition specifies compliance with prescriptive (deemed to satisfy) provisions of the BCA, these prescriptive requirements must be satisfied and cannot be varied unless this condition is reviewed under section 82A or amended under section 4.55 of the Act.

(Reason: Fire safety.)

21. FIRE SAFETY SCHEDULE (CC)

A Fire Safety Schedule specifying the fire safety measures (both current and proposed) which should be implemented in the building premises must be submitted with the Construction Certificate application, in accordance with Part 9 of Clause 168 of the Environmental Planning and Assessment Regulation 2000.

Note: A Construction Certificate cannot be issued until a Fire Safety Schedule is received.

(Reason: Compliance with the Environmental Planning and Assessment Act 1979.)

22. NOISE – VIBRATION (CC)

The construction of the development and preparation of the site, including operation of vehicles, must be conducted so as to avoid unreasonable noise or vibration and cause no interference to adjoining or nearby occupations.

(Reason: Noise attenuation.)

23. NOISE – PLANT (CC)

All works carried out on site during construction/demolition/excavation or earthworks shall comply with the NSW Protection of the Environment Operations Act 1997. Approved and effective silencing measures shall be provided and maintained on all power-operated plant used on site if required.

(Reason: Safety and amenity.)

24. NOISE – CONSTRUCTION (CC)

All works carried out on site during construction/demolition/excavation/earthworks shall comply with the NSW Protection of the Environment Operations Act 1997, the Department of Environment and Climate Changes "Interim construction noise guideline" and AS 2436-2010 – "Guide to noise and vibration control on construction, demolition and maintenance sites" for the control of construction noise which specifies that:

- Construction period of 4 weeks and under – The L90 Level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 20 dB(A) at the boundary.
- Construction period greater than 4 weeks but not exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is

operating must not exceed the background level by more than 10 dB(A) at the boundary.

- Construction period exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 5 dB(A) at the boundary.

Should complaints of a noise nuisance be substantiated, Council may require the acoustic treatment of the premises to ensure compliance with the NSW Department of Environment and Climate Changes “Interim construction noise guideline” and AS 2436-2010 – “Guide to noise and vibration control, demolition and maintenance sites” for the control of construction noise. A further acoustic assessment and report will be required to be provided to Council assessing the premises in working order.

(Reason: Noise attenuation.)

25. NOISE AND VIBRATION MANAGEMENT PLAN (CC)

Prior to the issue of a Construction Certificate, a Noise and Vibration Management Plan is to be prepared by a suitably qualified person addressing the likely noise and vibration from demolition, excavation and construction of the proposed development and provided to Council or the Principal Certifying Authority.

The Plan is to identify amelioration measures to ensure the noise and vibration levels will be in compliance with:

- Construction noise management levels established using the *Interim Construction Noise Guideline (DECC, 2009)*;
- Vibration criteria established using the assessing vibration: *Technical guideline (DEC, 2006)* (for human exposure); and
- The vibration limits set out in the German Standard DIN 4150-3: *Structural Vibration-effects of vibration on structures* (for structural damage)

The report that itemises equipment to be used for excavation works. The Plan shall address, but shall not be limited to, the following matters:

- Identification of activities carried out and associated noise sources;
- Identification of potentially affected sensitive receivers, including residences, churches, commercial premises, schools and properties containing noise sensitive equipment;
- Determination of appropriate noise and vibration objectives for each identified sensitive receiver;
- Noise and vibration monitoring, reporting and response procedures;
- Assessment of potential noise and vibration from the proposed demolition, excavation and construction activities, including noise from construction vehicles;
- Description of specific mitigation treatments, management methods and procedures to be implemented to control noise and vibration during construction;
- Construction timetabling to minimise noise impacts including time and duration restrictions, respite periods and frequency;
- Procedures for notifying residents of construction activities likely to affect their amenity through noise and vibration; and
- Contingency plans to be implemented in the event of non-compliances and/or noise complaints. A register should be kept of complaints received, and the action taken to remediate the issue.

(Reason: To protect acoustic amenity of surrounding properties and the public.)

Agreement.)

26. **REMEDIAL WORKS - PRE-COMMENCEMENT ENVIRONMENTAL MANAGEMENT PLAN (CC)**

A Construction Environmental Management Plan (CEMP) shall be prepared for the proposed remedial works in accordance with the requirements of the approved Remedial Action Plan.

The CEMP must be prepared by an appropriately qualified and experienced environmental consultant.

The CEMP for Remediation must include, but is not be limited to, the following:

- i) Asbestos management plan;
- ii) Project contact information;
- iii) Site security details;
- iv) Timing and sequencing information;
- v) Site soil and water management plan;
- vi) Noise and vibration control plan;
- vii) Dust control plan;
- viii) Air monitoring;
- ix) Odour control plan;
- x) Health and safety plan;
- xi) Waste management plan;
- xii) Incident management contingency; and
- xiii) Unexpected finds protocol (see Approval S60).

The CEMP must be prepared and implemented to the satisfaction of the supervising environmental consultant. The environmental site management measures must remain in place and be maintained throughout the period of the remediation works, until completion of site remediation and the site has been validated.

Note: An appropriately qualified and experienced environmental consultant certified under the Certified Environmental Practitioner" (CEnvP) Scheme or equivalent.

(Reason: To ensure compliance with statutory requirements.)

27. **TRAFFIC - CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CC)**

A Construction Traffic Management Plan (CTMP) is to be prepared by an appropriately qualified Traffic Management Consultant and submitted to and approved by Council's Engineering Section, prior to the commencement of any works including demolition.

The following matters should be addressed in the CTMP (where applicable):

- i) Description of the demolition, excavation and construction works;
- ii) site plan/s showing the site, roads, footpaths, site access points and vehicular movements;
- iii) Size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site);
- iv) Proposed route(s) from the arterial (state) road network to the site and the proposed route from the site back to the arterial road network;
- v) Impacts of the work and vehicular movements on the road network, traffic and pedestrians and proposed methods to safely manage pedestrians and construction related vehicles in the frontage roadways;

- vi) Any Traffic Control Plans (TCP's) proposed to regulate traffic and pedestrian movements for construction activities (such as concrete pours, crane installation/removal etc.);
- vii) Proposed hours of construction related activities and vehicular movements to and from the site;
- viii) Current/proposed approvals from other Agencies and Authorities (including Roads and Maritime Services, Police and State Transit Authority);
- ix) Any activities proposed to be located or impact upon Council's road, footways or any public place;
- x) Measures to maintain public safety and convenience;
- xi) Any proposed road and/or footpath closures;
- xii) Turning areas within the site for construction and spoil removal vehicles, allowing a forward egress for all construction vehicles on the site;
- xiii) Locations of work zones (where it is not possible for loading/unloading to occur on the site) in the frontage roadways accompanied by supporting documentation that such work zones have been approved by the Local Traffic Committee and Council;
- xiv) Location of any proposed crane and concrete pump and truck standing areas on and off the site (and relevant approvals from Council for plant on road);
- xv) A dedicated unloading and loading point within the site for all construction vehicles, plant and deliveries;
- xvi) Material, plant and spoil bin storage areas within the site, where all materials are to be dropped off and collected;
- xvii) On-site parking area for employees, tradespersons and construction vehicles as far as possible;
- xviii) Proposed areas within the site to be used for the storage of excavated material, construction materials and waste and recycling containers during the construction period; and
- xix) How it is proposed to ensure that soil/excavated material is not transported onto surrounding footpaths and roadways.

(Reason: To mitigate traffic impacts on the surrounding area during the construction period.)

28. **SPECIALISED WASTE EQUIPMENT (CC)**

Details of any specialised waste disposal equipment to be used in the development i.e. compactors (carousel and linear), bin tugs, chutes, crushers, bunding, oil water separators (coalescing plate separators), etc. to be provided to Council for approval.

(Reason: To ensure compliance with legislation.)

29. **WORKS ZONE - APPROVAL BY COUNCIL'S TRAFFIC COMMITTEE (CC)**

An application for a 'Works Zone' must be submitted to and approved by the Strathfield Council Traffic Committee prior to the commencement of any site work (including demolition).

The suitability of the proposed length and duration of the Works Zone is to be demonstrated in the application for the Works Zone. The application for the Works Zone must be submitted to Council at least six (6) weeks prior to the commencement of work on the site to allow for assessment and tabling of agenda for the Strathfield Council Traffic Committee.

The requirement for a Works Zone may be varied or waived only if it can be demonstrated in the Construction Traffic Management Plan (to the satisfaction of Council) that all construction related activities (including all loading and unloading operations) can and will

be undertaken wholly within the site. The written approval of Council must be obtained to provide a Works Zone or to waive the requirement to provide a Works Zone prior to the commencement of any site work.

(Reason: Council requirement.)

30. **DUST CONTROL (CC)**

Where a dust nuisance is likely to occur, suitable screens and/or barricades shall be erected during the demolition, excavation and building works. If necessary, water sprays shall be used on the site to reduce the emission of dust. Screening shall consist of minimum 2 metres height of shade cloth or similar material secured to a chain wire fence of the like and shall be modified as directed by the Council should it fail to adequately control any dust nuisance.

Major Works

The following measures must be implemented (in part or in total) as directed by Council to control the emission of dust:

- (a) Dust screens must be erected around the perimeter of the site and be kept in good repair for the duration of the work.
- (b) All dusty surfaces must be wet down and any dust created must be suppressed by means of a fine water spray. Water used for dust suppression must not be contaminated or allowed to enter the stormwater system
- (c) All stockpiles of materials that are likely to generate dust must be kept damp or covered.
- (d) All stockpiles of soil or other materials shall be placed away from drainage lines, gutters or stormwater pits or inlets.
- (e) All stockpiles of soil or other materials likely to generate dust or odours shall be covered.
- (f) All stockpiles of contaminated soil shall be stored in a secure area and be covered if remaining more than 24 hours or as directed by Council.

(Reason: Environmental amenity.)

CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)

31. **APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
 - notified the Council of his or her appointment, and
 - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
 - appointed a principal contractor for the building work who must be the holder of

- a contractor licence if any residential building work is involved;
 - notified the principal certifying authority of such appointment; and
 - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- v) The person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

32. NOTICE OF COMMENCEMENT (CW)

No work shall commence until the following details are submitted to Council:

- i) A Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) Details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) Details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)

33. CONTAMINATED LAND UNEXPECTED FINDS (DW)

In the instance works cause the generation of odours or uncovering of unexpected contaminants works are to immediately cease, Council is to be notified and a suitably qualified environmental scientist appointed to further assess the site.

The contaminated land situation is to be evaluated by the supervising environmental consultant and an appropriate response determined in consultation with the applicant, which is agreed to by Strathfield Council's Environmental Services Manager.

Note: Council may also request that a NSW EPA accredited site auditor is involved to assist with the assessment of the contaminated land situation and review any new contamination information. The applicant must also adhere to any additional conditions which may be imposed by the accredited site auditor.

(Reason: To ensure compliance with statutory requirements.)

34. OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

35. PUBLIC INFRASTRUCTURE AND SERVICES (DW)

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)

36. DRAINAGE SYSTEM - MAINTENANCE OF EXISTING SYSTEM (OC)

Where elements of the existing drainage system are to be utilised, the existing drainage system shall be overhauled and maintained clear of silt and accumulated debris. Silt and the like shall be removed, not flushed from the system.

A certificate shall be provided by a suitably qualified person (a registered plumber or a person of equivalent or greater experience or qualification) to the satisfaction of the Principal Certifying Authority, prior to the issue of any Occupation Certificate to confirm that the system is in good working order and adequate to accept additional flows having regard to any relevant standards and/or Sydney Water requirements.

(Reason: Maintenance and environment.)

37. FIRE SAFETY CERTIFICATION (OC)

A fire safety certificate shall be obtained in accordance with Part 9, Division 4 of the Environmental Planning and Assessment Regulation 2000, prior to the issue of any Occupation Certificate.

A fire safety certificate is a certificate issued by the owner of a building to the effect that each essential fire safety measure specified in the current fire safety schedule for the part of the building to which the certificate relates:

- i) Has been assessed by a properly qualified person; and
- ii) Was found, when it was assessed, to be capable of performing to at least the standard required by the current fire safety schedule for the building for which the certificate is issued.

An interim fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(2) of the Environmental Planning & Assessment Regulation 2000.

A final fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(1) of the Environmental Planning & Assessment Regulation 2000.

A copy of the fire safety certificate and fire safety schedule shall be:

- i) Submitted to Strathfield Council;
- ii) Submitted to the Commissioner of the New South Wales Fire Brigade; and
- iii) Prominently displayed in the building.

(Reason: Fire safety and statutory requirement.)

38. VENTILATION SYSTEMS – NATURAL (OC)

The natural ventilation system shall be designed, constructed and installed in accordance with the provisions of:

- i) The Building Code of Australia; and
- ii) Protection of the Environment Operations Act 1997.

Details demonstrating compliance with this condition shall be submitted to the Principal Certifying Authority, prior to issue of the Occupation Certificate.

(Reason: To ensure any natural ventilation systems comply with the relevant regulations/standards.)

CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)

39. FIRE SAFETY ANNUAL STATEMENT (OU)

Pursuant to Part 9, Division 5 of the Environmental Planning and Assessment Regulation (as amended) the owner of the building shall provide to Council an Annual Fire Safety Statement from an appropriately qualified person certifying the essential fire safety measures in the building. The Annual Fire Safety Statement shall be submitted within 12 months of the issue of the fire safety certificate, and then on an annual basis.

A copy of the Fire Safety Statement obtained and Fire Safety Schedule shall also be:

- i) Forwarded to the Commissioner of the New South Wales Fire Brigade; and
- ii) Prominently displayed in the building.

(Reason: Fire safety.)

40. LOADING AND UNLOADING - NO OBSTRUCTION OF PUBLIC ROAD OR FOOTWAY (OU)

All loading and unloading operations including fork lift trucks or other similar loading, lifting and/or carrying appliances used in conjunction with the premises, shall be carried out wholly within the boundaries of the site, at all times. There shall be no obstruction of any public roadway or footway at any time, without the prior

(Reason: Public safety.)

41. POLLUTION - COMPLIANCE WITH PEOA 1997 GENERALLY (OU)

The activities carried out on site shall not constitute a nuisance in relation to noise, air or water pollution as specified under the Protection of the Environment Operations Act 1997.

(Reason: Environmental protection.)

42. WASTE AND RECYCLING COLLECTION (COMMERCIAL AND INDUSTRIAL) (OU)

- i) The collection of commercial and industrial waste and recycling must only occur between 6.00am and 8.00pm weekdays and 9.00am and 5.00pm on weekends and public holidays, to avoid noise disruption to the surrounding area.
- ii) Commercial and industrial garbage and recycling must be collected on site unless expressly agreed to in OC.
- iii) Where consent is given for commercial and industrial garbage and recycling to be placed kerbside for collection bins must not be placed on the kerbside more than one hour before the scheduled collection time. Bins and containers are to be removed from the kerbside within one (1) hour of collection and returned to the designated garbage storage area(s).
- iv) The garbage and recyclable storage area and bins must be adequate to contain the volume and type of garbage and recyclable matter of the food premises.
- v) All garbage and recyclable matter must be enclosed in the waste bins with lids completely closed at all times.
- vi) Recycling options must be provided for all commercially recyclable waste products including but not limited to paper, cardboard, oil, food waste, plastics, metals, chemicals etc.

(Reason: To regulate noise and garbage collection arrangements.)

43. CONTROL OF LITTER (OU)

The occupant or person in control of the premises must take all practicable steps to ensure that the area of public footpath or public area adjacent to the premises is maintained in a clean and tidy condition.

A litter management plan must be included with all applications, litter management plan must include the below:

- i) All steps being taken to prevent, reduce and collect any litter produced by the site
- ii) Measures such as cleaner to conduct litter collection within a 50m radius to be included.

(Reason: To manage litter throughout the LGA.)

RESOLUTION

The development application relating to Shop 9, 1 Albert Road, Strathfield for alterations to an existing ticket office and future retail use is **APPROVED**.

FOR: The Hon Paul Stein AM QC , Paul Vergotis, Ian Stapleton, David Starr

AGAINST: Nil

Reasons: The Panel agrees with the Planning Officers report.

**** End Minutes - Report No. 13****

TO: Strathfield Local Planning Panel Meeting - 7 May 2020
REPORT: SLPP – Report No. 14
**SUBJECT: DA2019/223 - 115-127 THE BOULEVARDE, STRATHFIELD - LOT 42 DP
829284**
DA NO. 2019/223

RECOMMENDATION

In consideration of the written request made by the applicant pursuant to Clause 4.6 of the Strathfield Local Environmental Plan 2012, the consent authority is satisfied that compliance with the development standard contained in Clause 4.3 Height of Building of the SLEP 2012 is well founded and that there are sufficient environmental planning grounds to justify contravening the development standard.

That Development Application No. 2019/223 for Proposed Demolition, Alterations and Additions to Existing Educational Establishment at 117-125 The Boulevard, Strathfield be **APPROVED** subject to the following conditions for the following reasons:

SPECIAL CONDITIONS (GC)

1. TRANSPORT IMPACT STUDY (OU)

Should further intensification of the use be sought at the site, a transport impact study shall be prepared by a suitably qualified traffic consultant and submitted to Council to the satisfaction of Council's Manager Traffic to address the following:

- Demonstrate adequate on-site parking provision which satisfies relevant DCP and SEPP requirements.
- Identify the potential impact associated with the intensification on the road network. Trip generation shall be derived from the RTA Guide to Traffic Generating Developments relevant traffic generation rates, or based on surveys on the existing and similar land uses within the local area.
- All aspects of the on-site parking layout must comply with AS2890 series.
- Discuss impacts on public transport, cycling and pedestrian access.
- A preliminary CTPMP shall be provided to demonstrate the proposed management of the impact in relation to construction traffic.
- An operational plan shall be included. Consideration should be given to initiatives to encourage modal shift away from private car usage during the on-going use.
- Mitigations shall be included to address infrastructure upgrade and traffic management requirements.

(Reason: Environmental amenity.)

2. INTERNAL COLOUR (SC)

Delineate the internal walls of the modern fabric in a different colour/material to that of the historical fabric of "Llandilo" house so that the historical fabric is easy to interpret.

(Reason: To enable the historical house to be better interpreted.)

3. NOISE GENERATION (SC)

Noise generated from the mechanical ventilation and air conditioning units shall not give rise to offensive noise as defined under the provisions of the Protection of the Environmental Operations Act 1997. The sound level output shall not exceed 5 dB (A) above the ambient background level at the received boundary.

(Reason: Environmental amenity)

4. REMOVAL OF HERITAGE FABRIC - WINDOWS OPENINGS (SC)

The modification of the two original windows shall be carried out in a way so their original design is evident in the new configuration. The proposed design showing this is to be approved by Council's Heritage Consultant prior to the issue of a Construction Certificate.

(Reason: Historical interpretation)

5. HERITAGE - SUBMISSION OF PHOTOGRAPHIC RECORD (CC)

A photographic archival record is to be made of the affected area in accordance with NSW Heritage Council Guidelines 'Photographic Recording of Heritage Items Using Film or Digital Capture' prior to commencement of works or any demolition works and the record lodged with a suitable archive such as Strathfield Local History library.

(Reason: To provide a historic record of heritage significant works on the site for archival purposes.)

GENERAL CONDITIONS (GC)**6. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)**

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2019/223

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
DA-010	LOWER GROUND FLOOR DEMOLITION PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-011	UPPER GROUND FLOOR DEMOLITION PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-012	FIRST FLOOR PLAN DEMOLITION PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-013	ROOF LEVEL PLAN DEMOLITION	TONKIN ZULAIKHA GREER	01/16.12.2019	23/12/2019

	PLAN	ARCHITECTS		
DA-100	LOWER GROUND FLOOR PROPOSED PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-101	UPPER GROUND FLOOR PROPOSED PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-102	FIRST FLOOR PLAN PROPOSED PLA	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-103	ROOF LEVEL PLAN PROPOSED PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-200	EAST ELEVATION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-201	SOUTH ELEVATION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-202	WEST ELEVATION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-203	NORTH ELEVATION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-204	INTERNAL ELEVATION	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-300	NORTH SOUTH SECTION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-301	EAST WEST SECTION PROPOSED	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
DA-401	MATERIALS AND FINISHES PLAN	TONKIN ZULAIKHA GREER ARCHITECTS	01/16.12.2019	23/12/2019
L101	LANDSCAPE PLAN	XERISCAPES	B/06.12.2019	23/12/2019
L102	LANDSCAPE SECTION AA	XERISCAPES	A/06.12.2019	23/12/2019
L201	PRECEDENT SPACES AND PLANTING PALETTE	XERISCAPES	A/06.12.2019	23/12/2019
L301	INDICATIVE PLANT SCEDULE	XERISCAPES	A/06.12.2019	23/12/2019
DA-C03.01	CONCEPT CIVIL WORKS AND	NORTHROP	MS/06.12.19	23/12/2019

	STORMWATER PLAN			
--	-----------------	--	--	--

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2019/223:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
PROPOSED ALTERATIONS AND ADDITIONS TO TRINITY GRAMMAR PREPARATORY SCHOOL THE BOULEVARDE, STRATHFIELD, NSW HERITAGE IMPACT STATEMENT	John Oultram Heritage & Design	December 2019	23 December 2019
WASTE MANGEMENT PLAN TEMPLATE	THE COUNCIL OF TRINITY GRAMMAR SCHOOL	11 December 2019	23 December 2019
ACCESS REVIEW TRINITY GRAMMAR YEAR 5 and 6 PRECINCTS	FUNKTION	1/16.12.2019	23 December 2019
HAZARDOUS MATERIALS SURVEY REPORT AND REGISTER EMS142730	MEMS – ENVIRONMENTAL MONITORING SERVICES	29/09/2014	23 December 2019
PROPOSED ALTERATIONS AND INTERNAL RECONFIGURATION S OF TRINITY GRAMMAR SCHOOL STRATHFIELD CAMPUS .115-127 THE BOULEVARDE, STRATHFIELD - TRAFFIC AND PARKING ASSESSMENT REPORT (Ref 19510)	VARGA TRAFFIC PLANNING PTY LTD	11 December 2019	23 December 2019

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

7. CONSTRUCTION HOURS (GC)

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or

other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

8. CONSTRUCTION WITHIN BOUNDARIES (GC)

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

9. DEMOLITION – GENERALLY (GC)

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

10. DEMOLITION - HERITAGE ITEMS (GC)

Alterations to, and demolition of, the existing building shall be limited to that documented on the approved plans (by way of notation) or conditioned in this consent. No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Should any portion of the existing building which is indicated on the approved plans to be retained, be damaged for whatever reason, all the works in the area of this damaged portion are to cease and written notification given to Council. No work is to resume until the written approval of Council is obtained.

(Reason: Heritage conservation.)

11. DEMOLITION - SITE SAFETY FENCING (GC)

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

12. LIGHTING (GC)

Any lighting of the premises shall be installed and maintained in accordance with Australian Standard AS 4282-1997: Control of the Obtrusive Effects of Outdoor Lighting so as to avoid annoyance to the occupants of adjoining premises or glare to motorists on nearby roads.

No flashing, moving or intermittent lighting, visible from any public place may be installed on the premises or external signage associated with the development, without the prior approval of Council.

(Reason: To protect the amenity of surrounding development and protect public safety.)

13. MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

14. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) The Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) The Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) the sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

15. SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.

- vii) Any demolition and excess construction materials are to be recycled wherever practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
- x) All waste must be contained entirely within the site.
- xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
- xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
- xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
- xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
- xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
- xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
- xix) Any work must not prohibit or divert any natural overland flow of water.
- xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

16. **WASTE – TRACKABLE (GC)**

Removal of trackable waste (as defined by the NSW Environment Protection Authority) from the site must comply with the Protection of the Environment Operations (Waste) Regulation 2005 for the transportation, treatment and disposal of waste materials. Waste materials must not be disposed on land without permission of the land owner and must with the provisions of the Protection of the Environment and Operations Act 1997.

(Reason: To ensure compliance with legislation.)

17. CLASSIFICATION OF WASTE (GC)

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be tested and classified in accordance with the provisions of the protection of the environment operations act 1997 and the NSW EPA waste classification guidelines, part 1: classification of waste (November 2014). Testing is required prior to off-site disposal. In accordance with DECC waste classification guidelines (2014) materials identified for off-site disposal must be removed by a suitably qualified contractor to an appropriately licensed waste facility.

Note: attention is drawn to part 4 of the NSW DECC waste classification guidelines (2014) which makes particular reference to the management and disposal of acid & potential acid sulfate soils. The classification of the material is essential to determine where the waste may be legally taken. The protection of the environment operations act 1997 provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for the particular class of waste. For the transport and disposal of industrial, hazardous or group a liquid waste advice should be sought from the EPA.

Evidence that the requirements specified above have been satisfied must be provided to the Council and/or Principal Certifying Authority prior to the issue of an occupation certificate. Where an occupation certificate is not required this evidence must be provided to the satisfaction of Council.

(Reason: To ensure compliance with legislation.)

18. HAZARDOUS GOODS AND WASTE (GC)

Dangerous and hazardous goods shall be stored in accordance with NSW WorkCover requirements and AS1940-2004 - The Storage and Handling of Flammable and Combustible Liquids.

Hazardous waste must be contained, managed and disposed of in a responsible manner in accordance with the Protection of Environment and Operations Act 1997, NSW Environment Protection Authority (EPA) and the New South Wales WorkCover Authority.

Material Safety Data Sheets of all hazardous substances used, such as bleaches and nail products must be kept on site and readily available to all staff. Staff must be trained how to safely use and store these chemicals prior to the commencement of work.

Details demonstrating compliance with the requirements of this condition are to be submitted to the satisfaction of the Principal Certifying Authority prior to the issue of any Construction Certificate.

(Reason: Health and safety.)

19. STORMWATER MANAGEMENT PLAN - CERTIFICATION REQUIREMENT (GC)

A detailed Stormwater Management Plan (SWMP) in line with Council's Stormwater Management Code is to be prepared and certified by an Accredited Civil/Hydraulic Engineer and submitted to the Principal Certifying Authority and Council, prior to the issue of a Construction Certificate. The SWMP is to be based on the approved development as modified by any conditions of consent.

(Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure public infrastructure in Council's

care and control is not overloaded.)

20. **SYDNEY WATER - TAP IN™ (GC)**

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at www.sydneywater.com.au then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

(Reason: Compliance with Sydney Water requirements.)

21. **UTILITIES AND SERVICES - PROTECTION OF (GC)**

Any footings or excavation to be located or undertaken adjacent to Council's stormwater must be designed to address the following requirements:

- i) all footings and excavation must be located wholly within the site and clear of any easement boundaries;
- ii) all footings and excavation must be located a minimum of 1000mm from the centreline of the pipeline or 500mm from the outside of the pipeline, whichever is the greater distance from the centreline; and
- iii) footings must extend to at least the depth of the invert of the pipeline unless the footings are to be placed on competent bedrock.

If permanent excavation is proposed beneath the obvert of the pipeline, suitable means to protect the excavation and proposed retaining structures from seepage or other water flow from the pipeline and surrounding subsoil, must be provided. The design must be prepared by a qualified practicing Structural/Civil Engineer.

Construction plans must be approved by the appropriate utility's office (e.g. council, Sydney Water Corporation) to demonstrate that the development complies with the utility's requirements.

The applicant must provide written evidence (e.g. compliance certificate, formal advice) of compliance with the requirements of all relevant utility providers (e.g. Water, Energy, Telecommunications, Gas).

(Reason: To ensure protection of Council assets.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)

22. **ACCESS - ACCESS FOR PEOPLE WITH DISABILITIES (CC)**

Access for people with disabilities must be provided in accordance with the requirements of the Building Code of Australia, relevant Australian Standards and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if

access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

23. ACCESS - DISABLED TOILETS (CC)

Plans and details of the disabled toilet/s complying with the relevant Australian Standards, the Building Code of Australia, and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

24. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

25. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

26. CONSTRUCTION AND ENVIRONMENTAL MANAGEMENT PLAN (CC)

The applicant must prepare and submit a Construction and Environmental Management Plan (CEMP) to the Principal Certifying Authority, including:

- i) Detailed information on any approvals required from other authorities prior to or

- during construction.
- ii) Traffic management, including details of:
 - ingress and egress of vehicles to the site;
 - management of loading and unloading of materials;
 - the location of heavy vehicle parking off-site; and
 - designated routes for vehicles to the site.
 - iii) The proposed areas within the site to be used for a builder's site office and amenities, the storage of excavated material, construction materials and waste containers during the construction period.
 - iv) Erosion and sediment control, detailing measures and procedures consistent with the requirements of Council's guidelines for managing stormwater, including:
 - the collection and treatment of stormwater and wastewater generated on site prior to discharge; and
 - procedures to prevent run-off of solid material and waste from the site.
 - v) Waste management, including:
 - details of the types and estimated volumes of waste materials that will be generated;
 - procedures for maximising reuse and recycling of construction materials; and
 - details of the off-site disposal or recycling facilities for construction waste.
 - vi) Dust control, outlining measures to minimise the generation and off-site transmission of dust and fine particles, such as watering or damp cloth fences.
 - vii) A soil and water management plan, which includes:
 - measures to minimise the area of soils exposed at any one time and conserve top soil;
 - identification and protection of proposed stockpile locations;
 - preservation of existing vegetation and revegetation;
 - measures to prevent soil, sand, sediments leaving the site in an uncontrolled manner;
 - measures to control surface water flows through the site in a manner that diverts clean run-off around disturbed areas, minimises slope gradient and flow distance within disturbed areas, ensures surface run-off occurs at non-erodible velocities, and ensures disturbed areas are promptly rehabilitated;
 - details of sediment and erosion control measures in place before work commences;
 - measures to ensure materials are not tracked onto the road by vehicles entering or leaving the site; and
 - details of drainage to protect and drain the site during works.
 - viii) Asbestos management procedures:
 - Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal License which ever applies and a current WorkCover Demolition License where works involve demolition. To find a licensed asbestos removalist please see www.workcover.nsw.gov.au
 - Removal of asbestos by a person who does not hold a Class A or Class B asbestos removal license is permitted if the asbestos being removed is 10m² or less of non-friable asbestos (approximately the size of a small bathroom). Friable asbestos materials must only be removed by a person who holds a current Class A asbestos license.
 - Before starting work, a work site-specific permit approving each asbestos project must be obtained from WorkCover NSW. A permit will not be granted without a current WorkCover licence. All removal, repair or disturbance of or to asbestos material must comply with the following:
 - The Work Health and Safety Act 2011;
 - The Work Health and Safety Regulation 2011;

- How to Safety Remove Asbestos Code of Practice – WorkCover 2011; and
- Safe Work Australia Code of Practice for the Management and Control of Asbestos in the Workplace.
- Following completion of asbestos removal works undertaken by a licensed asbestos removalist re-occupation of a workplace must not occur until an independent and suitably licensed asbestos removalist undertakes a clearance inspection and issues a clearance certificate.
- The developer or demolition contractor must notify adjoining residents at least two (2) working days (i.e. Monday to Friday exclusive of public holidays) prior to the commencement of asbestos removal works. Notification is to include, at a minimum:
 - the date and time when asbestos removal works will commence;
 - the name, address and business hours contact telephone number of the demolisher, contractor and/or developer;
 - the full name and license number of the asbestos removalist/s; and
 - the telephone number of WorkCover's Hotline 13 10 50
 - warning signs informing all people nearby that asbestos removal work is taking place in the area. Signs should be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs should be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs should be in accordance with AS 1319-1994 Safety signs for the occupational environment for size, illumination, location and maintenance; and
 - appropriate barricades installed as appropriate to prevent public access and prevent the escape of asbestos fibres. Barricades must be installed prior to the commencement of asbestos removal works and remain in place until works are completed.

(Reason: Safety, amenity and protection of public infrastructure and the environment.)

27. **COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)**

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

28. EROSION AND SEDIMENTATION CONTROL PLAN (CC)

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar.
- viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
- ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the

Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

29. **FIRE SAFETY UPGRADE (CC)**

Council considers pursuant to clause 94 of the Environmental Planning and Assessment Regulation 2000 that it is appropriate to require the existing building to be upgraded to total or partial conformity with the BCA.

The Construction Certificate plans and specification required to be submitted to the Certifying Authority pursuant to clause 139 of the Regulation must detail building upgrade works required by for the approved use.

The Certifying Authority must be satisfied that such work, to be implemented as part of the development, will upgrade the building to bring it into compliance with the provisions of the BCA in force at the date of issue of the Construction Certificate.

Note: The Certifying Authority issuing the Construction Certificate has no power to remove the requirement to upgrade the existing building as required by this condition. Where this condition specifies compliance with performance requirements of the BCA, the Certifying Authority (subject to their level of accreditation) may be satisfied as to such matters. Where this condition specifies compliance with prescriptive (deemed to satisfy) provisions of the BCA, these prescriptive requirements must be satisfied and cannot be varied unless this condition is reviewed under section 82A or amended under section 4.55 of the Act.

(Reason: Fire safety.)

30. **FIRE SAFETY SCHEDULE (CC)**

A Fire Safety Schedule specifying the fire safety measures (both current and proposed) which should be implemented in the building premises must be submitted with the Construction Certificate application, in accordance with Part 9 of Clause 168 of the Environmental Planning and Assessment Regulation 2000.

Note: A Construction Certificate cannot be issued until a Fire Safety Schedule is received.

(Reason: Compliance with the Environmental Planning and Assessment Act 1979.)

31. **NOISE – VIBRATION (CC)**

The construction of the development and preparation of the site, including operation of vehicles, must be conducted so as to avoid unreasonable noise or vibration and cause no interference to adjoining or nearby occupations. Special precautions must be taken to avoid nuisance in neighbouring residential areas, particularly from machinery, vehicles, warning sirens, public address systems and the like.

(Reason: Noise attenuation.)

32. **NOISE – PLANT (CC)**

All works carried out on site during construction/demolition/excavation or earthworks shall comply with the NSW Protection of the Environment Operations Act 1997. Approved and effective silencing measures shall be provided and maintained on all power-operated plant

used on site if required.

(Reason: Safety and amenity.)

33. NOISE – CONSTRUCTION (CC)

All works carried out on site during construction/demolition/excavation/earthworks shall comply with the NSW Protection of the Environment Operations Act 1997, the Department of Environment and Climate Changes “Interim construction noise guideline” and AS 2436-2010 – “Guide to noise and vibration control on construction, demolition and maintenance sites” for the control of construction noise which specifies that:

- Construction period of 4 weeks and under – The L90 Level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 20 dB(A) at the boundary.
- Construction period greater than 4 weeks but not exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 10 dB(A) at the boundary.
- Construction period exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 5 dB(A) at the boundary.

Should complaints of a noise nuisance be substantiated, Council may require the acoustic treatment of the premises to ensure compliance with the NSW Department of Environment and Climate Changes “Interim construction noise guideline” and AS 2436-2010 – “Guide to noise and vibration control, demolition and maintenance sites” for the control of construction noise. A further acoustic assessment and report will be required to be provided to Council assessing the premises in working order.

(Reason: Noise attenuation.)

34. NOISE AND VIBRATION MANAGEMENT PLAN (CC)

Prior to the issue of a Construction Certificate, a Noise and Vibration Management Plan is to be prepared by a suitably qualified person addressing the likely noise and vibration from demolition, excavation and construction of the proposed development and provided to Council or the Principal Certifying Authority.

The Plan is to identify amelioration measures to ensure the noise and vibration levels will be in compliance with:

- a. Construction noise management levels established using the *Interim Construction Noise Guideline (DECC, 2009)*;
- b. Vibration criteria established using the assessing vibration: *Technical guideline (DEC, 2006)* (for human exposure); and
- c. The vibration limits set out in the German Standard DIN 4150-3: *Structural Vibration-effects of vibration on structures* (for structural damage)

The report that itemises equipment to be used for excavation works. The Plan shall address, but shall not be limited to, the following matters:

- i) identification of activities carried out and associated noise sources;
- ii) identification of potentially affected sensitive receivers, including residences, churches, commercial premises, schools and properties containing noise sensitive equipment;

- iii) determination of appropriate noise and vibration objectives for each identified sensitive receiver;
- iv) noise and vibration monitoring, reporting and response procedures;
- v) assessment of potential noise and vibration from the proposed demolition, excavation and construction activities, including noise from construction vehicles;
- vi) description of specific mitigation treatments, management methods and procedures to be implemented to control noise and vibration during construction;
- vii) construction timetabling to minimise noise impacts including time and duration restrictions, respite periods and frequency;
- viii) procedures for notifying residents of construction activities likely to affect their amenity through noise and vibration; and
- ix) contingency plans to be implemented in the event of non-compliances and/or noise complaints. A register should be kept of complaints received, and the action taken to remediate the issue.

(Reason: To protect acoustic amenity of surrounding properties and the public.)

35. SECTION 7.12 CONTRIBUTION PAYMENT - INDIRECT CONTRIBUTIONS PLAN) (CC)

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Indirect Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

Local Amenity Improvement Levy	\$44,990.17
--------------------------------	-------------

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. The amount of the contribution under this condition shall be indexed in accordance with clause 4.12 of the Strathfield Indirect Development Contributions Plan 2010-2030.

Contributions must be receipted by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

A copy of this condition is to be presented to Council's Customer Service Centre when paying the contribution so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.12 Indirect Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

36. STORMWATER DRAINAGE (CC)

The following stormwater precautions are required to be provided on the site:

- i) Grated drains shall be provided along the driveway/basement entry at the vehicular crossing(s) and are to connect to the internal drainage system.
- ii) Overflow paths shall be provided to allow for flows in excess of the capacity of the pipe/drainage system draining the site.
- iii) Allowance shall be made for surface runoff from adjacent properties, and to retain existing surface flow path systems through the site. Any redirection or treatment of these flows shall not adversely affect any other properties
- iv) Boundary fencing shall be erected in such a manner as not to interfere with the

natural flow of ground and surface water to the detriment of any other party.

(Reason: To ensure the site is drained appropriately and does not interfere with the natural flow of flood waters.)

37. TRAFFIC - CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CC)

A Construction Traffic Management Plan (CTMP) is to be prepared by an appropriately qualified Traffic Management Consultant and submitted to and approved by Council's Engineering Section, prior to the commencement of any works including demolition.

The following matters should be addressed in the CTMP (where applicable):

- i) description of the demolition, excavation and construction works;
- ii) site plan/s showing the site, roads, footpaths, site access points and vehicular movements;
- iii) size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site);
- iv) proposed route(s) from the arterial (state) road network to the site and the proposed route from the site back to the arterial road network;
- v) impacts of the work and vehicular movements on the road network, traffic and pedestrians and proposed methods to safely manage pedestrians and construction related vehicles in the frontage roadways;
- vi) any Traffic Control Plans (TCP's) proposed to regulate traffic and pedestrian movements for construction activities (such as concrete pours, crane installation/removal etc.);
- vii) proposed hours of construction related activities and vehicular movements to and from the site;
- viii) current/proposed approvals from other Agencies and Authorities (including Roads and Maritime Services, Police and State Transit Authority);
- ix) any activities proposed to be located or impact upon Council's road, footways or any public place;
- x) measures to maintain public safety and convenience;
- xi) any proposed road and/or footpath closures;
- xii) turning areas within the site for construction and spoil removal vehicles, allowing a forward egress for all construction vehicles on the site;
- xiii) locations of work zones (where it is not possible for loading/unloading to occur on the site) in the frontage roadways accompanied by supporting documentation that such work zones have been approved by the Local Traffic Committee and Council;
- xiv) location of any proposed crane and concrete pump and truck standing areas on and off the site (and relevant approvals from Council for plant on road);
- xv) a dedicated unloading and loading point within the site for all construction vehicles, plant and deliveries;
- xvi) material, plant and spoil bin storage areas within the site, where all materials are to be dropped off and collected;
- xvii) on-site parking area for employees, tradespersons and construction vehicles as far as possible;
- xviii) proposed areas within the site to be used for the storage of excavated material, construction materials and waste and recycling containers during the construction period; and
- xix) how it is proposed to ensure that soil/excavated material is not transported onto surrounding footpaths and roadways.

(Reason: To mitigate traffic impacts on the surrounding area during the construction period.)

38. VENTILATION SYSTEMS – MECHANICAL (CC)

The mechanical ventilation system is to comply with the following:

- i) The Building Code of Australia;
- ii) Protection of the Environment Operations Act 1997; and
- iii) Australian Standard AS1668-1991.

In addition, odour control measures, such as activated carbon or catalytic oxidisers, must be used to treat ventilation gases prior to discharge. The method of odour control must be designed by a suitably qualified mechanical ventilation engineer.

Details demonstrating compliance with the above are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure the mechanical ventilation system complies with the relevant requirements/standards.)

39. WATER SUSTAINABILITY - WATER SENSITIVE URBAN DESIGN (CC)

Details of the Water Sensitive Urban Design (WSUD) components (stormwater treatment measures) shall be submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate. Details shall demonstrate compliance with the water conservation and stormwater quality targets set out under Sections 3.1 and 3.2 respectively under Part N of the SCDCP 2005, and be prepared by a suitably qualified professional engineer.

(Reason: To promote Water Sensitive Urban Design.)

40. WATER SUSTAINABILITY – GENERALLY (CC)

Water collected in the rainwater tank must comprise roof water only and not surface water. Water from the rainwater tank must only be used for following purposes and not for human consumption:

- i) Toilet flushing;
- ii) Clothes washing;
- iii) Garden irrigation;
- iv) Car washing and similar outdoor uses;
- v) Filling swimming pools, spa pools and ornamental ponds; and
- vi) Fire fighting.

(Reason: To promote sustainable water management practice.)

41. WORKS ZONE - APPROVAL BY COUNCIL'S TRAFFIC COMMITTEE (CC)

An application for a 'Works Zone' must be submitted to and approved by the Strathfield Council Traffic Committee prior to the commencement of any site work (including demolition).

The suitability of the proposed length and duration of the Works Zone is to be demonstrated in the application for the Works Zone. The application for the Works Zone must be submitted to Council at least six (6) weeks prior to the commencement of work on the site to allow for assessment and tabling of agenda for the Strathfield Council Traffic Committee.

The requirement for a Works Zone may be varied or waived only if it can be demonstrated in the Construction Traffic Management Plan (to the satisfaction of Council) that all construction related activities (including all loading and unloading operations) can and will be undertaken wholly within the site. The written approval of Council must be obtained to provide a Works Zone or to waive the requirement to provide a Works Zone prior to the commencement of any site work.

(Reason: Council requirement.)

42. **DUST CONTROL (CC)**

Where a dust nuisance is likely to occur, suitable screens and/or barricades shall be erected during the demolition, excavation and building works. If necessary, water sprays shall be used on the site to reduce the emission of dust. Screening shall consist of minimum 2 metres height of shade cloth or similar material secured to a chain wire fence of the like and shall be modified as directed by the Council should it fail to adequately control any dust nuisance.

Major Works

The following measures must be implemented (in part or in total) as directed by Council to control the emission of dust:

- (a) Dust screens must be erected around the perimeter of the site and be kept in good repair for the duration of the work.
- (b) All dusty surfaces must be wet down and any dust created must be suppressed by means of a fine water spray. Water used for dust suppression must not be contaminated or allowed to enter the stormwater system
- (c) All stockpiles of materials that are likely to generate dust must be kept damp or covered.
- (d) All stockpiles of soil or other materials shall be placed away from drainage lines, gutters or stormwater pits or inlets.
- (e) All stockpiles of soil or other materials likely to generate dust or odours shall be covered.
- (f) All stockpiles of contaminated soil shall be stored in a secure area and be covered if remaining more than 24 hours or as directed by Council.

(Reason: Environmental amenity.)

CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)

43. **APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
 - notified the Council of his or her appointment, and
 - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the

work as an owner-builder, has:

- appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
 - notified the principal certifying authority of such appointment; and
 - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- v) The person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

44. **NOTICE OF COMMENCEMENT (CW)**

No work shall commence until the following details are submitted to Council:

- i) a Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)

45. **OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)**

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

46. **PUBLIC INFRASTRUCTURE AND SERVICES (DW)**

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)

47. DRAINAGE SYSTEM - MAINTENANCE OF EXISTING SYSTEM (OC)

Where elements of the existing drainage system are to be utilised, the existing drainage system shall be overhauled and maintained clear of silt and accumulated debris. Silt and the like shall be removed, not flushed from the system.

A certificate shall be provided by a suitably qualified person (a registered plumber or a person of equivalent or greater experience or qualification) to the satisfaction of the Principal Certifying Authority, prior to the issue of any Occupation Certificate to confirm that the system is in good working order and adequate to accept additional flows having regard to any relevant standards and/or Sydney Water requirements.

(Reason: Maintenance and environment.)

48. ENGINEERING WORKS (CERTIFICATION OF)

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by an Accredited Civil/Hydraulic Engineer demonstrating that:

- i) the stormwater drainage system; and/or
- ii) any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works.

Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

49. FIRE SAFETY CERTIFICATION (OC)

A fire safety certificate shall be obtained in accordance with Part 9, Division 4 of the Environmental Planning and Assessment Regulation 2000, prior to the issue of any Occupation Certificate.

A fire safety certificate is a certificate issued by the owner of a building to the effect that each essential fire safety measure specified in the current fire safety schedule for the part of the building to which the certificate relates:

- i) has been assessed by a properly qualified person; and
- ii) was found, when it was assessed, to be capable of performing to at least the standard required by the current fire safety schedule for the building for which the certificate is issued.

An interim fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(2) of the Environmental Planning & Assessment Regulation 2000.

A final fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(1) of the Environmental Planning & Assessment Regulation 2000.

A copy of the fire safety certificate and fire safety schedule shall be:

- i) submitted to Strathfield Council;
- ii) submitted to the Commissioner of the New South Wales Fire Brigade; and
- iii) prominently displayed in the building.

(Reason: Fire safety and statutory requirement.)

50. OCCUPATION OF BUILDING (OC)

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) all required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

51. STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

52. VENTILATION SYSTEMS – NATURAL (OC)

The natural ventilation system shall be designed, constructed and installed in accordance with the provisions of:

- i) The Building Code of Australia; and
- ii) Protection of the Environment Operations Act 1997.

Details demonstrating compliance with this condition shall be submitted to the Principal Certifying Authority, prior to issue of the Occupation Certificate.

(Reason: To ensure any natural ventilation systems comply with the relevant regulations/standards.)

CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)**53. ACOUSTIC COMPLIANCE – GENERAL OPERATION OF PERMISES**

The proposed use of the premise and the operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the Protection of the Environmental Operations Act 1997 (as amended) and Regulations.

54. FIRE SAFETY ANNUAL STATEMENT (OU)

Pursuant to Part 9, Division 5 of the Environmental Planning and Assessment Regulation (as amended) the owner of the building shall provide to Council an Annual Fire Safety Statement from an appropriately qualified person certifying the essential fire safety measures in the building. The Annual Fire Safety Statement shall be submitted within 12 months of the issue of the fire safety certificate, and then on an annual basis.

A copy of the Fire Safety Statement obtained and Fire Safety Schedule shall also be:

- i) Forwarded to the Commissioner of the New South Wales Fire Brigade; and
- ii) Prominently displayed in the building.

(Reason: Fire safety.)

RESOLUTION

The Panel is satisfied that compliance with the height development standard is well founded; unnecessary and unreasonable in the circumstances of the case and that there are sufficient environmental planning grounds to justify the departure from this standard and that the departure is in the public interest.

The Panel approves of the development application subject to the recommended conditions of consent in the report as amended by the Panel.

FOR: The Hon Paul Stein AM QC , Paul Vergotis, Ian Stapleton, David Starr

AGAINST: Nil

Reasons: The Panel agrees with the report of the Specialist Heritage Planner and has amended condition 4 for clarity.

**** End Minutes - Report No. 14****

The Hon Paul Stein QC AM, Payl Vergotis, Ian Stapleton, David Starr

TO: Strathfield Local Planning Panel Meeting - 7 May 2020
REPORT: SLPP – Report No. 15
SUBJECT: DA NO. 2020/024 - 22 MELVILLE AVENUE, STRATHFIELD - LOT 91 DP 15955
DA NO. 2020/024

RECOMMENDATION

That Development Application No. DA2020/024 for demolition of existing dwelling and construction of a two (2) storey dwelling at 22 Melville Avenue, Strathfield be **APPROVED**, subject to the following conditions:

SPECIAL CONDITIONS (SC)

1. WINDOW HEIGHTS IN FAMILY ROOM AND HOME THEATRE(SC)

Any windows in the Family TV Room on the first floor of the new dwelling must be modified to be highlight windows, comprising a minimum sill height of 1.6m.

This modification must be included and reflected in the revised set of Architectural Plans and any other documentation that are to be submitted and approved by the Principal Certifying Authority prior to the issue of any Construction Certificate.

(Reason: Minimise privacy impacts.)

2. DRIVEWAY LOCATION (SC)

The driveway must be redesigned to ensure that the edge of the driveway closest to the street tree is a minimum of 2.5m from the edge of the tree trunk of the tree. The final driveway outcome must not result in any increase of impervious surfaces within the front setback or a reduction in proposed trees and screen planting and a revised landscape plan must be submitted to the principal certifying authority demonstrating consistency and compliance with Development Controls under Section 5 of the DCP (Landscaping).

The construction certificate drawings submitted to the principal certifying authority must also demonstrate compliance with the Development Controls under Section 8 of the DCP (Vehicle access and parking) is maintained.

(Reason: Maintain health of existing street tree.)

2A SIDE BOUNDARY FENCING

The side boundary fences shall be no higher than 1.8m above finished ground level at any point.

(Reason: To protect privacy of the adjoining properties)

GENERAL CONDITIONS (GC)

3. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. DA2020/024:

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
-	Site plan, floor plans and calculations	Residential Logistics	Revision F 11/03/2020	17/03/2020
2015109	Site Condition Report	JH&A	Revision C 9/3/2020	17/03/2020
-	Concept Landscape Plan	Concept Landscape Architects	Issue E 23/01/2020	5/02/2020
-	Concept Stormwater Drainage Plan	Storm Civil Consulting Engineers	Issue E 22/01/2020	5/02/2020
-	Demolition Plan	Residential Logistics	Revision A 15/01/2020	5/02/2020
-	Sediment and Erosion Control Plan	Residential Logistics	Revision A 15/01/2020	5/02/2020
-	Site Analysis Plan	Residential Logistics	Revision A 15/01/2020	5/02/2020

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No. DA2020/024:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
BASIX Certificate	Planning, Industry and Environment	Certificate No. 1066765S (18 December 2019)	5/02/2020
Flood Impact Statement	RTS Civil Consulting Engineers Pty Ltd	191105 5 December 2019	5/02/2020
NatHERS Certificate	The LC Trust	Certificate number: 0004485322 Certificate date: 18 December 2019	5/02/2020
Quantity Surveyors Cost Report	mbm	21 January 2020	5/02/2020
Schedule of External Colours	Residential Logistics	12 February 2020	13/02/2020
Waste Management Plan	Residential Logistics	17/1/2020	5/02/2020

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

4. CONSTRUCTION HOURS (GC)

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or

other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

5. DEMOLITION – GENERALLY (GC)

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

6. DEMOLITION - SITE SAFETY FENCING (GC)

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

7. LANDSCAPING - TREES PERMITTED TO BE REMOVED (GC)

The following listed trees are permitted to be removed to accommodate the proposed development:

Tree	Location
Brachychiton acerifolius	Front yard

All trees permitted to be removed by this consent shall be replaced (2 trees for each tree removed) by species selected from Council's Recommended Tree List and must have a minimum mature height of 10 metres.

Replacement trees shall be a minimum 50 litre container size. Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s. A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure appropriate planting back onto the site.)

8. ENVIRONMENTAL PROTECTION – TREE (GC)

All street trees and trees on private property that are protected under Council's controls, shall be retained except where Council's prior written consent has been obtained. The existing Bhutan Cypress (*Podocarpus elatus*) in the rear yard and the existing street tree in the road reserve and adjacent to the new driveway, must be retained and protected at all times. The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Section 4, Tree protection measures, and Appendix C Tree Protection Zone Sign, of Australian Standard AS4970 - 2009, Protection of Trees on Development Sites, prior to the commencement of any works (including any demolition and excavation) and maintained for the duration of the works.

In this regard the street tree and all protected trees on or adjacent to the site will be protected as described below;

- i. A Tree Protection (Management) Plan prepared by a AQF Level 5 Arborist is to be available on site at all times prior to the issue of the Construction Certificate, for all demolition and site works. This Tree Protection (Management) Plan must be shown on the demand of Authorised Council staff.
- ii. Protective perimeter fencing must be consistent with AS 4687, using metal fence posts greater than 20mm diameter and solid or chain wire mesh 2 metres in height supported on concrete pads/feet at 2-2.5 metre spacing. Fencing placement should not be closer than 2.5 metres from the trunk of each protected tree, or at a distance as specified by the approved Tree Protection (Management) Plan and approved by Council's Tree Management Officer. Shade cloth is to be used to prevent entry of dust and contaminated liquids into the root protection area.
- iii. Signs must be placed on the Fencing. These signs must comply with AS1319. The signs must state the purpose of the fencing and the name and contact details of the builder and the appointed AQF Level 5 consultant arborist.
- iv. Root protection is to be provided in the form of mulching to a depth of 50-100mm, inside of the fenced tree protection zone.
- v. Ground (Root) Trunk and Branch Protection must comply with the diagram of Figure 4 of AS4970 – 2009. Ground protection within the tree protection zone and drip line should be in the form of heavy steel plates or timber rumble boards over mulch or aggregate. Trunk and branch protection should be to a minimum height of 2 metres and must include measures to protect the tree/s against damage from the movement of trucks, plant equipment

- and materials at greater heights above ground level.
- vi. Temporary signs, cables, wires must not be attached to, or suspended, on any street tree or protected tree.
 - vii. Above ground utilities must not be placed within the canopy of an existing protected tree, or create the future need for clearance pruning.
 - viii. Below ground utilities/services must not be located inside the fenced tree protection zone.
 - ix. Scaffolding must not be located in the fenced tree protection zone unless authorised by the approved Tree Protection (Management) Plan and Council's Tree Management Officer
 - x. Council must be notified in writing within 24 hours, for all temporary removal of the tree protection fencing ground (root) trunk and branch protection within the root protection area.
 - xi. Pruning of a street tree is prohibited without the written consent of Council.

(Reason: To ensure the protection of trees to be retained on the site.)

9. **LANDSCAPING - CANOPY TREES IN FRONT YARD (GC)**

At least two (2) new trees planted within the front yard shall have a minimum container size of 200 litres at the time of planting. Any new trees in the front yard must be capable of reaching a potential mature height of at least 8m.

Any new trees must not be planted closer than 1.5 metres from an existing or approved structure or building.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

10. **PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)**

Prior to commencement of any work, signage must be erected in a prominent position on

the work site identifying:

- i) The Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) The Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) The sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

11. **SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)**

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- vii) Any demolition and excess construction materials are to be recycled wherever practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
- x) All waste must be contained entirely within the site.
- xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
- xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
- xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997

- must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
 - xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
 - xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
 - xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
 - xix) Any work must not prohibit or divert any natural overland flow of water.
 - xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

12. MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

13. STORMWATER MANAGEMENT PLAN - CERTIFICATION REQUIREMENT (GC)

A detailed Stormwater Management Plan (SWMP) in line with Council's Stormwater Management Code is to be prepared and certified by an Accredited Civil/Hydraulic Engineer and submitted to the Principal Certifying Authority and Council, prior to the issue of a Construction Certificate. The SWMP is to be based on the approved development as modified by any conditions of consent.

(Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure public infrastructure in Council's care and control is not overloaded.)

14. SYDNEY WATER - TAP IN™ (GC)

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at www.sydneywater.com.au then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

(Reason: Compliance with Sydney Water requirements.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)**15. BASIX COMMITMENTS (CC)**

The approved BASIX Certificate shall be submitted to the Principal Certifying Authority with the application for a Construction Certificate.

Where a change or changes are proposed in the BASIX commitments, the applicant must submit a new BASIX Certificate to the Principal Certifying Authority and Council. If any proposed change in the BASIX commitments is inconsistent with the development consent the applicant will be required to submit a modification to the development consent to Council under Section 4.55 of the Environmental Planning and Assessment Act 1979.

All commitments in the BASIX Certificate must be shown on the plans accompanying the Construction Certificate.

(Reason: Statutory compliance.)

16. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

17. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

18. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004. Plans to be submitted shall contain the following details:

- i) Longitudinal section along the extreme wheel paths of each driveway/access ramp at a scale of 1:25 demonstrating compliance with the scraping provisions of AS/NZS 2890.1:2004. It shall include all levels and grades, including those levels stipulated

- as boundary levels, both existing and proposed. It shall extend from the centre-line of the roadway through to the parking area.
- ii) Sections showing the clearance to the underside of any overhead structure (minimum headroom requirements 2200mm minimum for standard headroom clearance or 2400mm where disabled access provisions are to be provided) demonstrating compliance with the provisions of AS/NZS 2890.1:2004.
 - iii) Longitudinal section along the gutter line showing how it is intended to transition the vehicular crossing into the existing kerb and gutter. Boundary levels shall generally run parallel with the kerb levels.
 - iv) Location of verge trees, street furniture and service installations.
 - v) Superimposition of vehicle turning circles for access into parking spaces.
 - vi) Certification that the design complies with AS/NZS 2890.1:2004 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

19. CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 (CC)

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

20. CAR PARKING - VEHICULAR CROSSING WIDTH AT PROPERTY BOUNDARY (CC)

Vehicular crossings are to have a maximum width of 3m at the property boundary. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

The vehicular crossing (and all associated excavation works) must not be constructed closer than 2 metres from a retained protected street tree.

(Reason: Compliance with SCDCP 2005.)

21. COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The

applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

22. EROSION AND SEDIMENTATION CONTROL PLAN (CC)

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or

- similar.
- viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
 - ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

23. FLOODING - COMPLY WITH FLOOD IMPACT REPORT (CC)

The applicant shall comply with the flood recommendations provided in the Flood Impact Statement prepared by StormCivil Consulting Engineers issue *A drawing no. D1-D2 job no. 304156 dated 20.01.2020*. A certificate from a suitably qualified Engineer shall be submitted to the Certifying Authority stating compliance with these recommendations, prior to the issue of a Construction Certificate.

(Reason: To mitigate flood risk and associated damage.)

24. LANDSCAPING - LANDSCAPE PLAN REQUIRED (CC)

A landscape plan prepared by a qualified landscape architect or landscape consultant to a scale of 1:100 or 1:200, conforming to all relevant conditions of consent is to be submitted to the satisfaction of the Principal Certifying Authority with the Construction Certificate application.

The plan must include the following information:

- i) Details demonstrating compliance with SCDCP 2005 in relation to landscaping requirements;
- ii) Location of all existing and proposed landscape features including materials to be used;
- iii) All trees to be retained, removed or transplanted;
- iv) Existing and proposed finished ground levels;
- v) Top and bottom wall levels for both existing and proposed retaining and free standing walls; and
- vi) A detailed plant schedule which includes proposed species listed by botanical (genus and species) and common names, quantities of each species, pot sizes and the estimated size at maturity. A minimum of 25% of species shall be locally sourced indigenous species. Species shall be predominantly selected from Council's Recommended Tree List.

Consideration within the design should be given to the scale of planting in proportion to the proposed development, consistency with the existing landscape character of the area, potential views, solar access and privacy for neighbouring development.

(Reason: Landscape quality.)

25. LANDSCAPING - MAINTENANCE STRATEGY (CC)

To ensure the survival of landscaping following works, a landscape maintenance strategy for the owner/occupier to administer over a 12 month establishment period following the issue of the Occupation Certificate shall be prepared and provided to the satisfaction of the Principal Certifying Authority with the Construction Certificate application. The strategy is to address maintenance issues such as, but not limited to plant survival, irrigation, soil testing, weeding, staking, fertilizing, remedial pruning and plant replacement.

(Reason: Ensure landscape survival.)

26. PRIVACY - OBSCURE GLAZING IN WET AREAS (CC)

All bathroom, ensuite and toilet windows shall be installed with obscure glazing. Plans shall be notated accordingly and details demonstrating compliance submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Privacy amenity.)

27. SECTION 7.12 CONTRIBUTION PAYMENT - INDIRECT CONTRIBUTIONS PLAN) (CC)

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Indirect Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

Local Amenity Improvement Levy	\$8,780
--------------------------------	----------------

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. The amount of the contribution under this condition shall be indexed in accordance with clause 4.12 of the Strathfield Indirect Development Contributions Plan 2010-2030.

Contributions must be receipted by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

A copy of this condition is to be presented to Council's Customer Service Centre when paying the contribution so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.12 Indirect Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

28. STORMWATER - RAINWATER RE-USE (CC)

A rainwater re-use system shall be provided in accordance with either the BASIX minimum requirements, any relevant Council Rainwater Policy and/or specification of the management of stormwater, whichever is applicable. A detailed stormwater plan showing the proposed re-use system shall be submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Compliance and amenity.)

29. STORMWATER DRAINAGE (CC)

The following stormwater precautions are required to be provided on the site:

- i) Grated drains shall be provided along the driveway/basement entry at the vehicular crossing(s) and are to connect to the internal drainage system.
- ii) Overflow paths shall be provided to allow for flows in excess of the capacity of the pipe/drainage system draining the site.
- iii) Allowance shall be made for surface runoff from adjacent properties, and to retain existing surface flow path systems through the site. Any redirection or treatment of these flows shall not adversely affect any other properties
- iv) Boundary fencing shall be erected in such a manner as not to interfere with the natural flow of ground and surface water to the detriment of any other party.

(Reason: To ensure the site is drained appropriately and does not interfere with the natural flow of flood waters.)

30. TREE BONDS (CC)

A tree bond of **\$10,000** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

31. SECURITY PAYMENT – DAMAGE DEPOSIT FOR COUNCIL INFRASTRUCTURE (CC)

A security (damage deposit) of **\$12,200.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the Building Code of Australia.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

Any costs associated with works necessary to be carried out to rectify any damages caused by the development, shall be deducted from the Damage Deposit.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

The damage deposit shall be refunded upon completion of all works upon receipt of a Final Occupation Certificate stage and inspection by Council.

(Reason: Protection of Council infrastructure.)

32. VEHICULAR CROSSINGS - WORKS PERMIT FOR CONSTRUCTION OF (CC)

Full-width, heavy-duty concrete vehicular crossing(s) shall be provided across the footpath at the entrance(s) and/or exit(s) to the site and designed in accordance with Council's guidelines and specifications. In this regard, a Works Permit is to be obtained (available from Council's Customer Services Centre or downloaded from Council's website), and the appropriate fees and charges paid, prior to the lodgement of a Construction Certificate.

(Reason: To ensure appropriate access to the site can be achieved.)

33. WATER SUSTAINABILITY – GENERALLY (CC)

Water collected in the rainwater tank must comprise roof water only and not surface water. Water from the rainwater tank must only be used for following purposes and not for human consumption:

- i) Toilet flushing;
- ii) Clothes washing;
- iii) Garden irrigation;
- iv) Car washing and similar outdoor uses;
- v) Filling swimming pools, spa pools and ornamental ponds; and
- vi) Fire fighting.

(Reason: To promote sustainable water management practice.)

34. WATER HEATING SYSTEMS - LOCATION OF (CC)

Water heating systems shall be located so as not to be visible from public places and the ground level of adjoining properties. Details (type and location) of the water heaters shall be submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To maintain streetscape character.)

CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)

35. APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.

-
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
 - iii) The principal certifying authority has, no later than 2 days before the building work commences:
 - notified the Council of his or her appointment, and
 - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
 - iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
 - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
 - notified the principal certifying authority of such appointment; and
 - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
 - v) The person having the person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

36. HOME BUILDING COMPENSATION FUND (CW)

No residential building work within the meaning of the Home Building Act 1989 may commence until:

- i) A contract of insurance in accordance with Part 6 of the Home Building Act 1989 is entered into and in force, where such a contract is required under that Act (this is a prescribed condition of consent pursuant to clause 981(b) Environmental Planning and Assessment Regulation 2000.
- ii) The PCA is satisfied that the principal contractor for the work is the holder of the appropriate licence and is covered by the appropriate insurance, in each case if required by the Home Building Act 1989 (unless the work is to be carried out by an owner-builder).
- iii) If the work is to be carried out by an owner builder, that the owner builder is the holder of any owner -builder permit required under the Home Building Act 1989.
- iv) Written notice of the following information has been provided to Council (this is a prescribed condition of consent pursuant to clause 98B of the Environmental Planning and Assessment Regulation 2000):
 - In the case of work for which a principal contractor is required to be appointed:
 - the name and licence number of the principal contractor; and

- the name of the insurer by which the work is insured under Part 6 of the Home Building Act 1989.
- In the case of work to be done by an owner-builder:
- the name of the owner-builder; and
 - if the owner-builder is required to hold an owner-builder permit under the Home Building Act 1989, the number of the owner-builder permits.

Where Council is not the PCA, the PCA is responsible for notifying Council of the above matters.

Note: Where arrangements for doing residential building work change while the work is in progress so that the above information becomes out of date, the PCA (where not the Council) must provide Council with written notice of the updated information.

(Reason: Statutory requirement.)

37. NOTICE OF COMMENCEMENT (CW)

No work shall commence until the following details are submitted to Council:

- i) A Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) Details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) Details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)

38. FILL MATERIAL (DW)

The only waste derived material which may be received at the development site is:

- i) Virgin excavated material (within the meaning of the Protection of the Environment Operations Act 1997), and
- ii) Any other waste-derived material the subject of a resource recovery exemption under cl.51A of the Protection of the Environment Operations (Waste) Regulation 2005 that is permitted to be used as fill material.

Any (b)-type material received at the development site must be accompanied by documentation certifying by an appropriately qualified environmental consultant the materials compliance with the exemption conditions; and this documentation must be provided to the Principal Certifying Authority on request.

(Reason: To ensure imported fill is of an acceptable standard for environmental protection purposes.)

39. OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

40. PUBLIC INFRASTRUCTURE AND SERVICES (DW)

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)**41. ENGINEERING WORKS (CERTIFICATION OF)**

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by an Accredited Civil/Hydraulic Engineer demonstrating that:

- i) The stormwater drainage system; and/or
- ii) The car parking arrangement and area; and/or
- iii) Any related footpath crossing works; and/or
- iv) The proposed basement pump and well system; and/or
- v) The proposed driveway and layback; and/or
- vi) Any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works. Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

42. LANDSCAPING - ARBORIST'S FOLLOW UP REPORT OF TREE/S TO BE RETAINED (OC)

As part of the on-going assessment of the tree/s to be retained, the consulting arborist engaged by the applicant is to assess their health and any impacts suffered by them as a result of the proposed approved development, prior to the issue of an Occupation Certificate. Findings are to be compiled in a detailed report and submitted to the Principle Certifying Authority, which documents the following:

- i) Methods of excavation or construction used to carry out the works;
- ii) any damage sustained by the tree/s as a result of the works;
- iii) Any subsequent remedial works required to be carried out by the consulting arborist as a result of the damage; and
- iv) Any future or on-going remedial work required to be carried out to ensure the long term retention of the tree/s.

(Reason: To ensure the survival of trees to be retained.)

43. OCCUPATION OF BUILDING (OC)

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) All required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) Any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

44. **RAINWATER TANKS (OC)**

Rainwater tanks must be installed on residential properties by a suitably qualified and licensed plumber and in accordance with the following:

- i) Australian/New Zealand Standard AS/NZS 3500:2003;
- ii) NSW Code of Practice Plumbing and Drainage, 2006 produced by Committee on Uniformity of Plumbing and Drainage Regulations in NSW (CUPDR); and
- iii) Council's rainwater tank policy.

Details demonstrating compliance with this condition are to be submitted to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To protect public health and amenity.)

45. **STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

RESOLUTION

This application is **APPROVED** subject to the recommended conditions of consent as amended by the Panel.

FOR: The Hon Paul Stein AM QC , Paul Vergotis, Ian Stapleton, David Starr

AGAINST: Nil

Reasons: The Panel agrees with the Planning Officers report subject to an amendment to Condition 2 relating to the driveway and the height of the side boundary fences

**** End Minutes - Report No. 15****

TO: Strathfield Local Planning Panel Meeting - 7 May 2020
REPORT: SLPP – Report No. 10
SUBJECT: DA2019/220: 32 & 34 BATES STREET, HOMEBUSH
LOTS 3 & 4 DP105250
DA NO. 2019/220

RECOMMENDATION

DEFERRED COMMENCEMENT APPROVAL

This is a Deferred Commencement Consent under Section 4.16(3) of the Environmental Planning and Assessment (EP&A Act, 1979). This consent does not become operative until the applicant has satisfied the conditions listed under Schedule A below. All conditions shall be satisfactorily resolved within a period of twelve (12) months from the Determination Date that is shown on this consent. Upon compliance with the conditions under SCHEDULE A and written confirmation of this from Council, the consent shall become operative from the 'Date of Endorsement' (to be included on the written notice of determination).

(Reason: A deferred commencement consent stipulates conditions that must be satisfied before the consent operates in accordance with Section 4.16(3) of the EP&A Act 1979)

SCHEDULE A

D1 AMENDED OPERATIONAL PLAN OF MANAGEMENT

The Operational Plan of Management shall be amended to address each of the following matters:

- i) To identify specific land use purposes for the use of the buildings and the land;
- ii) To identify the specific hours of operation for each of the uses on the land;
- iii) To specify the interrelationship with the operational traffic management plan referred to in Condition 74 of the consent;
- iv) To amend Section 1 (Introduction) so as to include the words "this Plan of Management is to be read in conjunction with development consent number 2019/220 granted on 7 May 2020 by the Strathfield Local Planning Panel" as the introductory words;
- v) To amend Section 8 (Complaints Procedure) item J after the words follows "within one month of the issue of the Occupation Certificate";
- vi) To specify the procedures to be adopted for the holding of special events within the buildings and land;
- vii) The multipurpose hall is to be utilised for a maximum of two (2) performances per calendar year;
- viii) Whilst the performances are on, all other areas of the buildings and land are to remain vacant so to not exceed the maximum 80 people capacity at any given time;
- ix) Written notification is to be provided to Council and the residents of 30 Bates Street, 28A and 28B Bates Street, 31-33 Bates Street and 27 Mackenzie Street a minimum of fourteen (14) days prior to the event.

The amended Operational Plan of Management is to be submitted to Council for approval.

(Reason: To protect the amenity of adjoining residents and the locality)

SPECIAL CONDITIONS (SC)

1. HEIGHT OF SIDE ELEVATION BALUSTRADING (SC)

The first floor **solid acoustic** balustrading proposed to the northern and southern side elevations of the development shall attain a height of 1.7m from the Finished Floor Level. Details demonstrating compliance with this requirement shall be prepared and submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate.

(Reason: protect the amenity of adjoining residents)

2. CONVERSION OF PARKING SPACES TO GARBAGE LOADING BAY (SC)

The basement parking spaces numbered 1 and 2 shall be deleted and converted into a loading bay for the garbage collection vehicle. Details demonstrating compliance with this requirement shall be prepared and submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate. The revised waste management plan shall also reflect this.

(Reason: achieve compliance with Part H of the SCDCP 2005)

3. FRONT PORTICO ELEMENT (SC)

The front portico element fronting Bates Street shall be redesigned to achieve a maximum roof height of RL14.21 to align with the finished floor level of the first floor. Additionally, the portico shall extend no further than 2.6m forward of the front building line so to align with the landing before the front entrance stair. Details demonstrating compliance with this requirement shall be prepared and submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate. The revised waste management plan shall also reflect this.

(Reason: Improve streetscape compatibility)

4. FRONT FENCE

The development is to include a front fence (gates not required) of a low height. A proposed design is to be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate

(Reason: To be consistent with the streetscape character)

5. AMENDED ACOUSTIC REPORT (SC)

Within (30) days of this development approval, the applicant must submit to Council for its approval an acoustic report prepared by a suitably qualified and experienced acoustic consultant. The acoustic report must:

- Contain background readings taken in accordance with NSW EPA Noise Policy for Industry 2017 "Fact Sheet B: Measurement procedures for determining background noise" long-term measurement. The background readings must include full details on how meteorological conditions were monitored.
- Background readings must be reported in accordance with NSW EPA Noise Policy for Industry 2017 "Fact Sheet B: Measurement procedures for determining background noise" long-term measurement.
- Identify all noise producing aspects of the proposed development **including any repetitive and/or intermittent noises**.
- Identify all external noise sources that may impact on the amenity of the residential properties of the development.
- Demonstrate the suitability of any assumptions used in the acoustic report, via the

provision of referenced or validating data.

- Recognise and provide variation for the impact of alcohol on any crowd noise.
- Identifying which area of the development are indoor area and outdoor areas.
- Propose effective noise intrusion attenuation measures to maintain noise within residential areas of the development. The noise intrusion attenuation measures must comply with:
 - Strathfield Council DCP 2005
 - NSW Department of Planning 'Development near Rail Corridors and Busy Roads (Interim Guide) 2008
 - State Environmental Planning Policy (Infrastructure) 2007
 - Australian and New Zealand AS/NZS 3671:1989 'Acoustics – Road traffic noise intrusion – Building siting and construction'
 - Australian and New Zealand AS/NZS 3671:1989 'Recommended design sound levels and reverberation times for building interiors'

A Construction Certificate is not to be issued until Council has written to the applicant indicating acceptance of the acoustic report and its recommendations. The applicant must comply with all requirements of the acoustic report as accepted by Council.

Any changes made to the proposal that would alter the acoustic assessment will require a further acoustic assessment and a copy of this further report shall be provided to Council for approval prior to the commencement of works and any recommendations adopted, implemented, and adhered to.

(Reason: to protect the amenity of residents)

6. **REDUCED DRIVEWAY WIDTH AT PROPERTY BOUNDARY (SC)**

The new driveway shall be reduced to 3.5m in width at the property boundary. The driveway location shall remain 4.95m from the southern side boundary of the site and extend no further than 3.5m in width. The remnant portion of the driveway no longer required shall be replaced with landscaping. Amended plans demonstrating compliance with this requirements shall be prepared and submitted to the Principal Certifying Authority for approval prior to the issue of a Construction Certificate.

(Reason: to protect Council street trees)

7. **RELOCATION OF EGRESS STAIR (SC)**

The egress stair immediately adjoining the library shall be relocated so to protect and retain the existing trees located along the southern side boundary of the site. Amended plans demonstrating compliance with this requirements shall be prepared and submitted to the Principal Certifying Authority for approval prior to the issue of a Construction Certificate.

(Reason: tree protection)

GENERAL CONDITIONS (GC)

8. **APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)**

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2019/220:

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
A-050	Demolition Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-110	Basement Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-111	Ground Floor Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-112	First Floor Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-113	Roof Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-200	West and East Elevation Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-201	North and South Elevation Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-202	West Elevation Plan	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-300	Section Plan Sheet 1	BKA Architecture	Issue C dated 10 March 2020	10 March 2020
A-301	Section Plan Sheet 2	BKA Architecture	Issue C dated 10 March 2020	10 March 2020
A-302	Ramp Detail	BKA Architecture	Issue B dated 18 December 2019	19 December 2019
A-400	External Finishes	BKA Architecture	Issue C dated 11 March 2020	11 March 2020
D01	Roof Drainage Plan	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
D02	Ground Floor Drainage Plan	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
D03	Basement Drainage Plan	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
D04	Drainage Details (Sheet 1 of 2)	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
D05	Drainage Details (Sheet 2 of 2)	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
D06	Soil and Water Management Plan	Zait Engineering Solutions	Issue A dated 22 October 2019	19 December 2019
LPDA 20-	Landscape Plan	Conzept	Revision E	19 December

82/01		Landscape Architects		2019
LPDA 20-82/02	Landscape Plan	Concept Landscape Architects	Revision E	19 December 2019
LPDA 20-82/03	Specification and Detail Plan	Concept Landscape Architects	Revision E	19 December 2019
LPDA 20-82/04	Sections and Detail Plan	Concept Landscape Architects	Revision E	19 December 2019

Reference Documentation affixed with Council’s ‘Development Consent’ stamp relating to Development Consent No. 2019/220:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
Acid Sulfate Soils Assessment	Ei Australia	Revision 1 dated 31 October 2019	19 December 2019
Acoustic Report	Acoustic Logic	Revision 0 dated 4 November 2019	19 December 2019
Geotechnical Desktop Study	Ei Australia	Revision 1 dated 28 October 2019	19 December 2019
Operational Plan of Management	Planning Ingenuity	-	19 December 2019
Traffic and Parking Assessment	Transport and Traffic Planning Associates	Revision B dated December 2019	19 December 2019

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

9. BUILDING HEIGHT - MAXIMUM RL TO BE COMPLIED WITH (GC)

The height of the building measured from Australian Height Datum (AHD) must not exceed Relative Level (RL) 19.432AHD to the roof ridge of the front portion of the building and RL19.5AHD to the roof ridge of the rear portion of the building comprised of the multipurpose hall, SUTTA room and printing room.

(Reason: To ensure the approved building height is complied with.)

10. CONSTRUCTION HOURS (GC)

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

11. CONSTRUCTION WITHIN BOUNDARIES (GC)

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

12. DEMOLITION – GENERALLY (GC)

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

13. DEMOLITION - SITE SAFETY FENCING (GC)

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

14. LANDSCAPING - CANOPY TREES IN FRONT SETBACK (GC)

New development shall provide at least two (2) canopy trees within the front setback adjacent the front boundary (existing trees may be included). New canopy trees shall be at least three (3) metres high at the time of planting and capable of reaching a mature height of 10m.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

15. LANDSCAPING - TREES PERMITTED TO BE REMOVED (GC)

The following listed trees are permitted to be removed to accommodate the proposed development:

Tree No. in Arborist Report	Tree	Location
2a	Callistemon confertus	Front setback
2b	Monterey Cypress	Front setback
6	Jacaranda	Centre of the site
6a	Camellia	Centre of the site
7	Chinese Juniper	Centre of the site
11	Majestic palm	Southern side boundary
11a	Murraya	Southern side boundary
12	Majestic Palm	Southern side boundary
13	Majestic Palm	Southern side boundary
14	Majestic Palm	Southern side boundary
15	Majestic Palm	Southern side boundary
15a	Murraya	Southern side boundary
16	Flax-leaved paperbark	Southern side boundary

All trees permitted to be removed by this consent shall be replaced (by 10 trees) by species selected from Council's Recommended Tree List and must have a minimum mature height of 10 metres.

Replacement trees shall be a minimum 50 litre container size. Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure appropriate planting back onto the site.)

16. ENVIRONMENTAL PROTECTION – TREE (GC)

All street trees and trees on private property that are protected under Council's controls, shall be retained except where Council's prior written consent has been obtained. The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Section 4, Tree protection measures, and Appendix C Tree Protection Zone Sign, of Australian Standard AS4970 - 2009, Protection of Trees on Development Sites, prior to the commencement of any works (including any demolition and

excavation) and maintained for the duration of the works.

In this regard the street tree and all protected trees on or adjacent to the site will be protected as described below;

- i. A Tree Protection (Management) Plan prepared by a AQF Level 5 Arborist is to be available on site at all times prior to the issue of the Constriction Certificate, for all demolition and site works. This Tree Protection (Management) Plan must be shown on the demand of Authorised Council staff.
- ii. Protective perimeter fencing must be consistent with AS 4687, using metal fence posts greater than 20mm diameter and solid or chain wire mesh 2 metres in height supported on concrete pads/feet at 2-2.5 metre spacing. Fencing placement should not be closer than 2.5 metres from the trunk of each protected tree, or at a distance as specified by the approved Tree Protection (Management) Plan and approved by Council's Tree Management Officer. Shade cloth is to be used to prevent entry of dust and contaminated liquids into the root protection area.
- iii. Signs must be placed on the Fencing. These signs must comply with AS1319. The signs must state the purpose of the fencing and the name and contact details of the builder and the appointed AQF Level 5 consultant arborist.
- iv. Root protection is to be provided in the form of mulching to a depth of 50-100mm, inside of the fenced tree protection zone.
- v. Ground (Root) Trunk and Branch Protection must comply with the diagram of Figure 4 of AS4970 – 2009. Ground protection within the tree protection zone and drip line should be in the form of heavy steel plates or timber rumble boards over mulch or aggregate. Trunk and branch protection should be to a minimum height of 2 metres and must include measures to protect the tree/s against damage from the movement of trucks, plant equipment and materials at greater heights above ground level.
- vi. Temporary signs, cables, wires must not be attached to, or suspended, on any street tree or protected tree.
- vii. Above ground utilities must not be placed within the canopy of an existing protected tree, or create the future need for clearance pruning.
- viii. Below ground utilities/services must not be located inside the fenced tree protection zone.
- ix. Scaffolding must not be located in the fenced tree protection zone unless authorised by the approved Tree Protection (Management) Plan and Council's Tree Management Officer
- x. Council must be notified in writing within 24 hours, for all temporary removal of the tree protection fencing ground (root) trunk and branch protection within the root protection area.
- xi. Pruning of a street tree is prohibited without the written consent of Council.

(Reason: To ensure the protection of trees to be retained on the site.)

17. LIGHTING (GC)

Any lighting of the premises shall be installed and maintained in accordance with Australian Standard AS 4282-1997: Control of the Obtrusive Effects of Outdoor Lighting so as to avoid annoyance to the occupants of adjoining premises or glare to motorists on nearby roads.

No flashing, moving or intermittent lighting, visible from any public place may be installed on the premises or external signage associated with the development, without the prior

approval of Council.

(Reason: To protect the amenity of surrounding development and protect public safety.)

18. MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

19. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) The Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) The Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) The sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

20. SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- vii) Any demolition and excess construction materials are to be recycled wherever practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.

- x) All waste must be contained entirely within the site.
- xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
- xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
- xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
- xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
- xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
- xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
- xix) Any work must not prohibit or divert any natural overland flow of water.
- xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

21. **STORMWATER MANAGEMENT PLAN - CERTIFICATION REQUIREMENT (GC)**

A detailed Stormwater Management Plan (SWMP) in line with Council's Stormwater Management Code is to be prepared and certified by an Accredited Civil/Hydraulic Engineer and submitted to the Principal Certifying Authority and Council, prior to the issue of a Construction Certificate. The SWMP is to be based on the approved development as modified by any conditions of consent.

(Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure public infrastructure in Council's care and control is not overloaded.)

22. **SYDNEY WATER - TAP IN™ (GC)**

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at www.sydneywater.com.au then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must

ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

(Reason: Compliance with Sydney Water requirements.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)

23. ACCESS - ACCESS FOR PEOPLE WITH DISABILITIES (CC)

Access for people with disabilities must be provided in accordance with the requirements of the Building Code of Australia, relevant Australian Standards and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

24. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

25. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004 and AS/NZS 2890.6:2009. Plans to be submitted shall contain the following details:

- i) (other standard sub-conditions and additional sub-conditions imposed by development engineer)
- ii) The headroom clearance of minimum 2.2 metres along the path of vehicular travel between the basement floor and any overhead obstruction (including overhead services) is provided for compliance with Clause 5.3.1 of AS/NZS 2890.1:2004 and Clause 2.4 of AS/NZS 2890.6:2009.
- iii) The headroom clearance of minimum 2.5 metres is provided to all parking spaces for people with disabilities for compliance with Clause 2.4 of AS/NZS 2890.6:2004.
- iv) Pursuant to Clause 3.2.4, a 2.0m x 2.5m sight triangle is to be provided at property boundary along the southern side of the driveway and the area is to be kept clear from obstructions to visibility.

- v) The driveway is to be reduced to single width (3.5m). To ensure safe two-way movements along the driveway ramp, a traffic signal system is to be provided to give the entering traffic priority.
- vi) Certification that the design complies with AS/NZS 2890.1:2004 and AS/NZS2890.6:2009 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

26. **CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 AND AS/NZS2890.6:2009 (CC)**

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking and AS/NZS2890.6:2009. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

27. **COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)**

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

28. **CONSTRUCTION AND ENVIRONMENTAL MANAGEMENT PLAN (CC)**

The applicant must prepare and submit a Construction and Environmental Management Plan (CEMP) to the Principal Certifying Authority, including:

- i) Detailed information on any approvals required from other authorities prior to or during construction.
- ii) Traffic management, including details of:
 - ingress and egress of vehicles to the site;
 - management of loading and unloading of materials;
 - the location of heavy vehicle parking off-site; and
 - designated routes for vehicles to the site.
- iii) The proposed areas within the site to be used for a builder's site office and amenities, the storage of excavated material, construction materials and waste containers during the construction period.
- iv) Erosion and sediment control, detailing measures and procedures consistent with the requirements of Council's guidelines for managing stormwater, including:
 - the collection and treatment of stormwater and wastewater generated on site prior to discharge; and
 - procedures to prevent run-off of solid material and waste from the site.
- v) Waste management, including:

- details of the types and estimated volumes of waste materials that will be generated;
 - procedures for maximising reuse and recycling of construction materials; and
 - details of the off-site disposal or recycling facilities for construction waste.
- vi) Dust control, outlining measures to minimise the generation and off-site transmission of dust and fine particles, such as watering or damp cloth fences.
- vii) A soil and water management plan, which includes:
- measures to minimise the area of soils exposed at any one time and conserve top soil;
 - identification and protection of proposed stockpile locations;
 - preservation of existing vegetation and revegetation;
 - measures to prevent soil, sand, sediments leaving the site in an uncontrolled manner;
 - measures to control surface water flows through the site in a manner that diverts clean run-off around disturbed areas, minimises slope gradient and flow distance within disturbed areas, ensures surface run-off occurs at non-erodible velocities, and ensures disturbed areas are promptly rehabilitated;
 - details of sediment and erosion control measures in place before work commences;
 - measures to ensure materials are not tracked onto the road by vehicles entering or leaving the site; and
 - details of drainage to protect and drain the site during works.
- viii) Asbestos management procedures:
- Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal License which ever applies and a current WorkCover Demolition License where works involve demolition. To find a licensed asbestos removalist please see www.workcover.nsw.gov.au
 - Removal of asbestos by a person who does not hold a Class A or Class B asbestos removal license is permitted if the asbestos being removed is 10m² or less of non-friable asbestos (approximately the size of a small bathroom). Friable asbestos materials must only be removed by a person who holds a current Class A asbestos license.
 - Before starting work, a work site-specific permit approving each asbestos project must be obtained from WorkCover NSW. A permit will not be granted without a current WorkCover licence. All removal, repair or disturbance of or to asbestos material must comply with the following:
 - The Work Health and Safety Act 2011;
 - The Work Health and Safety Regulation 2011;
 - How to Safety Remove Asbestos Code of Practice – WorkCover 2011; and
 - Safe Work Australia Code of Practice for the Management and Control of Asbestos in the Workplace.
 - Following completion of asbestos removal works undertaken by a licensed asbestos removalist re-occupation of a workplace must not occur until an independent and suitably licensed asbestos removalist undertakes a clearance inspection and issues a clearance certificate.
 - The developer or demolition contractor must notify adjoining residents at least two (2) working days (i.e. Monday to Friday exclusive of public holidays) prior to the commencement of asbestos removal works. Notification is to include, at a minimum:
 - the date and time when asbestos removal works will commence;
 - the name, address and business hours contact telephone number of the demolisher, contractor and/or developer;
 - the full name and license number of the asbestos removalist/s; and

- the telephone number of WorkCover's Hotline 13 10 50
- warning signs informing all people nearby that asbestos removal work is taking place in the area. Signs should be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs should be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs should be in accordance with AS 1319-1994 Safety signs for the occupational environment for size, illumination, location and maintenance; and
- appropriate barricades installed as appropriate to prevent public access and prevent the escape of asbestos fibres. Barricades must be installed prior to the commencement of asbestos removal works and remain in place until works are completed.

(Reason: Safety, amenity and protection of public infrastructure and the environment.)

29. **COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)**

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

30. **DILAPIDATION REPORT - PRE-COMMENCEMENT (CC)**

Subject to access being granted, a pre-commencement Dilapidation Report is to be undertaken on all adjoining properties, which in the opinion of a suitably qualified engineer, could be potentially affected by the construction of the project. The Dilapidation Report shall be carried out prior to the issue of a Construction Certificate.

The Dilapidation Report is to be prepared by a suitably Qualified Engineer with current Corporate Membership with the Institution of Engineers, Australia or Geotechnical Practitioner. The report shall include a photographic survey of adjoining properties detailing the physical condition of those properties, both internally and externally, including walls, ceilings, roof, structural members and other such items.

If access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant must demonstrate, in writing, to Council's satisfaction attempts have been made to obtain access and/or advise the affected property owner of the reason for the survey and these attempts have been unsuccessful. Written concurrence must be obtained from Council in such circumstances.

The Report shall cover structural and geotechnical factors likely to arise from the development. A copy of this Report shall be submitted to Council as a record. The person having the benefit of the development consent must, at their own cost, rectify any damage caused to other properties during the construction of the project.

(Reason: To ensure no damage to adjoining properties occurs.)

31. **EXCAVATION - AFFECTING ADJOINING LAND (CC)**

If an excavation associated with the approved development extends below the level of the base of the footings of a building on an adjoining allotment of land, the person having the benefit of the development consent must, at the person's own expense, comply with the requirements of clause 98E of the Environmental Planning and Assessment Regulation 2000, including:

- i) Protect and support the adjoining premises from possible damage from the excavation, and
- ii) Where necessary, underpin the adjoining premises to prevent any such damage.

The condition referred to in subclause (i) does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Structural safety.)

32. FIRE SAFETY SCHEDULE (CC)

A Fire Safety Schedule specifying the fire safety measures (both current and proposed) which should be implemented in the building premises must be submitted with the Construction Certificate application, in accordance with Part 9 of Clause 168 of the Environmental Planning and Assessment Regulation 2000.

Note: A Construction Certificate cannot be issued until a Fire Safety Schedule is received.

(Reason: Compliance with the Environmental Planning and Assessment Act 1979.)

33. LANDSCAPING - MAINTENANCE STRATEGY (CC)

To ensure the survival of landscaping following works, a landscape maintenance strategy for the owner/occupier to administer over a 12 month establishment period following the issue of the Occupation Certificate shall be prepared and provided to the satisfaction of the Principal Certifying Authority with the Construction Certificate application. The strategy is to address maintenance issues such as, but not limited to plant survival, irrigation, soil testing, weeding, staking, fertilizing, remedial pruning and plant replacement.

(Reason: Ensure landscape survival.)

34. NOISE – CONSTRUCTION CC)

All works carried out on site during construction/demolition/excavation/earthworks shall comply with the NSW Protection of the Environment Operations Act 1997, the Department of Environment and Climate Changes “Interim construction noise guideline” and AS 2436-2010 – “Guide to noise and vibration control on construction, demolition and maintenance sites” for the control of construction noise which specifies that:

- Construction period of 4 weeks and under – The L90 Level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 20 dB(A) at the boundary.
- Construction period greater than 4 weeks but not exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 10 dB(A) at the boundary.
- Construction period exceeding 26 weeks – The L90 level measured over a period of not less than 15 minutes when the construction site is operating must not exceed the background level by more than 5 dB(A) at the boundary.

Should complaints of a noise nuisance be substantiated, Council may require the acoustic treatment of the premises to ensure compliance with the NSW Department of Environment and Climate Changes “Interim construction noise guideline” and AS 2436-2010 – “Guide to noise and vibration control, demolition and maintenance sites” for the control of construction noise. A further acoustic assessment and report will be required to be provided to Council assessing the premises in working order.

(Reason: Noise attenuation.)

35. PRIVACY - MEASURES TO BE COMPLIED WITH (CC)

Prior to the issue of a Construction Certificate, plans are to be amended to include the

following privacy measures:

- i) Fixed vertical louvers to the southern side elevation of the building immediately adjoining playrooms 1-4.

(Reason: Privacy amenity.)

36. SECTION 7.12 CONTRIBUTION PAYMENT - INDIRECT CONTRIBUTIONS PLAN) (CC)

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Indirect Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

Local Amenity Improvement Levy	\$39,827.22
--------------------------------	--------------------

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. The amount of the contribution under this condition shall be indexed in accordance with clause 4.12 of the Strathfield Indirect Development Contributions Plan 2010-2030.

Contributions must be receipted by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

A copy of this condition is to be presented to Council's Customer Service Centre when paying the contribution so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.12 Indirect Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

37. TRAFFIC - CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CC)

A Construction Traffic Management Plan (CTMP) is to be prepared by an appropriately qualified Traffic Management Consultant and submitted to and approved by Council's Engineering Section, prior to the commencement of any works including demolition.

The following matters should be addressed in the CTMP (where applicable):

- i) Description of the demolition, excavation and construction works;
- ii) Site plan/s showing the site, roads, footpaths, site access points and vehicular movements;
- iii) Size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site);
- iv) Proposed route(s) from the arterial (state) road network to the site and the proposed route from the site back to the arterial road network;
- v) Impacts of the work and vehicular movements on the road network, traffic and pedestrians and proposed methods to safely manage pedestrians and construction related vehicles in the frontage roadways;
- vi) Any Traffic Control Plans (TCP's) proposed to regulate traffic and pedestrian movements for construction activities (such as concrete pours, crane installation/removal etc.);
- vii) Proposed hours of construction related activities and vehicular movements to and from the site;

- viii) Current/proposed approvals from other Agencies and Authorities (including Roads and Maritime Services, Police and State Transit Authority);
- ix) Any activities proposed to be located or impact upon Council's road, footways or any public place;
- x) Measures to maintain public safety and convenience;
- xi) Any proposed road and/or footpath closures;
- xii) Turning areas within the site for construction and spoil removal vehicles, allowing a forward egress for all construction vehicles on the site;
- xiii) Locations of work zones (where it is not possible for loading/unloading to occur on the site) in the frontage roadways accompanied by supporting documentation that such work zones have been approved by the Local Traffic Committee and Council;
- xiv) Location of any proposed crane and concrete pump and truck standing areas on and off the site (and relevant approvals from Council for plant on road);
- xv) A dedicated unloading and loading point within the site for all construction vehicles, plant and deliveries;
- xvi) Material, plant and spoil bin storage areas within the site, where all materials are to be dropped off and collected;
- xvii) On-site parking area for employees, tradespersons and construction vehicles as far as possible;
- xviii) Proposed areas within the site to be used for the storage of excavated material, construction materials and waste and recycling containers during the construction period; and
- xix) How it is proposed to ensure that soil/excavated material is not transported onto surrounding footpaths and roadways.

(Reason: To mitigate traffic impacts on the surrounding area during the construction period.)

38. **TREE BONDS (CC)**

A tree bond of **\$20,000.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

39. **VEHICULAR CROSSINGS - WORKS PERMIT FOR CONSTRUCTION OF (CC)**

Full-width, heavy-duty concrete vehicular crossing(s) shall be provided across the footpath at the entrance(s) and/or exit(s) to the site and designed in accordance with Council's guidelines and specifications. In this regard, a Works Permit is to be obtained (available

from Council's Customer Services Centre or downloaded from Council's website), and the appropriate fees and charges paid, prior to the lodgment of a Construction Certificate.

(Reason: To ensure appropriate access to the site can be achieved.)

40. **BIN ALLOCATION (CC)**

The development will require the provision of the following waste and recycling facilities:

- Domestic Waste – 8 x 240L mobile bins.
- Domestic Recycling – 4 x 240L mobile bins.

Applicants requesting 660L bins must provide onsite collection and have a large hardstand for bin presentation.

- A minimum 18.7m² storage space must be provide in the basement

(Reason: To ensure sufficient space and waste collection containers provided.)

41. **WASTE AND RECYCLING STORAGE ROOMS (CC)**

Waste (including grease arrestor rooms) and recycling storage rooms must meet all of the following conditions:

- i) The waste and recycling storage room must be of adequate dimensions to comfortably accommodate the required number of waste and recycling bins
 - 240L bin must have 1.1m² of space per bin
 - 660L bin must have 2.03m² of space per bin
- ii) The layout of the waste and recycling storage room must allow easy unobstructed access to all bins (stacked bin arrangements are not acceptable) and allow the bins to be easily removed for servicing purposes.
- iii) A smooth concrete floor graded and drained to a floor waste connected to the sewer of the Water Board.
- iv) The walls being cement rendered with the intersection of the walls and floor being coved to a radius of not less than 25mm.
- v) The door being close fitting to prevent the access of rats and mice.
- vi) A cold water hose cock being provided for the cleaning of containers and the room itself.
- vii) Ventilation being provided by means of direct connection to the outside air to the satisfaction of Council.
- viii) The ceiling of all waste storage rooms must be constructed of a rigid smooth faced non-absorbent material. The ceiling must be a minimum of 2.4m high to accommodate Councils standard bins. This enables access for use, cleaning and enables the lids of bins to be fully opened.
- ix) Contain a sign, minimum size 600mm x 600mm, directing residents not to place recyclables in garbage carts and encouraging residents to recycle. Sample artwork and signs available from Council.
- x) Arrangements must be in place regarding the regular maintenance and cleaning of waste management facilities.
- xi) A caretaker or individual(s) shall be nominated as being responsible for transferring the bins to the collection point and back into the waste storage room/area.
- xii) Detailed plans of waste and recycling storage rooms must be submitted along with Waste Management Plan and Waste and Recycling Storage Room/Area Design Checklist.

(Reason: To keep garbage rooms in a clean and sanitary condition to protect public health.)

42. ONSITE WASTE COLLECTION

Onsite waste and recycling collection is to be provided, all onsite collection areas must meet the following conditions:

- i) Minimum vehicle access and standing area dimensions:
 - Width 3.6m
 - Height 3.6m
 - Length 12.5m
 - Path of travel of waste collection vehicle must be identified on plans; ensure turning circle, height and width requirements are met throughout entire path of travel.
- ii) Maximum grade of ramps and driveway 1:5 (20%) suitable for collection vehicle access.
- iii) Waste collection area must have room for all waste receptacles and the waste collection vehicle.

Underground collection

- A waste collection point is to be provided within the first level of the basement.
- Vehicles must enter and exit the site in a forward direction.
- Collection area can be a loading dock or specialised waste collection area

(Reason: To ensure an efficient and effective collection system.)

43. WATER SUSTAINABILITY - WATER SENSITIVE URBAN DESIGN (CC)

Details of the Water Sensitive Urban Design (WSUD) components (stormwater treatment measures) shall be submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate. Details shall demonstrate compliance with the water conservation and stormwater quality targets set out under Sections 3.1 and 3.2 respectively under Part N of the SCDCP 2005, and be prepared by a suitably qualified professional engineer.

(Reason: To promote Water Sensitive Urban Design.)

44. WATER SUSTAINABILITY – GENERALLY (CC)

Water collected in the rainwater tank must comprise roof water only and not surface water. Water from the rainwater tank must only be used for following purposes and not for human consumption:

- i) Toilet flushing;
- ii) Clothes washing;
- iii) Garden irrigation;
- iv) Car washing and similar outdoor uses;
- v) Filling swimming pools, spa pools and ornamental ponds; and
- vi) Fire fighting.

(Reason: To promote sustainable water management practice.)

45. WATER HEATING SYSTEMS - LOCATION OF (CC)

Water heating systems shall be located so as not to be visible from public places and the ground level of adjoining properties. Details (type and location) of the water heaters shall be

submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To maintain streetscape character.)

46. **WORKS ZONE - APPROVAL BY COUNCIL'S TRAFFIC COMMITTEE (CC)**

An application for a 'Works Zone' must be submitted to and approved by the Strathfield Council Traffic Committee prior to the commencement of any site work (including demolition).

The suitability of the proposed length and duration of the Works Zone is to be demonstrated in the application for the Works Zone. The application for the Works Zone must be submitted to Council at least six (6) weeks prior to the commencement of work on the site to allow for assessment and tabling of agenda for the Strathfield Council Traffic Committee.

The requirement for a Works Zone may be varied or waived only if it can be demonstrated in the Construction Traffic Management Plan (to the satisfaction of Council) that all construction related activities (including all loading and unloading operations) can and will be undertaken wholly within the site. The written approval of Council must be obtained to provide a Works Zone or to waive the requirement to provide a Works Zone prior to the commencement of any site work.

(Reason: Council requirement.)

CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)

47. **APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
 - notified the Council of his or her appointment, and
 - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
 - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
 - notified the principal certifying authority of such appointment; and
 - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- v) The person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

48. **NOTICE OF COMMENCEMENT (CW)**

No work shall commence until the following details are submitted to Council:

- i) A Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) Details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) Details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)

49. **CONTAMINATED LAND UNEXPECTED FINDS (DW)**

In the instance works cause the generation of odours or uncovering of unexpected contaminants works are to immediately cease, Council is to be notified and a suitably qualified environmental scientist appointed to further assess the site.

The contaminated land situation is to be evaluated by the supervising environmental consultant and an appropriate response determined in consultation with the applicant, which is agreed to by Strathfield Council's Environmental Services Manager.

Note: Council may also request that a NSW EPA accredited site auditor is involved to assist with the assessment of the contaminated land situation and review any new contamination information. The applicant must also adhere to any additional conditions which may be imposed by the accredited site auditor.

(Reason: To ensure compliance with statutory requirements.)

50. **FILL MATERIAL (DW)**

The only waste derived material which may be received at the development site is:

- i) Virgin excavated material (within the meaning of the Protection of the Environment Operations Act 1997), and
- ii) any other waste-derived material the subject of a resource recovery exemption under cl.51A of the Protection of the Environment Operations (Waste) Regulation 2005 that is permitted to be used as fill material.

Any (b)-type material received at the development site must be accompanied by

documentation certifying by an appropriately qualified environmental consultant the materials compliance with the exemption conditions; and this documentation must be provided to the Principal Certifying Authority on request.

(Reason: To ensure imported fill is of an acceptable standard for environmental protection purposes.)

51. FOOD PREMISES - CONSTRUCTION AND FIT-OUT OF (DW)

The construction and fit-out of the food premises must comply with the following:

- iii) The Food Act 2003;
- iv) Food Regulation 2015;
- v) Australia and New Zealand Food Standards Code;
- vi) Australian Standard AS 4674 – 2004 (Design, construction and fit-out of a food premises); and
- vii) The Building Code of Australia.

Details demonstrating compliance shall be submitted to the Principal Certifying Authority for approval, prior to any occupation of the premises.

(Reason: Compliance with food premises legislation and standards.)

52. OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

53. PUBLIC INFRASTRUCTURE AND SERVICES (DW)

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

54. SURVEY REPORT OF APPROVED LEVELS DURING AND POST CONSTRUCTION (DW)

A Survey Certificate to Australian Height Datum shall be prepared by a Registered Surveyor as follows:

- i) At the completion of the first structural floor level prior to the pouring of concrete indicating the level of that floor and the relationship of the building to the boundaries.
- ii) At the completed height of the building, prior to the placement of concrete form work, or the laying of roofing materials.
- iii) At the completion of the development.

Progress certificates in response to points (1) through to (3) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances is work allowed to proceed until such survey information is submitted to and approved by the Principal Certifying Authority.

(Reason: To ensure compliance with the approved plans.)

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)**55. CAR PARKING - SURPLUS VEHICULAR CROSSINGS (OC)**

All surplus vehicular crossings and/or kerb laybacks must be removed and reinstated with concrete kerb and gutter or to the existing edging profile as specified by Council. The nature strip is to be restored and the footpath area reinstated. All of the above are to be restored to the satisfaction of Council's Engineer and at full cost to the applicant, prior to the issue of any Occupation Certificate.

(Reason: Maintenance of public infrastructure.)

56. ENGINEERING WORKS (CERTIFICATION OF)

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by an Accredited Civil/Hydraulic Engineer demonstrating that:

- i) The stormwater drainage system; and/or
- ii) The car parking arrangement and area; and/or
- iii) Any related footpath crossing works; and/or
- iv) The proposed basement pump and well system; and/or
- v) The proposed driveway and layback; and/or
- vi) Any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works.

Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

57. FIRE SAFETY CERTIFICATION (OC)

A fire safety certificate shall be obtained in accordance with Part 9, Division 4 of the Environmental Planning and Assessment Regulation 2000, prior to the issue of any Occupation Certificate.

A fire safety certificate is a certificate issued by the owner of a building to the effect that each essential fire safety measure specified in the current fire safety schedule for the part of the building to which the certificate relates:

- i) Has been assessed by a properly qualified person; and
- ii) Was found, when it was assessed, to be capable of performing to at least the standard required by the current fire safety schedule for the building for which the certificate is issued.

An interim fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(2) of the Environmental Planning &

Assessment Regulation 2000.

A final fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(1) of the Environmental Planning & Assessment Regulation 2000.

A copy of the fire safety certificate and fire safety schedule shall be:

- i) Submitted to Strathfield Council;
- ii) Submitted to the Commissioner of the New South Wales Fire Brigade; and
- iii) Prominently displayed in the building.

(Reason: Fire safety and statutory requirement.)

58. FOOD PREMISES - REGISTRATION REQUIREMENTS (OC)

Prior to the issue of any Occupation certificate, a Registration of Food Premises Form must be completed and submitted to Council, and the appropriate fees paid. The form is available online www.strathfield.nsw.gov.au. In the instance details on the original registration form change, Council is to be notified of the change within seven (7) days of the change occurring.

(Reason: Registration and notification to relevant authorities.)

59. LANDSCAPING - ARBORIST'S FOLLOW UP REPORT OF TREE/S TO BE RETAINED (OC)

As part of the on-going assessment of the tree/s to be retained, the consulting arborist engaged by the applicant is to assess their health and any impacts suffered by them as a result of the proposed approved development, prior to the issue of an Occupation Certificate. Findings are to be compiled in a detailed report and submitted to the Principle Certifying Authority, which documents the following:

- i) Methods of excavation or construction used to carry out the works;
- ii) Any damage sustained by the tree/s as a result of the works;
- iii) Any subsequent remedial works required to be carried out by the consulting arborist as a result of the damage; and
- iv) Any future or on-going remedial work required to be carried out to ensure the long term retention of the tree/s.

(Reason: To ensure the survival of trees to be retained.)

60. OCCUPATION OF BUILDING (OC)

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) All required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) Any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

61. STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

62. STORMWATER - COVENANT AND RESTRICTION AS TO USER FOR STORMWATER CONTROLLED SYSTEMS (OC)

Prior to the issue of any Occupation Certificate, the applicant shall register a Positive Covenant and a Restriction as to User under section 88E and or section 88B of the Conveyancing Act as appropriate in favour of Council, ensuring the ongoing retention, maintenance and operation of the stormwater facility (on-site detention, pump-out, charged lines, etc).

Where any drainage line or service conduit is to traverse any property other than that which it serves, an appropriate easement will be required. In this case, the applicant shall register an easement no less than 1200mm wide over the proposed drainage line or service concurrently with any subdivision registration.

The wording on the 88E and/or the 88B Instrument is to make reference to the Council file where the Construction plans and the Work As Executed (as built), plans are held. Typical wording can be obtained from Council's Specification for the Management of Stormwater document.

(Reason: To ensure the on-site detention and/or pump system is maintained to an appropriate operational standard.)

63. SUBDIVISION - EVIDENCE OF CONSOLIDATION (OC)

The existing allotments shall be consolidated into a single lot. Evidence that the plan of consolidation has been registered as a deposited plan with the Land and Property Information Office must be submitted to Council, **prior to the Occupation Certificate being issued.**

(Reason: Proper management of land.)

64. VENTILATION SYSTEMS – MECHANICAL (OC)

The mechanical ventilation system is to comply with the following:

- i) The Building Code of Australia;
- ii) Protection of the Environment Operations Act 1997; and
- iii) Australian Standard AS1668-1991.

In addition, odour control measures, such as activated carbon or catalytic oxidisers, must be used to treat ventilation gases prior to discharge. The method of odour control must be designed by a suitably qualified mechanical ventilation engineer.

At the completion of the installation of the mechanical exhaust ventilation system, a certificate from a practising mechanical engineer shall be submitted to the Principal Certifying Authority, prior to issue of the Occupation Certificate demonstrating compliance with the above.

(Reason: To ensure the mechanical exhaust ventilation system complies with the relevant requirements/standards.)

65. SYDNEY WATER - SECTION 73 CERTIFICATE (SC)

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained before the issue of a Construction Certificate. An application must be made through an authorised Water Servicing Coordinator (refer www.sydneywater.com.au).

Following receipt of the application a 'Notice of Requirements' will be issued detailing water and sewer extensions to be built and charges to be paid. Please make early contact with the Water Servicing Coordinator, as building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design.

Sydney Water written advice that you have obtained the Notice of Requirements must be submitted to the Principal Certifying Authority.

The Section 73 Compliance Certificate must be submitted to the Principal Certifying Authority prior to release of the Subdivision Certificate/any occupation of the premises.

(Reason: To comply with the statutory requirements of Sydney Water.)

CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)

66. FIRE SAFETY ANNUAL STATEMENT (OU)

Pursuant to Part 9, Division 5 of the Environmental Planning and Assessment Regulation (as amended) the owner of the building shall provide to Council an Annual Fire Safety Statement from an appropriately qualified person certifying the essential fire safety measures in the building. The Annual Fire Safety Statement shall be submitted within 12 months of the issue of the fire safety certificate, and then on an annual basis.

A copy of the Fire Safety Statement obtained and Fire Safety Schedule shall also be:

- i) Forwarded to the Commissioner of the New South Wales Fire Brigade; and
- ii) Prominently displayed in the building.

(Reason: Fire safety.)

67. FOOD PREMISES - ONGOING USE OF (OU)

The ongoing operation and fit out of the premises must be maintained in accordance with the following requirements:

- i) Food Act 2003;
- ii) Food Regulations 2004;
- iii) Australian Standard AS4674-2004: Construction and fit out of food premises;
- iv) Australia and New Zealand Food Standards Code 3.2.3: Food Premises and Equipment; and
- v) Australia and New Zealand Food Standards Code 3.2.2: Food Safety Practices and General Requirements.

(Reason: To ensure compliance with legislation and to protect public health and safety.)

68. NOISE - NO AMPLIFIED MUSIC (OU)

Music and other amplified sound played on the premises shall not give rise to offensive noise as defined under the provisions of the Protection of the Environment Operations Act 1997. The sound level output shall not exceed 53dB(A)_{Leq} with the exception of the two (2) children's performances which shall not exceed 85dB(A)_{L10}.

No fixed or portable speakers shall be installed in any of the outdoor areas. No music or prayers shall be played or broadcast in any of the outdoor areas. Audio speakers located within the premises must not be placed so as to direct the playing of music towards the outdoor areas associated with the premises.

(Reason: Environmental amenity.)

69. NOISE - SIGNAGE TO PATRONS EXITING THE PREMISES (OU)

A clearly visible sign shall be permanently erected immediately adjacent to the entry/exit doors indicating that patrons are to leave in an orderly fashion and shall leave the vicinity of the premises in a manner that does not disturb the quiet and good order of the neighbourhood.

(Reason: Public interest.)

70. OFFICE USE - PERMITTED ONLY AS ANCILLARY USE (OU)

No part of the premises may be used as offices or for any other commercial activity, except where such facility is ancillary and sub-ordinate to the principal use of the premises. The proportion of floor space of the building used for offices and the like, must not be increased above that shown on the approved plan(s).

(Reason: To ensure development undertaken on the site is consistent with the approval.)

71. POLLUTION - COMPLIANCE WITH PEOA 1997 GENERALLY (OU)

The activities carried out on site shall not give rise to any offensive noise; offensive odour or pollution as defined by the Protection of the Environment Operations Act 1997.

(Reason: Environmental protection.)

72. SEATING CAPACITY - MAXIMUM PERMITTED (OU)

The premises shall accommodate a maximum number of 80 patrons at any one time. Any increase to this number will require a Section 4.55 modification application to be submitted to Council for approval.

(Reason: To ensure development in accordance with the approval and BCA requirements.)

73. WASTE AND RECYCLING COLLECTION (COMMERCIAL AND INDUSTRIAL) (OU)

- i) The collection of commercial and industrial waste and recycling must only occur between 6.00am and 8.00pm weekdays and 9.00am and 5.00pm on weekends and public holidays, to avoid noise disruption to the surrounding area.
- ii) Commercial and industrial garbage and recycling must be collected on site unless

expressly agreed to in OC.

- iii) Where consent is given for commercial and industrial garbage and recycling to be placed kerbside for collection bins must not be placed on the kerbside more than one hour before the scheduled collection time. Bins and containers are to be removed from the kerbside within one (1) hour of collection and returned to the designated garbage storage area(s).
- iv) The garbage and recyclable storage area and bins must be adequate to contain the volume and type of garbage and recyclable matter of the food premises.
- v) All garbage and recyclable matter must be enclosed in the waste bins with lids completely closed at all times.
- vi) Recycling options must be provided for all commercially recyclable waste products including but not limited to paper, cardboard, oil, food waste, plastics, metals, chemicals etc.

(Reason: To regulate noise and garbage collection arrangements.)

74. IMPLEMENTATION OF OPERATIONAL TRAFFIC MANAGEMENT PLAN (OU)

A final Operational Traffic Management Plan (OTMP) is to be formulated and submitted to Council for approval prior to the issue of any Occupation Certificate. The OTMP shall be displayed in prominent locations within the premises. The Manager/Operator shall be responsible for ensuring that the terms of the Plan are adhered to at all times.

This OTMP must incorporate the following:

- i) All the measures to be implemented on the premises in terms of managing traffic and parking. These include both vehicular and pedestrian traffic, loading/unloading, pick up/drop off and private operated bus services.
- ii) Provide details on the private operated bus services including start time, finish time, routes and frequencies.
- iii) Provide details on overflow management measures during special events.
- iv) Provide details on travel demand management measures to discourage car dependency, such as website travel information, pre-booking system, carpooling, etc.
- v) The manager/operator must not alter the traffic operations at the premises unless development consent has been specifically granted for the change to the approved OTMP.

(Reason: To minimise the traffic impact of the use on surrounding residences.)

RESOLUTION

The Panel approves of the development application as a Deferred Commencement consent in accordance with the recommended conditions in the report as amended by the Panel as an approval for a community facility which is ancillary and incidental to the place of public worship on the adjacent land at 29 Mackenzie Street.

FOR: The Hon Paul Stein AM QC, Paul Vergotis, Ian Stapleton, David Starr

AGAINST: Nil

Reasons: The Panel determines that this development application should be granted approval as a Deferred Commencement consent subject to the amendment of the Operational Plan of Management and the amendment and addition of a number of conditions. The Panel generally concurs with the planning officers report.

**** End Minutes - Report No. 10****