

# **Minutes**

**Of the meeting of the:**

## **Strathfield Local Planning Panel Meeting**

**Held on:**

**Thursday, 2 May 2019**

Commencing at 10:00am at Town Hall (Supper Room),  
65 Homebush Road, Strathfield

**TABLE OF CONTENTS**

Item Page No.

**SLPP AGENDA ITEMS**

**SLPP - Report No. 1**

DA2019/021 - 29 Redmyre Road, Strathfield

Lot 2 DP 935180 .....4

**(Number of Speakers: 0) (Not including the applicant)**

**SLPP - Report No. 2**

DA2018/172 - 47 Merley Road, Strathfield

Lot C in DP 394641 .....23

**(Number of Speakers: 2) (Not including the applicant)**

**The Chair tabled the Pecuniary Interest Disclosures of Panel Members.**

The meeting of the Strathfield Local Planning Panel Meeting was held in the Town Hall (Supper Room), 65 Homebush Road, Strathfield on Thursday 2 May 2019.

The meeting commenced at **10:00am** and closed at **12.03pm**.

The Public Meeting commenced at **10.00am** and closed at **10.42am**.

The Panel Members conducted site inspections for the purpose of considering items included on the Agenda-

Site inspection time commenced: **8.00am**

Site inspection time concluded: **9.15am**

### **PRESENT**

The Hon Paul Stein QC AM – Chair

Gabrielle Morrish – Expert

David Logan – Expert

David Starr - Community

### **ALSO PRESENT**

Stephen Clements, Deputy CEO/General Manager Planning, Environment & Urban Services

Kandace Lindeberg, Executive Manager, Statutory Planning

Rachel Gardner, Senior Development Assessment Planner

Valentina Gorgioski, Administration Assistant

### **DECLARATIONS OF PECUNIARY INTEREST / CONFLICT OF INTEREST**

Nil

**TO:** Strathfield Local Planning Panel Meeting - 2 May 2019  
**REPORT:** SLPP – Report No. 1  
**SUBJECT:** DA2019/021 - 29 REDMYRE ROAD, STRATHFIELD  
LOT 2 DP 935180  
**DA NO.** 2019/021

## RECOMMENDATION

That Development Application No. 2019/021 for the conversion of part of an existing dwelling to an orthodontic practice, provision of onsite car parking and tree removal at 29 Redmyre Road, Strathfield be **APPROVED**, subject to the following conditions:

## SPECIAL CONDITIONS (SC)

### 1. ORTHODONTIC PRACTICE (SC)

The orthodontic practice shall comply with the following at all times:

- i) Business and practitioner is to be registered with Australian Health Practitioner Regulation Agency (AHPRA).
- ii) Business is to comply with Australian Guidelines for the Prevention and Control of Infection in Healthcare (2010).
- iii) Business is to comply with the Dental Board of Australia - Guidelines on Infection Control 2010.
- iv) Sterilisation of reusable articles and other equipment to comply with AS/ NZS 4815: Office-based health care facilities – Reprocessing of reusable medical and surgical instruments and equipment, and maintenance of the associated environment, or AS/NZS 4187: Cleaning, disinfecting and sterilising reusable medical and surgical instruments and equipment, and maintenance of associated environments in health care facilities).

Written documentation demonstrating compliance with (i) shall be submitted to the Principal Certifying Authority prior to the operation of the orthodontic practice.

(Reason: To ensure compliance with legislation and regulations.)

### 2. BUSINESS IDENTIFICATION SIGNAGE – (SC)

The fixings of the business identification signage at the front entrance is to be placed into the mortar joints only.

(Reason: To minimise the impact on the extant fabric of the dwelling, permit greater reversibility and to result in a good heritage outcome.)

#### 2A. The shower on the ground floor of the professional premises shall be deleted.

(Reason: The shower is unnecessary) .

#### 2B. The ramp is to be constructed in a manner that would retain the existing front steps and keep these partly visible. The use of a semi-transparent paving material to bridge over the steps onto the verandah is recommended. If construction of the semi-transparent paving requires removal of the marble threshold at the verandah level then this should be stored on site for possible future instatement.

(Reason: To retain heritage values of the dwelling and Heritage Conservation Area).

### GENERAL CONDITIONS (GC)

#### 3. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No.2019/021:

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
03	Proposed Floor Plans	Katris Architects Pty Ltd	Issue D, dated 17 April 2019	18 April 2019
04	Proposed Floor Plans – First Floor	Katris Architects Pty Ltd	Issue C, dated 26 March 2019	28 March 2019
06	Waste Management Plan & Erosion & Sediment Control	Katris Architects Pty Ltd	Issue C, dated 26 March 2019	28 March 2019
-	Proposed sign	Katris Architects Pty Ltd		18 April 2019

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No.2019/021:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
Arboricultural Impact Assessment Report	Jacksons Nature Works	Dated 20 February 2019	21 February 2019
BASIX Certificate	No. A340938	Issued 18 February 2019	21 February 2019
Access Report	Ergon Consulting	Rev C dated 20 February 2019	21 February 2019
Waste Management Plan	Katris Architects Pty Ltd	Dated 21 February 2019	21 February 2019
Plan of Management	Katris Architects Pty Ltd	Dated 21 February 2019	21 February 2019

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

#### 4. SCREEN PLANTING (GC)

Evergreen shrubs with a minimum 5 litre container size achieving a minimum mature height of 3m shall be planted as illustrated on Drawing No. 03 Proposed Floor Plans, Issue D dated 17 April 2019. Screen planting shall be maintained at all times. Details of the selected

plants shall be submitted to and approved by the Principal Certifying Authority. Compliance with this condition shall be certified by the Principal Certifying Authority, prior to the operation of the orthodontic practice.

(Reason: To maintain privacy amenity to neighbouring residences.)

5. **CONSTRUCTION HOURS (GC)**

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday. Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

6. **CONSTRUCTION WITHIN BOUNDARIES (GC)**

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

7. **DEMOLITION – GENERALLY (GC)**

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

8. **DEMOLITION - SITE SAFETY FENCING (GC)**

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

## 9. LANDSCAPING - TREES PERMITTED TO BE REMOVED (GC)

The following listed trees are permitted to be removed to accommodate the proposed development:

Tree No. in Arborist Report	Tree	Location
2	<i>Cinnamomum camphora</i>	Eastern side boundary
3	<i>Cinnamomum camphora</i>	Eastern side boundary
4	<i>Lagerstroemia indica</i>	Eastern side boundary
7	<i>Agonis flexuosa</i>	Eastern side boundary
8	Dead Tree	Eastern side boundary
9	<i>Callistemon viminalis</i>	Western side boundary
10	<i>Callistemon viminalis</i>	Western side boundary
11	<i>Cotoneaster glaucophyllus</i>	Western side boundary

Two (2) replacement trees are to be selected from Council's recommended tree list and have a minimum mature height of 8 metres and a minimum 50 litre container size.

The location of the replacement trees are to be submitted and approved by the project Arborist prior to the issue of the Construction Certificate. The Arborist is to ensure that the excavation required for the replacement trees will not impact on the health of the trees to be retained (Trees No. 5 and 6.)

Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance with the planting requirements shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure appropriate planting back onto the site.)

## 10. ENVIRONMENTAL PROTECTION – TREE (GC)

The following trees are to be retained:

Tree No. in Arborist Report	Tree	Location
1	<i>Lophostemon confertus</i>	Road Reserve
5	<i>Jacaranda mimosifolia</i>	Eastern side boundary
6	<i>Corymbia citriodora</i>	Rear yard

All street trees and trees on private property that are protected under Council's controls, shall be retained except where Council's prior written consent has been obtained. The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Section 4, Tree protection measures, and Appendix C Tree Protection Zone Sign, of Australian Standard AS4970 - 2009, Protection of Trees on Development Sites, prior to the commencement of any works (including any demolition and excavation) and maintained for the duration of the works.

In this regard the street tree and all protected trees on or adjacent to the site will be protected as described below;

- i. A Tree Protection (Management) Plan prepared by a AQF Level 5 Arborist is to be available on site at all times prior to the issue of the Constriction Certificate, for all demolition and site works. This Tree Protection (Management ) Plan must be shown on the demand of Authorised Council staff.
- ii. Protective perimeter fencing must be consistent with AS 4687, using metal fence posts greater than 20mm diameter and solid or chain wire mesh 2 metres in height supported on concrete pads/feet at 2-2.5 metre spacing. Fencing placement should not be closer than 2.5 metres from the trunk of each protected tree, or at a distance as specified by the approved Tree Protection (Management) Plan and approved by Council's Tree Management Officer. Shade cloth is to be used to prevent entry of dust and contaminated liquids into the root protection area.
- iii. Signs must be placed on the Fencing. These signs must comply with AS1319. The signs must state the purpose of the fencing and the name and contact details of the builder and the appointed AQF Level 5 consultant arborist.
- iv. Root protection is to be provided in the form of mulching to a depth of 50-100mm, inside of the fenced tree protection zone.
- v. Ground (Root) Trunk and Branch Protection must comply with the diagram of Figure 4 of AS4970 – 2009. Ground protection within the tree protection zone and drip line should be in the form of heavy steel plates or timber rumble boards over mulch or aggregate. Trunk and branch protection should be to a minimum height of 2 metres and must include measures to protect the tree/s against damage from the movement of trucks, plant equipment and materials at greater heights above ground level.
- vi. Temporary signs, cables, wires must not be attached to, or suspended, on any street tree or protected tree.
- vii. Above ground utilities must not be placed within the canopy of an existing protected tree, or create the future need for clearance pruning.
- viii. Below ground utilities/services must not be located inside the fenced tree protection zone.
- ix. Scaffolding must not be located in the fenced tree protection zone unless authorised by the approved Tree Protection (Management) Plan and Council's Tree Management Officer
- x. Council must be notified in writing within 24 hours, for all temporary removal of the tree protection fencing ground (root) trunk and branch protection within the root protection area.
- xi. Pruning of a street tree is prohibited without the written consent of Council.

(Reason: To ensure the protection of trees to be retained on the site.)

#### 11. **LANDSCAPING - TREE PRUNING PERMITTED (GC)**

Pruning of the following tree/s is permitted:



Species	Location
<i>Jacaranda mimosifolia</i>	Eastern side boundary
<i>Corymbia citriodora</i>	Rear yard

No more than 10% of the entire crown is to be removed as part of this approval. The pruning shall not give the crown an unbalanced appearance. All pruning work must be undertaken by a minimum level 2 (AQF 3) qualified Arborist who is currently a member or eligible for membership to Arboriculture Australia (AA) or the Tree Contractors Association Australia (TCAA), in accordance with AS4373—Pruning of Amenity Trees.

(Reason: To ensure tree preservation and pruning is undertaken in accordance with AS4373:2007 – Pruning of amenity trees.)

**12. MATERIALS – SCHEDULE OF EXTERNAL FINISHES TO BE SUBMITTED (GC)**

A schedule detailing all external materials, colours and finishes for the disabled access ramp in the front setback shall be submitted to Council.

All external materials, colours and finishes must be of high quality and compatible with those of the surrounding streetscape and locality. All external materials and colours shall be of low glare and reflectivity. Details demonstrating compliance with this condition shall be provided to the Principal Certifying Authority, prior to the issue of any Construction Certificate.

(Reason: To ensure a positive contribution to the streetscape.)

**13. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)**

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) the Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) the Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) the sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

**14. SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)**

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks

- and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
  - v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
  - vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
  - vii) Any demolition and excess construction materials are to be recycled wherever practicable.
  - viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
  - ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
  - x) All waste must be contained entirely within the site.
  - xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
  - xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
  - xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.
  - xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
  - xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
  - xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
  - xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
  - xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
  - xix) Any work must not prohibit or divert any natural overland flow of water.
  - xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

#### 15. **WASTE – TRACKABLE (GC)**

Removal of trackable waste (as defined by the NSW Environment Protection Authority) from the site must comply with the Protection of the Environment Operations (Waste)

Regulation 2005 for the transportation, treatment and disposal of waste materials. Waste materials must not be disposed on land without permission of the land owner and must with the provisions of the Protection of the Environment and Operations Act 1997.

(Reason: To ensure compliance with legislation.)

#### 16. HAZARDOUS GOODS AND WASTE (GC)

Dangerous and hazardous goods shall be stored in accordance with NSW WorkCover requirements and AS1940-2004 - The Storage and Handling of Flammable and Combustible Liquids.

Hazardous waste must be contained, managed and disposed of in a responsible manner in accordance with the Protection of Environment and Operations Act 1997, NSW Environment Protection Authority (EPA) and the New South Wales WorkCover Authority.

Material Safety Data Sheets of all hazardous substances used, such as bleaches and nail products must be kept on site and readily available to all staff. Staff must be trained how to safely use and store these chemicals prior to the commencement of work.

Details demonstrating compliance with the requirements of this condition are to be submitted to the satisfaction of the Principal Certifying Authority prior to the issue of any Construction Certificate.

(Reason: Health and safety.)

### CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)

#### 17. ACCESS - ACCESS FOR PEOPLE WITH DISABILITIES (CC)

Access for people with disabilities must be provided in accordance with the requirements of the Building Code of Australia, relevant Australian Standards and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

#### 18. ACCESS - DISABLED TOILETS (CC)

Plans and details of the disabled toilet/s complying with the relevant Australian Standards, the Building Code of Australia, and with regard to the Disability Discrimination Act 1992. Plans shall be notated demonstrating compliance and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Note: Disability (Access to Premises - Buildings) Standards 2010 - As of 1 May 2011, if access is provided to the extent covered by this Standard, then such access cannot be viewed as unlawful under the Disability Discrimination Act 1992.

(Reason: To provide equitable access for people(s) with disabilities in accordance with the relevant legislation and Australian Standards.)

**19. BASIX COMMITMENTS (CC)**

The approved BASIX Certificate shall be submitted to the Principal Certifying Authority with the application for a Construction Certificate.

Where a change or changes are proposed in the BASIX commitments, the applicant must submit a new BASIX Certificate to the Principal Certifying Authority and Council. If any proposed change in the BASIX commitments is inconsistent with the development consent the applicant will be required to submit a modification to the development consent to Council under Section 4.55 of the Environmental Planning and Assessment Act 1979.

All commitments in the BASIX Certificate must be shown on the plans accompanying the Construction Certificate.

(Reason: Statutory compliance.)

**20. BUILDING CODE OF AUSTRALIA – COMPLIANCE WITH (CC)**

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the [Home Building Act 1989](#) requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

**21. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)**

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004. Plans to be submitted shall contain the following details:

- i) Longitudinal section along the extreme wheel paths of each driveway/access ramp at a scale of 1:25 demonstrating compliance with the scraping provisions of AS/NZS 2890.1:2004. It shall include all levels and grades, including those levels stipulated as boundary levels, both existing and proposed. It shall extend from the centre-line of the roadway through to the parking area.
- ii) Sections showing the clearance to the underside of any overhead structure (minimum headroom requirements 2200mm minimum for standard headroom clearance or 2400mm where disabled access provisions are to be provided) demonstrating compliance with the provisions of AS/NZS 2890.1:2004.
- iii) Longitudinal section along the gutter line showing how it is intended to transition the vehicular crossing into the existing kerb and gutter. Boundary levels shall generally run parallel with the kerb levels.
- iv) Location of verge trees, street furniture and service installations.
- v) Superimposition of vehicle turning circles for access into parking spaces.

- vi) Certification that the design complies with AS/NZS 2890.1:2004 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

**22. CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 (CC)**

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

**23. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)**

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

**24. COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)**

Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to

assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

#### Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

#### Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

#### Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

## 25. **EROSION AND SEDIMENTATION CONTROL PLAN (CC)**

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar.
- viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
- ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the

Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

**26. FIRE SAFETY UPGRADE - CHANGE OF BUILDING USE (CC)**

Council considers pursuant to clause 93 of the Environmental Planning and Assessment Regulation 2000 that it is appropriate to require the existing building to be upgraded to total or partial conformity with the BCA.

The Construction Certificate plans and specification required to be submitted to the Certifying Authority pursuant to clause 139 of the Regulation must detail building upgrade works required by for the approved use.

The Certifying Authority must be satisfied that such work, to be implemented as part of the development, will upgrade the building to bring it into compliance with the provisions of the BCA in force at the date of issue of the Construction Certificate.

Note: The Certifying Authority issuing the Construction Certificate has no power to remove the requirement to upgrade the existing building as required by this condition. Where this condition specifies compliance with performance requirements of the BCA, the Certifying Authority (subject to their level of accreditation) may be satisfied as to such matters. Where this condition specifies compliance with prescriptive (deemed to satisfy) provisions of the BCA, these prescriptive requirements must be satisfied and cannot be varied unless this condition is reviewed under section 82A or amended under section 4.55 of the Act.

(Reason: Fire safety.)

**27. FIRE SAFETY SCHEDULE (CC)**

A Fire Safety Schedule specifying the fire safety measures (both current and proposed) which should be implemented in the building premises must be submitted with the Construction Certificate application, in accordance with Part 9 of Clause 168 of the Environmental Planning and Assessment Regulation 2000.

Note: A Construction Certificate cannot be issued until a Fire Safety Schedule is received.

(Reason: Compliance with the Environmental Planning and Assessment Act 1979.)

**28. TREE BONDS (CC)**

A tree bond of **\$6,600** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

29. **SECURITY PAYMENT - DAMAGE DEPOSIT FOR COUNCIL INFRASTRUCTURE (CC)**

A security (damage deposit) of **\$2,700.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the Building Code of Australia.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

Any costs associated with works necessary to be carried out to rectify any damages caused by the development, shall be deducted from the Damage Deposit.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

**The damage deposit shall be refunded upon completion of all works upon receipt of a Final Occupation Certificate stage and inspection by Council.**

(Reason: Protection of Council infrastructure.)

30. **SEPARATE WASTE AREAS FOR MIXED-USE DEVELOPMENTS (CC)**

Generate waste and recycling for the residential component and orthodontic practice of the dwelling shall be stored and collected separately.

All waste generated by the orthodontic practice is to be collected by a private contractor.

(Reason: To ensure separation of commercial and municipal waste.)

**CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)**

31. **APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority



- that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
    - notified the Council of his or her appointment, and
    - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
  - iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
    - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
    - notified the principal certifying authority of such appointment; and
    - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
  - v) The person having the person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

### 32. NOTICE OF COMMENCEMENT (CW)

No work shall commence until the following details are submitted to Council:

- i) a Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

### 33. HOME BUILDING COMPENSATION FUND (CW)

No residential building work within the meaning of the Home Building Act 1989 may commence until:

- i) A contract of insurance in accordance with Part 6 of the Home Building Act 1989 is entered into and in force, where such a contract is required under that Act (this is a prescribed condition of consent pursuant to clause 981(b) Environmental Planning and Assessment Regulation 2000.

- ii) The PCA is satisfied that the principal contractor for the work is the holder of the appropriate licence and is covered by the appropriate insurance, in each case if required by the Home Building Act 1989 (unless the work is to be carried out by an owner-builder).
- iii) If the work is to be carried out by an owner builder, that the owner builder is the holder of any owner -builder permit required under the Home Building Act 1989.
- iv) Written notice of the following information has been provided to Council (this is a prescribed condition of consent pursuant to clause 98B of the Environmental Planning and Assessment Regulation 2000):
  - In the case of work for which a principal contractor is required to be appointed:
  - the name and licence number of the principal contractor; and
  - the name of the insurer by which the work is insured under Part 6 of the Home Building Act 1989.
 In the case of work to be done by an owner-builder:
  - the name of the owner-builder; and
  - if the owner-builder is required to hold an owner-builder permit under the Home Building Act 1989, the number of the owner-builder permits.

Where Council is not the PCA, the PCA is responsible for notifying Council of the above matters.

Note: Where arrangements for doing residential building work change while the work is in progress so that the above information becomes out of date, the PCA (where not the Council) must provide Council with written notice of the updated information.

(Reason: Statutory requirement.)

#### **CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)**

##### **34. OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)**

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

#### **CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)**

##### **35. FIRE SAFETY CERTIFICATION (OC)**

A fire safety certificate shall be obtained in accordance with Part 9, Division 4 of the Environmental Planning and Assessment Regulation 2000, prior to the issue of any Occupation Certificate.

A fire safety certificate is a certificate issued by the owner of a building to the effect that each essential fire safety measure specified in the current fire safety schedule for the part of the building to which the certificate relates:

- i) has been assessed by a properly qualified person; and
- ii) was found, when it was assessed, to be capable of performing to at least the standard required by the current fire safety schedule for the building for which the certificate is issued.

An interim fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(2) of the Environmental Planning &

Assessment Regulation 2000.

A final fire safety certificate must be provided before an interim occupation certificate can be used for a building under Clause 153(1) of the Environmental Planning & Assessment Regulation 2000.

A copy of the fire safety certificate and fire safety schedule shall be:

- i) submitted to Strathfield Council;
- ii) submitted to the Commissioner of the New South Wales Fire Brigade; and
- iii) prominently displayed in the building.

(Reason: Fire safety and statutory requirement.)

36. **LANDSCAPING - ARBORIST'S FOLLOW UP REPORT OF TREE/S TO BE RETAINED (OC)**

As part of the on-going assessment of the tree/s to be retained, the consulting arborist engaged by the applicant is to assess their health and any impacts suffered by them as a result of the proposed approved development, prior to the issue of an Occupation Certificate. Findings are to be compiled in a detailed report and submitted to the Principle Certifying Authority, which documents the following:

- i) methods of excavation or construction used to carry out the works;
- ii) any damage sustained by the tree/s as a result of the works;
- iii) any subsequent remedial works required to be carried out by the consulting arborist as a result of the damage; and
- iv) any future or on-going remedial work required to be carried out to ensure the long term retention of the tree/s.

(Reason: To ensure the survival of trees to be retained.)

37. **OCCUPATION OF BUILDING (OC)**

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) all required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

**CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)**

38. **COMMERCIAL PREMISES - NO SIGNAGE OR GOODS ON PUBLIC FOOTWAY (OU)**

At no time may any signs including sandwich boards and the like or goods for sale or display, be placed on the public road, public footpath, service land, parking area and

driveways, public or private pedestrian walkways outside the premises or in the immediate vicinity without the prior approval of Council.

(Reason: Safety and amenity.)

**39. FIRE SAFETY ANNUAL STATEMENT (OU)**

Pursuant to Part 9, Division 5 of the Environmental Planning and Assessment Regulation (as amended) the owner of the building shall provide to Council an Annual Fire Safety Statement from an appropriately qualified person certifying the essential fire safety measures in the building. The Annual Fire Safety Statement shall be submitted within 12 months of the issue of the fire safety certificate, and then on an annual basis.

A copy of the Fire Safety Statement obtained and Fire Safety Schedule shall also be:

- i) Forwarded to the Commissioner of the New South Wales Fire Brigade; and
- ii) Prominently displayed in the building.

(Reason: Fire safety.)

**40. HOURS OF OPERATION - COMMERCIAL PREMISES (OU)**

The hours of operation of the premises (i.e. hours open for business) must not exceed the following, without the prior approval of Council:

Days	Approved hours of operation
Mon-Friday	8am – 5pm
Saturday	Closed
Sunday and public holidays	Closed

Clinical days with patients are restricted to two (2) days per week.

(Reason: To ensure the business operates between the approved hours.)

**41. OFFICE / COMMERCIAL USE - PERMITTED ONLY AS ANCILLARY USE (OU)**

No part of the premises may be used as offices or for any other commercial activity, including a showroom or display area, except where such facility is ancillary and subordinate to the principal use of the premises. The proportion of floor space of the building used for offices or showrooms and the like, must not be increased above that shown on the approved plan(s).

(Reason: To ensure development undertaken on the site is consistent with the approval.)

**42. POLLUTION - COMPLIANCE WITH PEOA 1997 GENERALLY (OU)**

The activities carried out on site shall not constitute a nuisance in relation to noise, air or water pollution as specified under the Protection of the Environment Operations Act 1997.

(Reason: Environmental protection.)

**43. STAFF RESTRICTION - HEALTH SERVICES FACILITIES (OU)**

A maximum number of three (3) staff may occupy the dwelling house for uses as medical consulting rooms. The one (1) orthodontist must practice in partnership and there can be no more than two (2) employees associated with the practice.

(Reason: To ensure compliance with the consent.)

**44. WASTE AND RECYCLING COLLECTION (COMMERCIAL AND INDUSTRIAL) (OU)**

- i) The collection of commercial waste and recycling must only occur between 6.00am and 8.00pm weekdays and 9.00am and 5.00pm on weekends and public holidays, to avoid noise disruption to the surrounding area.
- ii) Commercial garbage and recycling must be collected on site unless expressly agreed to in OC.
- iii) Where consent is given for commercial garbage and recycling to be placed kerbside for collection bins must not be placed on the kerbside more than one hour before the scheduled collection time. Bins and containers are to be removed from the kerbside within one (1) hour of collection and returned to the designated garbage storage area(s).
- iv) The garbage and recyclable storage area and bins must be adequate to contain the volume and type of garbage and recyclable matter of the food premises.
- v) All garbage and recyclable matter must be enclosed in the waste bins with lids completely closed at all times. (Reason: To regulate noise and garbage collection arrangements.)

**45. WATER COOLING AND WARM WATER SYSTEMS - MICROBIAL CONTROL (OU)**

The installation and ongoing operation of the water cooling systems, evaporative coolers and hot/warm water systems within the premises shall be undertaken in accordance with the relevant provisions of:

- i) Public Health Act 2010 and Public Health Regulation 2012;
- ii) Australian Standard AS/NZS 3666 - Air Handling and Water Systems of Buildings - Microbial Control, Parts 1, 2 & 3 of 2011; and
- iii) 2004 NSW Health Code of Best Practice for the Control of Legionnaires Disease.

Any systems are required to be registered with Council and the Public Health Authority.

(Reason: Health and safety.)

**RESOLUTION**

This application be approved subject to the recommended conditions of consent in the report as amended by the Panel.

**REASONS:**

**The Panel is in agreement with the Planning officers report and has made some minor amendments to the conditions of consent.**

**For: Paul Stein, Gabrielle Morrish, David Logan, David Starr**

**Against: Nil**

\*\*\*\* End Minutes - Report No. 1\*\*\*\*

**TO:** Strathfield Local Planning Panel Meeting - 2 May 2019  
**REPORT:** SLPP – Report No. 2  
**SUBJECT:** DA2018/172 - 47 MERLEY ROAD, STRATHFIELD  
LOT C IN DP 394641  
**DA NO.** 2018/172

## RECOMMENDATION

That Development Application No. 2018/172 for the alterations and first floor additions to existing single dwelling including basement level, new in-ground pool and spa, cabana, front boundary fence and associated landscaping works at 47 Merley Road, Strathfield be **APPROVED**, subject to the following conditions:

## SPECIAL CONDITIONS (SC)

### 1. OUTBUILDING HEIGHT (SC)

The rear outbuilding is to be not greater than 3.5m in height above existing ground level and not less than 0.5m in setback from the western boundary. Details demonstrating compliance with this requirement shall be submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate.

(Reason: To ensure the approved building height is complied with.)

### 2. DELETED

### 3. FIRST FLOOR BALCONIES (SC)

The first floor side balcony located off the Master Bedroom is to be deleted and replaced with a **non-trafficable roof**.

(Reason: To increase the amenity of neighbouring residence and reduce overlooking of existing windows.)

### 4. FILL IN YARD (SC)

Fill in the rear yard shall be no higher than RL29.3 so that the proposal retains the existing ground levels.

(Reason: Avoid excessive fill that creates the potential for overlooking of adjoining properties)

### 5. STRUCTURAL CERTIFICATION (SC)

Structural design detail is required prior to CC demonstrating that the basement design would not damage the portion of the existing dwelling house to remain. This design must be accompanied by certification from a suitably qualified structural engineer with experience in heritage buildings.

(Reason: To ensure the construction of the basement does not structurally affect the original dwelling.)

**6. PRESERVING THE ORIGINAL DWELLING (SC)**

The south elevation (DA\_200\_00 Revision 04 dated 12.04.19) does not reflect the existing scalloped balustrade and indicates a new opening. The plans must be amended prior to the issue of a Construction Certificate.

(Reason: Maintaining the original dwelling)

**7. PV CELLS (SC)**

The PV Cells are to be installed in a manner that is not visible from Merley Road.

(Reason: Maintaining the Heritage Conservation Area)

**8. PLANT ROOM WINDOW AND EXTERNAL STAIRS INTO THE BASEMENT (SC)**

The Plant Room window is to be deleted or replaced with a wall air vent. The external stairs into the basement adjacent to the eastern side boundary are to be deleted and replaced with deep soil landscaped area. The plans must be amended submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate.

(Reason: To ensure basements are not to be used for habitable space.)

**GENERAL CONDITIONS (GC)****9. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)**

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2018/172:

Drawing No.	Title/Description	Prepared by	Issue / Revision & Date	Date received by Council
DW_100_00	Demolition Plan	Daniel Younan & Associates	Revision 1, 07/12/18	14 December 2018
DW_100_10	Basement Plan	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019
DW_100_20	Ground Floor Plan	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019
DW_100_30	First Floor Plan	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019
DW_100_40	Roof Plan	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019
DW_200_00	Elevations	Daniel Younan & Associates	Revision 4, 12/04/19	12 April 2019
DW_200_01	Streetscape elevations and fence elevations	Daniel Younan & Associates	Revision 4, 12/04/19	12 April 2019
DW_200_05	Proposed external materials and finishes	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019



DW_300_00	Sections	Daniel Younan & Associates	Revision 3, 12/04/19	12 April 2019
DW_350_00	Driveway Section – Sheet 1	Daniel Younan & Associates	Revision 2, 15/03/19	15 March 2019
DW_350_01	Driveway Section – Sheet 2	Daniel Younan & Associates	Revision 2, 15/03/19	15 March 2019
A1	Location Plan	Conzept Landscape Architects	Revision 2, 14/03/19	15 March 2019
LPDA 19 – 97/2	Landscape Plan	Conzept Landscape Architects	Revision 2, 14/03/19	15 March 2019
LPDA 19 – 97/3	Details	Conzept Landscape Architects	Revision 2, 14/03/19	15 March 2019
LPDA 19 – 97/4	Details	Conzept Landscape Architects	Revision 2, 14/03/19	15 March 2019
LPDA 19 – 97/5	Specification	Conzept Landscape Architects	Revision 2, 14/03/19	15 March 2019
000	Stormwater Concept Plans Cover Sheet	Australian Consulting Engineers	Issue A, 8/11/2018	14 December 2018
101	Stormwater Concept Plans Basement Level Sheet 1	Australian Consulting Engineers	Issue A, 8/11/2018	14 December 2018
102	Stormwater Concept Plans Basement Level Sheet 2	Australian Consulting Engineers	Issue A, 8/11/2018	14 December 2018
103	Stormwater Concept Plans	Australian Consulting Engineers	Issue A, 8/11/2018	14 December 2018
104	Miscellaneous Details Sheet	Australian Consulting Engineers	Issue A, 8/11/2018	14 December 2018

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2018/172:

Title / Description	Prepared by	Issue/Revision & Date	Date received by Council
Waste Management Plan	Daniel Younan & Associates	Issue A	14 December 2018
Heritage Impact Assessment	Zoltan Kovacs Architect	Issue A, November 2018	14 December 2018
Heritage Statement	Zoltan Kovacs Architect	Issue A, 11 March 2019	15 March 2019
Structural Design Certificate	Australian Consulting Engineers	Issue A, 5 March 2019	15 March 2019
Basix Certificate	Planning Principles	Issue A, 11 December 2018	14 December 2019

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

**10. DELETED**

**11. CONSTRUCTION HOURS (GC)**

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

**12. CONSTRUCTION WITHIN BOUNDARIES (GC)**

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

**13. DEMOLITION – GENERALLY (GC)**

Alteration and demolition of the existing building is limited to that documented on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is not shown to be altered or demolished.

(Reason: To ensure compliance with the approved development.)

**14. DEMOLITION - HERITAGE CONSERVATION (GC)**

Alterations to, and demolition of, the existing building shall be limited to that documented on the approved plans (by way of notation) or conditioned in this consent. No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Should any portion of the existing building which is indicated on the approved plans to be retained, be damaged for whatever reason, all the works in the area of this damaged portion are to cease and written notification given to Council. No work is to resume until the written approval of Council is obtained.

(Reason: Heritage conservation.)

**15. DEMOLITION - SITE SAFETY FENCING (GC)**

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and

maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

**16. FIREPLACES (GC)**

Use of any fireplace for the purpose of wood fired fuel and coal burning is prohibited. Fireplaces may only be used with natural gas and electricity only.

(Reason: To maintain health and safety to surrounding residences and reduce air pollution.)

**17. FENCING - FRONT FENCE HEIGHT (GC)**

Solid fencing forward of the building line (including the building line to a secondary street frontage on a corner site) shall not exceed a height of 0.7m above natural ground level. The fence may be topped by an additional maximum 0.8m high open timber picket, wrought iron, palisade or similar element.

Brick piers over 1m in height are permitted to support the decorative elements, provided they are equally spaced along the street, and do not exceed a height of 1.5m. Plans demonstrating compliance with this condition are to be submitted to the

(Reason: To ensure a positive contribution to the streetscape in accordance with the Strathfield Consolidated DCP 2005.)

**18. LANDSCAPING ADJACENT SWIMMING POOLS/SPAS (GC)**

A minimum one (1) metre wide landscape strip is to be provided between the swimming pool and adjacent common boundaries. The landscape strip is to be planted with a continuous row of evergreen shrubs of a minimum five (5) litre container size and capable of achieving a minimum mature height of three (3) metres. Details of the selected plants shall be submitted to and approved by the Principal Certifying Authority. Compliance with this condition shall be certified by the Principal Certifying Authority, prior to occupation of the premises.

(Reason: Privacy amenity of adjoining properties.)

**19. LANDSCAPING - CANOPY TREES IN BACK SETBACK (GC)**

New development shall provide at least two (2) canopy trees within the rear setback behind the building line. New canopy trees shall be at least three (3) metres high at the time of planting and capable of reaching a mature height of 10m.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be

demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

## 20. ENVIRONMENTAL PROTECTION – TREE (GC)

All street trees and trees on private property that are protected under Council's controls, shall be retained except where Council's prior written consent has been obtained. The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Section 4, Tree protection measures, and Appendix C Tree Protection Zone Sign, of Australian Standard AS4970 - 2009, Protection of Trees on Development Sites, prior to the commencement of any works (including any demolition and excavation) and maintained for the duration of the works.

In this regard the street tree and all protected trees on or adjacent to the site will be protected as described below;

- i. A Tree Protection (Management) Plan prepared by a AQF Level 5 Arborist is to be available on site at all times prior to the issue of the Constriction Certificate, for all demolition and site works. This Tree Protection (Management ) Plan must be shown on the demand of Authorised Council staff.
- ii. Protective perimeter fencing must be consistent with AS 4687, using metal fence posts greater than 20mm diameter and solid or chain wire mesh 2 metres in height supported on concrete pads/feet at 2-2.5 metre spacing. Fencing placement should not be closer than 2.5 metres from the trunk of each protected tree, or at a distance as specified by the approved Tree Protection (Management) Plan and approved by Council's Tree Management Officer. Shade cloth is to be used to prevent entry of dust and contaminated liquids into the root protection area.
- iii. Signs must be placed on the Fencing. These signs must comply with AS1319. The signs must state the purpose of the fencing and the name and contact details of the builder and the appointed AQF Level 5 consultant arborist.
- iv. Root protection is to be provided in the form of mulching to a depth of 50-100mm, inside of the fenced tree protection zone.
- v. Ground (Root) Trunk and Branch Protection must comply with the diagram of Figure 4 of AS4970 – 2009. Ground protection within the tree protection zone and drip line should be in the form of heavy steel plates or timber rumble boards over mulch or aggregate. Trunk and branch protection should be to a minimum height of 2 metres and must include measures to protect the tree/s against damage from the movement of trucks, plant equipment and materials at greater heights above ground level.
- vi. Temporary signs, cables, wires must not be attached to, or suspended, on any street tree or protected tree.
- vii. Above ground utilities must not be placed within the canopy of an existing protected tree, or create the future need for clearance pruning.
- viii. Below ground utilities/services must not be located inside the fenced tree protection zone.
- ix. Scaffolding must not be located in the fenced tree protection zone unless authorised by the approved Tree Protection (Management) Plan and Council's Tree Management Officer

x. Council must be notified in writing within 24 hours, for all temporary removal of the tree protection fencing ground (root) trunk and branch protection within the root protection area.

xi. Pruning of a street tree is prohibited without the written consent of Council.

(Reason: To ensure the protection of trees to be retained on the site.)

**21. MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)**

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

**22. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)**

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) the Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) the Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) the sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

**23. STORMWATER MANAGEMENT PLAN - CERTIFICATION REQUIREMENT (GC)**

A detailed Stormwater Management Plan (SWMP) in line with Council's Stormwater Management Code is to be prepared and certified by a practicing Chartered Professional Engineer on the National Professional Engineer's Register (NPER) at Engineers Australia and submitted to the Principal Certifying Authority and Council, prior to the issue of a Construction Certificate. The SWMP is to be based on the approved development as modified by any conditions of consent.

(Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure public infrastructure in Council's care and control is not overloaded.)

**24. SYDNEY WATER - TAP IN™ (GC)**

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at [www.sydneywater.com.au](http://www.sydneywater.com.au) then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

(Reason: Compliance with Sydney Water requirements.)

### **CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (PCC)**

#### **25. BASIX COMMITMENTS (CC)**

The approved BASIX Certificate shall be submitted to the Principal Certifying Authority with the application for a Construction Certificate.

Where a change or changes are proposed in the BASIX commitments, the applicant must submit a new BASIX Certificate to the Principal Certifying Authority and Council. If any proposed change in the BASIX commitments is inconsistent with the development consent the applicant will be required to submit a modification to the development consent to Council under Section 4.55 of the Environmental Planning and Assessment Act 1979.

All commitments in the BASIX Certificate must be shown on the plans accompanying the Construction Certificate.

(Reason: Statutory compliance.)

#### **26. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)**

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

#### **27. CAR PARKING - BASEMENT CAR PARKING REQUIREMENTS (CC)**

Details demonstrating compliance with the following is to be submitted to the Principal Certifying Authority, prior to issue of the Construction Certificate:

- i) Minimal internal clearance of the basement is 2.2m in accordance with BCA requirements.
- ii) Driveways shall comply with Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking and achieve a maximum gradient of 1:4.
- iii) Basement entries and ramps/driveways within the property are to be no more than 3.5m wide.
- iv) Provision of pump-out systems and stormwater prevention shall be in accordance with Council's Stormwater Management Guide.

(Reason: To ensure suitable development.)

**28. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)**

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004. Plans to be submitted shall contain the following details:

- i) Longitudinal section along the extreme wheel paths of each driveway/access ramp at a scale of 1:25 demonstrating compliance with the scraping provisions of AS/NZS 2890.1:2004. It shall include all levels and grades, including those levels stipulated as boundary levels, both existing and proposed. It shall extend from the centre-line of the roadway through to the parking area.
- ii) Sections showing the clearance to the underside of any overhead structure (minimum headroom requirements 2200mm minimum for standard headroom clearance or 2400mm where disabled access provisions are to be provided) demonstrating compliance with the provisions of AS/NZS 2890.1:2004.
- iii) Longitudinal section along the gutter line showing how it is intended to transition the vehicular crossing into the existing kerb and gutter. Boundary levels shall generally run parallel with the kerb levels.
- iv) Location of verge trees, street furniture and service installations.
- v) Superimposition of vehicle turning circles for access into parking spaces.
- vi) Certification that the design complies with AS/NZS 2890.1:2004 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

**29. CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 (CC)**

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

**30. CAR PARKING - VEHICULAR CROSSING WIDTH AT PROPERTY BOUNDARY (CC)**

Vehicular crossings are to have a maximum width of 3m at the property boundary. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

The vehicular crossing (and all associated excavation works) must not be constructed closer than 2 metres from a retained protected street tree.

(Reason: Compliance with SCDP 2005.)

**31. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)**

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not

commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

## 32. **COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)**

### Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

### Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

### Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please



refer to the end of this application form for more information).

(Reason: Council requirement.)

### 33. **DILAPIDATION REPORT - PRE-COMMENCEMENT (CC)**

Subject to access being granted, a pre-commencement Dilapidation Report is to be undertaken on all adjoining properties, which in the opinion of a suitably qualified engineer, could be potentially affected by the construction of the project. The Dilapidation Report shall be carried out prior to the issue of a Construction Certificate.

The Dilapidation Report is to be prepared by a suitably Qualified Engineer with current Corporate Membership with the Institution of Engineers, Australia or Geotechnical Practitioner. The report shall include a photographic survey of adjoining properties detailing the physical condition of those properties, both internally and externally, including walls, ceilings, roof, structural members and other such items.

If access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant must demonstrate, in writing, to Council's satisfaction attempts have been made to obtain access and/or advise the affected property owner of the reason for the survey and these attempts have been unsuccessful. Written concurrence must be obtained from Council in such circumstances.

The Report shall cover structural and geotechnical factors likely to arise from the development. A copy of this Report shall be submitted to Council as a record. The person having the benefit of the development consent must, at their own cost, rectify any damage caused to other properties during the construction of the project.

(Reason: To ensure no damage to adjoining properties occurs.)

### 34. **EROSION AND SEDIMENTATION CONTROL PLAN (CC)**

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar.
- viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
- ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

**35. EXCAVATION - AFFECTING ADJOINING LAND (CC)**

If an excavation associated with the approved development extends below the level of the base of the footings of a building on an adjoining allotment of land, the person having the benefit of the development consent must, at the person's own expense, comply with the requirements of clause 98E of the Environmental Planning and Assessment Regulation 2000, including:

- i) protect and support the adjoining premises from possible damage from the excavation, and
- ii) where necessary, underpin the adjoining premises to prevent any such damage.

The condition referred to in subclause (i) does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Structural safety.)

**36. FEES - ADDITIONAL DEVELOPMENT APPLICATION FEES (CC)**

In accordance with Regulation 50(1)(c) and the table to Regulation 246 of the Environmental Planning and Assessment Act Council must charge a development application fee based on the estimated cost of works applied for.

The construction costs of the approved development are estimated at \$1,050,000.00 and the applicable Development Application Fee on this amount would be \$2687.00 which includes a Planning Reform Fee of \$672.00. The difference of \$465.2 (including \$201.76 Planning Reform Fee) shall be paid to Council prior to the issue of a Construction Certificate.

(Reason: Statutory requirement.)

**37. PRIVACY - OBSCURE GLAZING IN WET AREAS (CC)**

All bathroom, ensuite and toilet windows shall be installed with obscure glazing. Plans shall be notated accordingly and details demonstrating compliance submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Privacy amenity.)

**38. PRIVACY - MEASURES TO BE COMPLIED WITH (CC)**

Prior to the issue of a Construction Certificate, plans are to be amended to include the following privacy measures:

- i) The first floor privacy screen located on the northern elevation, is to be fixed or limited (between 33 degrees and a vertical position) adjustable horizontal louvered 1.8m from the first floor level.

(Reason: Privacy amenity.)

39. **SECTION 7.12 CONTRIBUTION PAYMENT - INDIRECT CONTRIBUTIONS PLAN) (CC)**

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Indirect Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

Local Amenity Improvement Levy	<b>\$13,730.55</b>
--------------------------------	--------------------

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. The amount of the contribution under this condition shall be indexed in accordance with clause 4.12 of the Strathfield Indirect Development Contributions Plan 2010-2030.

Contributions must be receipted by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

A copy of this condition is to be presented to Council's Customer Service Centre when paying the contribution so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.12 Indirect Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

40. **SECURITY PAYMENT - DAMAGE DEPOSIT FOR COUNCIL INFRASTRUCTURE (CC)**

A security (damage deposit) of **\$15,000.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the Building Code of Australia.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

Any costs associated with works necessary to be carried out to rectify any damages caused by the development, shall be deducted from the Damage Deposit.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

**The damage deposit shall be refunded upon completion of all works upon receipt of a Final Occupation Certificate stage and inspection by Council.**

(Reason: Protection of Council infrastructure.)

41. **STORMWATER - RAINWATER RE-USE (CC)**

A rainwater re-use system shall be provided in accordance with either the BASIX minimum requirements, any relevant Council Rainwater Policy and/or specification of the management of stormwater, whichever is applicable. A detailed stormwater plan showing the proposed re-use system shall be submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Compliance and amenity.)

42. **SWIMMING POOLS / SPAS (CONSTRUCTION OF)**

The approved swimming pool/spa must comply with all relevant legislation including:

- i) Swimming Pools Amendment Act 1992 (as amended);
- ii) Swimming Pools Regulations 2008; and
- iii) Australian Standard AS1926.1-2012 – Safety Barriers for Swimming Pools.

Details demonstrating compliance with this condition shall be demonstrated to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Safety and statutory compliance.)

43. **SWIMMING POOLS / SPAS - MECHANICAL PLANT ENCLOSURE (CC)**

Any mechanical plant associated with the swimming pool and spa shall be acoustically treated to comply with the Protection of the Environment Operations Act 1997. Details are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure the acoustic amenity of the neighbouring residents.)

44. **TREE BONDS (CC)**

A tree bond of **\$13,100.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

### **CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (PCW)**

#### **45. APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
  - notified the Council of his or her appointment, and
  - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
  - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
  - notified the principal certifying authority of such appointment; and
  - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- v) The person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

#### **46. HOME BUILDING COMPENSATION FUND (CW)**

No residential building work within the meaning of the Home Building Act 1989 may commence until:

- i) A contract of insurance in accordance with Part 6 of the Home Building Act 1989 is entered into and in force, where such a contract is required under that Act (this is a prescribed condition of consent pursuant to clause 981(b) Environmental Planning and Assessment Regulation 2000.
- ii) The PCA is satisfied that the principal contractor for the work is the holder of the appropriate licence and is covered by the appropriate insurance, in each case if

required by the Home Building Act 1989 (unless the work is to be carried out by an owner-builder).

- iii) If the work is to be carried out by an owner builder, that the owner builder is the holder of any owner -builder permit required under the Home Building Act 1989.
- iv) Written notice of the following information has been provided to Council (this is a prescribed condition of consent pursuant to clause 98B of the Environmental Planning and Assessment Regulation 2000):
  - In the case of work for which a principal contractor is required to be appointed:
  - the name and licence number of the principal contractor; and
  - the name of the insurer by which the work is insured under Part 6 of the Home Building Act 1989.
 In the case of work to be done by an owner-builder:
  - the name of the owner-builder; and
  - if the owner-builder is required to hold an owner-builder permit under the Home Building Act 1989, the number of the owner-builder permits.

Where Council is not the PCA, the PCA is responsible for notifying Council of the above matters.

Note: Where arrangements for doing residential building work change while the work is in progress so that the above information becomes out of date, the PCA (where not the Council) must provide Council with written notice of the updated information.

(Reason: Statutory requirement.)

#### 47. **NOTICE OF COMMENCEMENT (CW)**

No work shall commence until the following details are submitted to Council:

- i) a Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and
- iii) details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

### **CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DBW)**

#### 48. **FILL MATERIAL (DW)**

The only waste derived material which may be received at the development site is:

- i) Virgin excavated material (within the meaning of the Protection of the Environment Operations Act 1997), and
- ii) any other waste-derived material the subject of a resource recovery exemption under cl.51A of the Protection of the Environment Operations (Waste) Regulation 2005 that is permitted to be used as fill material.

Any (b)-type material received at the development site must be accompanied by documentation certifying by an appropriately qualified environmental consultant the materials compliance with the exemption conditions; and this documentation must be provided to the Principal Certifying Authority on request.

(Reason: To ensure imported fill is of an acceptable standard for environmental protection)

purposes.)

**49. PUBLIC INFRASTRUCTURE AND SERVICES (DW)**

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

**CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (POC)**

**50. ENGINEERING WORKS (CERTIFICATION OF)**

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by a suitably Qualified Engineer, with Corporate Membership standing in the Institution of Engineers Australia and registered on the National Professional Engineers Register (NPER) under the appropriate professional category, demonstrating that:

- i) the stormwater drainage system; and/or
- ii) the car parking arrangement and area; and/or
- iii) any related footpath crossing works; and/or
- iv) the proposed basement pump and well system; and/or
- v) the proposed driveway and layback; and/or
- vi) any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works. Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

**51. OCCUPATION OF BUILDING (OC)**

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) all required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

**52. RAINWATER TANKS (OC)**

Rainwater tanks must be installed on residential properties by a suitably qualified and licensed plumber and in accordance with the following:

- i) Australian/New Zealand Standard AS/NZS 3500:2003;
- ii) NSW Code of Practice Plumbing and Drainage, 2006 produced by Committee on Uniformity of Plumbing and Drainage Regulations in NSW (CUPDR); and
- iii) Council's rainwater tank policy.

Details demonstrating compliance with this condition are to be submitted to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To protect public health and amenity.)

**53. STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

**54. STORMWATER - COVENANT AND RESTRICTION AS TO USER FOR STORMWATER CONTROLLED SYSTEMS (OC)**

Prior to the issue of any Occupation Certificate, the applicant shall register a Positive Covenant and a Restriction as to User under section 88E and or section 88B of the Conveyancing Act as appropriate in favour of Council, ensuring the ongoing retention, maintenance and operation of the stormwater facility (on-site detention, pump-out, charged lines, etc).

Where any drainage line or service conduit is to traverse any property other than that which it serves, an appropriate easement will be required. In this case, the applicant shall register an easement no less than 1200mm wide over the proposed drainage line or service concurrently with any subdivision registration.

The wording on the 88E and/or the 88B Instrument is to make reference to the Council file where the Construction plans and the Work As Executed (as built), plans are held. Typical wording can be obtained from Council's Specification for the Management of Stormwater document.

(Reason: To ensure the on-site detention and/or pump system is maintained to an appropriate operational standard.)

**55. SWIMMING POOLS / SPAS - REGISTRATION AND REQUIREMENTS (OC)**

The approved swimming pool/spa must comply with all relevant legislation including:

- i) Swimming Pools Amendment Act 1992 (as amended);
- ii) Swimming Pools Regulations 2008; and



- iii) Australian Standard AS1926.1-2012 – Safety Barriers for Swimming Pools.

Swimming pool owners must register their swimming pool or spa on the NSW Swimming Pool Register. A copy of a valid certificate of compliance or relevant occupation certificate must be attached to new residential tenancy agreements to rent property with a swimming pool or spa pool. Note: This requirement does not apply to a lot in strata or community title schemes with more than two lots.

A copy of a valid certificate of compliance or relevant occupation certificate must be attached to new residential tenancy agreements to rent property with a swimming pool or spa pool. Note: This requirement does not apply to a lot in strata or community title schemes with more than two lots; or for any off the plan contacts.

Details demonstrating compliance with this condition shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: Safety and statutory compliance.)

## 56. **GEOTECHNICAL REPORT (OC)**

A comprehensive geotechnical engineering report assessing the impact and safety of the proposed works shall be prepared by a suitably experienced and qualified geo-practitioner and submitted with any Construction Certificate. The report must include the results of subsurface investigations involving either test pits to rock, or preferably the drilling of cored boreholes (to 1m below the proposed final excavation level). The report shall provide:

- i) an indication of the nature and depth of any uncontrolled fill at the site;
- ii) an indication of the nature and condition of the material to be excavated;
- iii) indications of groundwater or seepages;
- iv) required temporary measures for support of any excavations deeper than 1m adjacent to property boundaries;
- v) a statement of required excavation methods in rock and measures required to restrict ground vibrations; and
- vi) other geo-technical information or issues considered relevant to design and construction monitoring.

(Reason: Structural safety.)

## **RESOLUTION**

### 1.1 **DEFERRED COMMENCEMENT APPROVAL**

This is a Deferred Commencement Consent under Section 4.16(3) of the Environmental Planning and Assessment (EP&A Act, 1979. This consent does not become operative until the applicant has satisfied the conditions listed under Schedule A below. All conditions shall be satisfactorily resolved within a period of twelve (12) months from the Determination Date that is shown on this consent. Upon compliance with the conditions under SCHEDULE A and written confirmation of this from Council, the consent shall become operative from the 'Date of Endorsement' (to be included on the written notice of determination).

(Reason: A deferred commencement consent stipulates conditions that must be satisfied before the consent operates in accordance with Section 4.16(3) of the EP&A Act 1979)

## **SCHEDULE A**

### **D1 RETENTION OF EXISTING DWELLING**

The extent of retention of the existing dwelling is to be increased to include the whole of the dwelling forward of the southern return of the existing gable eaves on the western side of the building and including the gable itself.

(Reason: To retain the integrity of the dwelling and of the Heritage Conservation Area).

### **D2 SIDE SETBACKS**

The side setbacks of the new extension are to be increased to maintain the alignment of the existing walls of the dwelling on both sides. The proposed entry porch may encroach into the eastern setback.

(Reason: To reduce the visual impact of the additions on the streetscape of Merley Road, its adverse impact on the Heritage Conservation Area and the amenity of neighbouring properties).

### **D3 BUILDING HEIGHT**

The height of any proposed additions must not exceed Relative Level (RL) 35.9 AHD.

(Reason: To reduce the visual impact and bulk of the additions on the streetscape of Merley Road, its adverse impact on the Heritage Conservation Area and the amenity of neighbouring properties).

This application be approved as a Deferred Commencement Consent subject to the Deferred Commencement conditions imposed by the Panel together with the recommended conditions of consent in the planning report, as amended by the Panel.

#### **REASONS:**

**The panel was of the opinion that the proposed development was too bulky and had an adverse amenity impact its immediate neighbours and adverse visual impact on the Heritage Conversation Area.**

**Accordingly the panel have imposed the Deferred Commencement Conditions to ameliorate these adverse impacts.**

**For: Paul Stein, Gabrielle Morrish, David Logan, David Starr**

**Against: Nil**

\*\*\*\* End Minutes - Report No. 2\*\*\*\*