

# Minutes

Of the meeting of the:

## Strathfield Local Planning Panel Meeting

Held on:

**Thursday, 7 February 2019**

Commencing at 10:00am at Town Hall (Supper Room),  
65 Homebush Road, Strathfield

**TABLE OF CONTENTS**

Item Page No.

**SLPP AGENDA ITEMS**

**SLPP - Report No. 1**

DA2018/036/01 - 55 Myrna Road, Strathfield

Lot 46 DP 14613 .....4

**(Number of Speakers: 0) (NOT INCLUDING THE APPLICANT)**

**SLPP - Report No. 2**

DA2018/138 - 1-9 Smallwood Avenue, Homebush

Lot 103 DP 1246774 .....29

**(Number of Speakers: 0) (NOT INCLUDING THE APPLICANT)**

**SLPP - Report No. 3**

DA2018/069 - 12 Madeline Street, Belfield

Lot 1 DP 204632 .....30

**(Number of Speakers: 0) (NOT INCLUDING THE APPLICANT)**

**The Chair tabled the pecuniary Interest disclosures of Panel Members.**

The meeting of the Strathfield Local Planning Panel Meeting was held in the Town Hall (Supper Room), 65 Homebush Road, Strathfield on Thursday 7 February 2019.  
The meeting commenced at 10:00am and closed at 10:51am.

The Public Meeting commenced at 10:00am and closed at 10:18am

The Panel Members conducted site inspections for the purpose of considering items included on the Agenda-

Site inspection time commenced: 8:11am

Site inspection time concluded: 9:10am

**PRESENT**

The Hon Paul Stein QC AM – Chair

Mike Ryan- Expert

Vivienne Albin- Expert

Geoff Markwell- Community

**ALSO PRESENT**

Stephen Clements, Deputy CEO/General Manager Planning, Environment & Urban Services

Gregory Hansell, Senior Planner

Rachel Gardner, Senior Planner

Rita Vella, Principal Strategic Planner (Attended Meeting from 10am)

Lily Parker, Administration Assistant

**DECLARATIONS OF PECUNIARY INTEREST / CONFLICT OF INTEREST**

NIL

**TO:** Strathfield Local Planning Panel Meeting - 7 February 2019  
**REPORT:** SLPP – Report No. 1  
**SUBJECT:** DA2018/036/01 - 55 MYRNA ROAD, STRATHFIELD  
 LOT 46 DP 14613  
**DA NO.** DA2018/036/01

## RECOMMENDATION

That Development Application No. 2018/036/01 for the construction of a two (2) storey dwelling with basement level, and boundary fence at 55 Myrna Road, Strathfield be **APPROVED**, subject to the following conditions:

## SPECIAL CONDITIONS (GC)

### 1. AIR CONDITIONING UNIT (SC)

All air-conditioning units are to be installed as follows:

- a) Only residential grade air conditioners are to be installed;
- b) Installed to comply with the Protection of the Environment Operations Act 1997 and Protection of the Environment Operations (Noise Control) Regulation 2008; and

Documentation demonstrating compliance with the above measures is to be submitted to and approved by the Principal Certifying Authority prior to the issue of the Occupation Certificate.

(Reason: Acoustic privacy)

### 2. PRIVACY MEASURES (SC)

The plans are to be amended to include the following measures:

- a) The southern facing office room on the ground floor shall have a sill height of at least 1.7m above the finished floor levels.

Details demonstrating compliance with the above measure shall be submitted to and approved by the Principal Certifying Authority prior to the issue of a Construction Certificate.

(Reason: To maintain visual privacy.)

## GENERAL CONDITIONS (GC)

### 3. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)

The development, except where modified by a condition(s) of consent, is to be carried out in accordance with the following plans and reference documentation:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No.2018/036/01:

| Drawing No. | Title/Description | Prepared by | Issue / Revision & Date | Date received by Council |
|-------------|-------------------|-------------|-------------------------|--------------------------|
| DA1002      | Site Plan         | Urban Link  | Rev B                   | 11 January 2019          |

|               |                                   |                                 |       |                 |
|---------------|-----------------------------------|---------------------------------|-------|-----------------|
| DA2001        | Basement Plan                     | Urban Link                      | Rev B | 11 January 2019 |
| DA2002        | Ground Floor Plan                 | Urban Link                      | Rev B | 11 January 2019 |
| DA2003        | First Floor Plan                  | Urban Link                      | Rev B | 11 January 2019 |
| DA3001        | Elevations                        | Urban Link                      | Rev B | 11 January 2019 |
| DA4001        | Section                           | Urban Link                      | Rev B | 11 January 2019 |
| DA6001        | External Finishes                 | Urban Link                      | Rev B | 11 January 2019 |
| 1840 DA1      | Landscape Concept Plan            | Vision Dynamics                 | Rev A | 2 November 2018 |
| DA14          | Demolition Plan                   | Gus Honda Architect             | Rev B | 2 November 2018 |
| A8361 - Cover | General Notes                     | Alpha Engineering & Development | Rev A | 2 November 2018 |
| A8361 – SW01  | Sediment and Erosion Control Plan | Alpha Engineering & Development | Rev A | 2 November 2018 |
| A8361 – SW02  | Basement Drainage Plan            | Alpha Engineering & Development | Rev A | 2 November 2018 |
| A8361 – SW03  | Ground Floor Drainage Plan        | Alpha Engineering & Development | Rev A | 2 November 2018 |
| A8361 – SW04  | First Floor & Roof Drainage Plan  | Alpha Engineering & Development | Rev A | 2 November 2018 |
| A8361 – SW05  | Stormwater Sections and Details   | Alpha Engineering & Development | Rev A | 2 November 2018 |

Reference Documentation affixed with Council's 'Development Consent' stamp relating to Development Consent No.2018/036/01:

| Title / Description   | Prepared by                     | Issue/Revision & Date  | Date received by Council |
|-----------------------|---------------------------------|------------------------|--------------------------|
| Flood Impact Report   | Alpha Engineering & Development | Rev A                  | 2 November 2018          |
| BASIX Certificate     | No. 974446S_02                  | Issued 11 January 2019 | 11 January 2019          |
| Waste Management Plan | -                               | -                      | 2 November 2018          |

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

#### 4. **BUILDING HEIGHT - MAXIMUM RL TO BE COMPLIED WITH (GC)**

The height of the building measured from Australian Height Datum (AHD) must not exceed Relative Level (RL) 30.650AHD to the ridge of the skillion skylight feature.

(Reason: To ensure the approved building height is complied with.)

#### 5. **CONSTRUCTION HOURS (GC)**

No construction or any other work related activities shall be carried out on the site outside the hours of 7.00 am to 5.00 pm Mondays to Fridays and 8am to 1pm Saturdays.

No building activities are to be carried out at any time on a Sunday or public holiday.

Where the development involves the use of jackhammers/rock breakers and the like or other heavy machinery, such equipment may only be used between the hours of 7.00 am - 5.00 pm Monday to Friday only.

(Reason: To maintain amenity to adjoining land owners.)

**6. CONSTRUCTION WITHIN BOUNDARIES (GC)**

The development including but not limited to footings, walls, roof barges and guttering must be constructed wholly within the boundary of the premises. No portion of the proposed structure shall encroach onto the adjoining properties. Gates must be installed so they do not open onto any footpath or adjoining land.

(Reason: Approved works are to be contained wholly within the subject site.)

**7. DEMOLITION - SITE SAFETY FENCING (GC)**

Site fencing is to be erected to a minimum height of 1.8m complying with WorkCover Guidelines, to exclude public access to the site, prior to any demolition works occurring and maintained for the duration of the demolition works.

If applicable, a separate Hoarding Application for the erection of an A class (fence type) or B class (overhead type) hoarding/fencing along the street frontage(s) complying with WorkCover requirements must be obtained including:

- payment to Council of a footpath occupancy fee based on the area of footpath to be occupied and Council's Schedule of Fees and Charges before the commencement of work; and
- provision of a Public Risk Insurance Policy with a minimum cover of \$10 million in relation to the occupation of and works within Council's road reserve, for the full duration of the proposed works, must be obtained with a copy provided to Council.

(Reasons: Statutory requirement and health and safety.)

**8. LANDSCAPING - TREES PERMITTED TO BE REMOVED (GC)**

The following listed trees are permitted to be removed to accommodate the proposed development:

| Tree         | Location      |
|--------------|---------------|
| Conifers x 3 | Front setback |

All trees shown to be removed as submitted on the site plan by Urban Link are permitted to be removed to accommodate the proposed development.

All trees permitted to be removed by this consent shall be replaced by species selected from Council's Recommended Tree List.

Replacement trees shall be a minimum 50 litre container size. Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery

and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure appropriate planting back onto the site.)

#### 9. ENVIRONMENTAL PROTECTION – TREE (GC)

All street trees and trees on private property that are protected under Council's controls, shall be retained except where Council's prior written consent has been obtained. The felling, lopping, topping, ringbarking, wilful destruction or removal of any tree/s unless in conformity with this approval or subsequent approval is prohibited.

All healthy trees and shrubs identified for retention on the approved drawings are to be suitably protected in accordance with Section 4, Tree protection measures, and Appendix C Tree Protection Zone Sign, of Australian Standard AS4970 - 2009, Protection of Trees on Development Sites, prior to the commencement of any works (including any demolition and excavation) and maintained for the duration of the works.

In this regard the street tree and all protected trees on or adjacent to the site will be protected as described below;

- i. A Tree Protection (Management) Plan prepared by a AQF Level 5 Arborist is to be available on site at all times prior to the issue of the Constriction Certificate, for all demolition and site works. This Tree Protection (Management ) Plan must be shown on the demand of Authorised Council staff.
- ii. Protective perimeter fencing must be consistent with AS 4687, using metal fence posts greater than 20mm diameter and solid or chain wire mesh 2 metres in height supported on concrete pads/feet at 2-2.5 metre spacing. Fencing placement should not be closer than 2.5 metres from the trunk of each protected tree, or at a distance as specified by the approved Tree Protection (Management) Plan and approved by Council's Tree Management Officer. Shade cloth is to be used to prevent entry of dust and contaminated liquids into the root protection area.
- iii. Signs must be placed on the Fencing. These signs must comply with AS1319. The signs must state the purpose of the fencing and the name and contact details of the builder and the appointed AQF Level 5 consultant arborist.
- iv. Root protection is to be provided in the form of mulching to a depth of 50-100mm, inside of the fenced tree protection zone.
- v. Ground (Root) Trunk and Branch Protection must comply with the diagram of Figure 4 of AS4970 – 2009. Ground protection within the tree protection zone and drip line should be in the form of heavy steel plates or timber rumble boards over mulch or

aggregate. Trunk and branch protection should be to a minimum height of 2 metres and must include measures to protect the tree/s against damage from the movement of trucks, plant equipment and materials at greater heights above ground level.

- vi. Temporary signs, cables, wires must not be attached to, or suspended, on any street tree or protected tree.
- vii. Above ground utilities must not be placed within the canopy of an existing protected tree, or create the future need for clearance pruning.
- viii. Below ground utilities/services must not be located inside the fenced tree protection zone.
- ix. Scaffolding must not be located in the fenced tree protection zone unless authorised by the approved Tree Protection (Management) Plan and Council's Tree Management Officer
- x. Council must be notified in writing within 24 hours, for all temporary removal of the tree protection fencing ground (root) trunk and branch protection within the root protection area.
- xi. Pruning of a street tree is prohibited without the written consent of Council.

(Reason: To ensure the protection of trees to be retained on the site.)

#### 10. **LANDSCAPING - CANOPY TREES IN FRONT YARD (GC)**

New development shall provide at least two (2) canopy trees within the front setback adjacent the front boundary. New canopy trees shall be planted from 200 litre containers at the time of planting and capable of reaching a potential mature height of 10m.

The new trees must not be planted closer than 1.5 metres from a structure or property boundary.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

**11. LANDSCAPING - CANOPY TREES IN REAR YARD (GC)**

New development shall provide at least two (2) canopy trees within the rear yard. New canopy trees shall be planted from 200 litre containers at the time of planting and capable of reaching a potential mature height of 10 m.

The new trees must not be planted closer than 1.5 metres from a structure or property boundary.

Species shall be selected from Council's Recommended Tree List (Available from Council's website or from the Customer Service Centre). Compliance with this condition is to be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To ensure the landscape character of the locality is maintained.)

**12. MATERIALS – CONSISTENT WITH SUBMITTED SCHEDULE (GC)**

All external materials, finishes and colours are to be consistent with the schedule submitted and approved by Council with the development application.

(Reason: To ensure compliance with this consent.)

**13. PRINCIPAL CERTIFYING AUTHORITY (PCA) IDENTIFICATION SIGN (GC)**

Prior to commencement of any work, signage must be erected in a prominent position on the work site identifying:

- i) the Principal Certifying Authority (PCA) by showing the name, address and telephone number of the PCA;
- ii) the Principal Contractor by showing the Principal Contractor's name, address and telephone number (outside of work hours) for that person; and
- iii) the sign must state that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the work is being carried out, but must be removed

when the work has been completed.

This clause does not apply to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

(Reason: Statutory requirement.)

**14. PRIVACY - SCREEN PLANTING TO SIDE AND REAR BOUNDARIES (GC)**

Evergreen shrubs with a minimum 5 litre container size achieving a minimum mature height of 3m shall be planted along the side and rear boundaries to provide suitable privacy screening. Screen planting shall be maintained at all times. Details of the selected plants shall be submitted to and approved by the Principal Certifying Authority. Compliance with this condition shall be certified by the Principal Certifying Authority, prior to occupation of the premises.

(Reason: To maintain privacy amenity to neighbouring residences.)

**15. SITE MANAGEMENT (DURING DEMOLITION AND CONSTRUCTION WORKS)**

All of the following are to be satisfied/complied with during demolition, construction and any other site works:

- i) All demolition is to be carried out in accordance with Australian Standard AS 2601-2001.
- ii) Demolition must be carried out by a registered demolition contractor.
- iii) A single entrance is permitted to service the site for demolition and construction. Protection pads are to be installed to the kerb, gutter and nature strip where trucks and vehicles enter the site.
- iv) No blasting is to be carried out at any time during construction of the building.
- v) Care must be taken during demolition/ excavation/ building/ construction to prevent any damage to adjoining buildings.
- vi) Adjoining owner property rights and the need for owner's permission must be observed at all times, including the entering onto land for the purpose of undertaking works.
- vii) Any demolition and excess construction materials are to be recycled wherever practicable.
- viii) The disposal of construction and demolition waste must be in accordance with the requirements of the Protection of the Environment Operations Act 1997.
- ix) All waste on the site is to be stored, handled and disposed of in such a manner as to not create air pollution (including odour), offensive noise or pollution of land and/or water as defined by the Protection of the Environment Operations Act 1997. All excavated material should be removed from the site in an approved manner and be disposed of lawfully to a tip or other authorised disposal area.
- x) All waste must be contained entirely within the site.
- xi) A site plan including temporary waste storage locations, construction material storage areas and vehicular access to and from the site must be included with application.
- xii) Section 143 of the Protection of the Environment Operations Act 1997 requires waste to be transported to a place which can lawfully accept it. All non-recyclable demolition materials are to be disposed of at an approved waste disposal depot in accordance with legislation.
- xiii) Details as to the method and location of disposal of demolition materials (weight dockets, receipts, etc.) should be kept on site as evidence of approved methods of disposal or recycling and must be presented to Council and/or Principal Certifying Authority upon request.

- xiv) All materials on site or being delivered to the site are to generally be contained within the site. The requirements of the Protection of the Environment Operations Act 1997 must be complied with when placing/stockpiling loose material, disposing of concrete waste, or other activities likely to pollute drains or water courses.
- xv) Any materials stored on site must be stored out of view or in such a manner so as not to cause unsightliness when viewed from nearby lands or roadways.
- xvi) Public footways, include nature strips and roadways adjacent to the site must be maintained and cleared of obstructions during construction. No building materials, waste containers or skips may be stored on the road reserve or footpath without prior separate approval from Council, including payment of relevant fees.
- xvii) Building operations such as brick-cutting, washing tools or paint brushes, and mixing mortar not be performed on the roadway or public footway or any other locations which could lead to the discharge of materials into the stormwater drainage system.
- xviii) All site waters during excavation and construction must be contained on site in an approved manner to avoid pollutants entering into waterways or Council's stormwater drainage system.
- xix) Any work must not prohibit or divert any natural overland flow of water.
- xx) Toilet facilities for employees must be provided in accordance with WorkCover NSW.

(Reason: To ensure that demolition, building and any other site works are undertaken in accordance with relevant legislation and policy and in a manner which will be non-disruptive to the local area.)

#### 16. **STORMWATER MANAGEMENT PLAN - CERTIFICATION REQUIREMENT (GC)**

A detailed Stormwater Management Plan (SWMP) in line with Council's Stormwater Management Code is to be prepared and certified by a practicing Chartered Professional Engineer on the National Professional Engineer's Register (NPER) at Engineers Australia and submitted to the Principal Certifying Authority and Council, prior to the issue of a Construction Certificate. The SWMP is to be based on the approved development as modified by any conditions of consent.

(Reason: To ensure appropriate provision is made for the disposal and management of stormwater generated by the development, and to ensure public infrastructure in Council's care and control is not overloaded.)

#### 17. **SYDNEY WATER - STAMPED PLANS PRIOR TO COMMENCEMENT (GC)**

The approved plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Plans will be appropriately stamped.

For Quick Check agent details please refer to the web site [www.sydneywater.com.au](http://www.sydneywater.com.au) (see Building Developing and Plumbing then Quick Check) or telephone 13 20 92. The consent authority or a Certifying Authority must ensure that a Quick Check agent/Sydney Water has stamped the plans before the commencement of work.

(Reason: Compliance with Sydney Water requirements.)

#### 18. **UTILITIES AND SERVICES - PROTECTION OF (GC)**

Any footings or excavation to be located or undertaken adjacent to Council's stormwater must be designed to address the following requirements:

- i) all footings and excavation must be located wholly within the site and clear of any easement boundaries;
- ii) all footings and excavation must be located a minimum of 1000mm from the centreline of the pipeline or 500mm from the outside of the pipeline, whichever is the greater distance from the centreline; and
- iii) footings must extend to at least the depth of the invert of the pipeline unless the footings are to be placed on competent bedrock.

If permanent excavation is proposed beneath the obvert of the pipeline, suitable means to protect the excavation and proposed retaining structures from seepage or other water flow from the pipeline and surrounding subsoil, must be provided. The design must be prepared by a qualified practicing Structural/Civil Engineer.

Construction plans must be approved by the appropriate utility's office (e.g. council, Sydney Water Corporation) to demonstrate that the development complies with the utility's requirements.

The applicant must provide written evidence (e.g. compliance certificate, formal advice) of compliance with the requirements of all relevant utility providers (e.g. Water, Energy, Telecommunications, Gas).

(Reason: To ensure protection of Council assets.)

## **CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE (CC)**

### **19. BASIX COMMITMENTS (CC)**

The approved BASIX Certificate shall be submitted to the Principal Certifying Authority with the application for a Construction Certificate.

Where a change or changes are proposed in the BASIX commitments, the applicant must submit a new BASIX Certificate to the Principal Certifying Authority and Council. If any proposed change in the BASIX commitments is inconsistent with the development consent the applicant will be required to submit a modification to the development consent to Council under Section 4.55 of the Environmental Planning and Assessment Act 1979.

All commitments in the BASIX Certificate must be shown on the plans accompanying the Construction Certificate.

(Reason: Statutory compliance.)

### **20. BUILDING CODE OF AUSTRALIA - COMPLIANCE WITH (CC)**

All architectural drawings, specifications and related documentation shall comply with the Building Code of Australia (BCA). All work must be carried out in accordance with the requirements of the Building Code of Australia (BCA).

In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance is to be in force before any building work authorised to be carried out by the consent commences.

Details demonstrating compliance with this condition are to be submitted to the Principle Certifying Authority, prior to issue of the Construction Certificate.

(Reason: This is a 'prescribed' condition under clause 98(1) of the Environmental Planning and Assessment Regulation 2000.)

**21. CAR PARKING - BASEMENT CAR PARKING REQUIREMENTS (CC)**

Details demonstrating compliance with the following is to be submitted to the Principal Certifying Authority, prior to issue of the Construction Certificate:

- i) Minimal internal clearance of the basement is 2.2m in accordance with BCA requirements.
- ii) Driveways shall comply with Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking and achieve a maximum gradient of 1:4.
- iii) Basement entries and ramps/driveways within the property are to be no more than 3.5m wide.
- iv) Provision of pump-out systems and stormwater prevention shall be in accordance with Council's Stormwater Management Guide.

(Reason: To ensure suitable development.)

**22. CAR PARKING - VEHICULAR ACCESS RAMPS (CC)**

Vehicular access ramps shall comply with the provisions of AS/NZS 2890.1:2004. Plans to be submitted shall contain the following details:

- i) Longitudinal section along the extreme wheel paths of each driveway/access ramp at a scale of 1:25 demonstrating compliance with the scraping provisions of AS/NZS 2890.1:2004. It shall include all levels and grades, including those levels stipulated as boundary levels, both existing and proposed. It shall extend from the centre-line of the roadway through to the parking area.
- ii) Sections showing the clearance to the underside of any overhead structure (minimum headroom requirements 2200mm minimum for standard headroom clearance or 2400mm where disabled access provisions are to be provided) demonstrating compliance with the provisions of AS/NZS 2890.1:2004.
- iii) Longitudinal section along the gutter line showing how it is intended to transition the vehicular crossing into the existing kerb and gutter. Boundary levels shall generally run parallel with the kerb levels.
- iv) Location of verge trees, street furniture and service installations.
- v) Superimposition of vehicle turning circles for access into parking spaces.
- vi) Certification that the design complies with AS/NZS 2890.1:2004 by a Qualified Engineer.

The certification referred to in (vi) above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate (for the design) and to the Principal Certifying Authority prior to the issue of any Occupation Certificate for the 'as-built works'.

(Reason: To ensure adequate vehicular access can be achieved.)

**23. CAR PARKING - COMPLIANCE WITH AS/NZS 2890.1:2004 (CC)**

Car parking dimensions must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To ensure compliance with Australian Standards relating to parking of vehicles.)

**24. CAR PARKING - VEHICULAR CIRCULATION, AISLE AND RAMP WIDTHS (CC)**

The aisle widths, internal circulation, ramp widths and grades of the car park shall comply with the Roads and Traffic Authority Guidelines and ASNZS 2890.1:2004 - Off-Street Car Parking Code.

Vehicular manoeuvring paths are to be prepared demonstrating that all vehicles can enter or depart the site in a forward direction without encroaching on required car parking spaces.

(Reason: To ensure compliance with Australian Standards relating to manoeuvring, access and parking of vehicles.)

**25. CAR PARKING - VEHICULAR CROSSING WIDTH AT PROPERTY BOUNDARY (CC)**

Vehicular crossings are to have a maximum width of 3m at the property boundary. Details demonstrating compliance are to be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

The vehicular crossing (and all associated excavation works) must not be constructed closer than 2 metres from a retained protected street tree.

(Reason: Compliance with SCDCP 2005.)

**26. COMMENCEMENT OF WORKS (NO WORKS UNTIL A CC IS OBTAINED)**

Building work, demolition or excavation must not be carried out until a Construction Certificate has been issued by either Strathfield Council or a Principal Certifying Authority.

Demolition of any part of a building triggers 'commencement of erection of building' pursuant of section 4.19 of the EP&A Act 1979. Accordingly, demolition works must not commence until a Construction Certificate has been issued, a Principal Certifying Authority has been appointed and a Notice of Commencement has been issued.

(Reason: To ensure compliance with statutory provisions.)

**27. CONSTRUCTION AND ENVIRONMENTAL MANAGEMENT PLAN (CC)**

The applicant must prepare and submit a Construction and Environmental Management Plan (CEMP) to the Principal Certifying Authority, including:

- i) Detailed information on any approvals required from other authorities prior to or during construction.
- ii) Traffic management, including details of:
  - ingress and egress of vehicles to the site;
  - management of loading and unloading of materials;
  - the location of heavy vehicle parking off-site; and
  - designated routes for vehicles to the site.
- iii) The proposed areas within the site to be used for a builder's site office and amenities, the storage of excavated material, construction materials and waste containers during the construction period.
- iv) Erosion and sediment control, detailing measures and procedures consistent with the requirements of Council's guidelines for managing stormwater, including:
  - the collection and treatment of stormwater and wastewater generated on site prior to discharge; and
  - procedures to prevent run-off of solid material and waste from the site.
- v) Waste management, including:

- 
- details of the types and estimated volumes of waste materials that will be generated;
  - procedures for maximising reuse and recycling of construction materials; and
  - details of the off-site disposal or recycling facilities for construction waste.
- vi) Dust control, outlining measures to minimise the generation and off-site transmission of dust and fine particles, such as watering or damp cloth fences.
- vii) A soil and water management plan, which includes:
- measures to minimise the area of soils exposed at any one time and conserve top soil;
  - identification and protection of proposed stockpile locations;
  - preservation of existing vegetation and revegetation;
  - measures to prevent soil, sand, sediments leaving the site in an uncontrolled manner;
  - measures to control surface water flows through the site in a manner that diverts clean run-off around disturbed areas, minimises slope gradient and flow distance within disturbed areas, ensures surface run-off occurs at non-erodible velocities, and ensures disturbed areas are promptly rehabilitated;
  - details of sediment and erosion control measures in place before work commences;
  - measures to ensure materials are not tracked onto the road by vehicles entering or leaving the site; and
  - details of drainage to protect and drain the site during works.
- viii) Asbestos management procedures:
- Anyone who removes, repairs or disturbs bonded or a friable asbestos material must hold a current removal licence from Workcover NSW holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal License which ever applies and a current WorkCover Demolition License where works involve demolition. To find a licensed asbestos removalist please see [www.workcover.nsw.gov.au](http://www.workcover.nsw.gov.au)
  - Removal of asbestos by a person who does not hold a Class A or Class B asbestos removal license is permitted if the asbestos being removed is 10m<sup>2</sup> or less of non-friable asbestos (approximately the size of a small bathroom). Friable asbestos materials must only be removed by a person who holds a current Class A asbestos license.
  - Before starting work, a work site-specific permit approving each asbestos project must be obtained from WorkCover NSW. A permit will not be granted without a current WorkCover licence. All removal, repair or disturbance of or to asbestos material must comply with the following:
    - The Work Health and Safety Act 2011;
    - The Work Health and Safety Regulation 2011;
    - How to Safety Remove Asbestos Code of Practice – WorkCover 2011; and
    - Safe Work Australia Code of Practice for the Management and Control of Asbestos in the Workplace.
  - Following completion of asbestos removal works undertaken by a licensed asbestos removalist re-occupation of a workplace must not occur until an independent and suitably licensed asbestos removalist undertakes a clearance inspection and issues a clearance certificate.
  - The developer or demolition contractor must notify adjoining residents at least two (2) working days (i.e. Monday to Friday exclusive of public holidays) prior to the commencement of asbestos removal works. Notification is to include, at a minimum:
    - the date and time when asbestos removal works will commence;
    - the name, address and business hours contact telephone number of the demolisher, contractor and/or developer;
    - the full name and license number of the asbestos removalist/s; and

- the telephone number of WorkCover's Hotline 13 10 50
- warning signs informing all people nearby that asbestos removal work is taking place in the area. Signs should be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs should be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs should be in accordance with AS 1319-1994 Safety signs for the occupational environment for size, illumination, location and maintenance; and
- appropriate barricades installed as appropriate to prevent public access and prevent the escape of asbestos fibres. Barricades must be installed prior to the commencement of asbestos removal works and remain in place until works are completed.

(Reason: Safety, amenity and protection of public infrastructure and the environment.)

## 28. COUNCIL PERMITS – FOR ALL ACTIVITIES ON COUNCIL LAND (CC)

### Works Permit

(as per Section 68 of the Local Government Act 1993 and Section 138 and 139 of the Roads Act 1993)

A Works Permit is required for construction of a vehicular crossing (driveway), new stormwater down pipe connection to kerb and gutter, new footpath and/or stormwater connection. A Works Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Standing Plant Permit

This permit must be applied for where it is intended to park a concrete pump, crane or other plant on the roadway or footpath. A Standing Plant Permit Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

### Skip Bin Permit

This permit must be applied for if you intend to place a skip bin on the roadway or footpath. A Skip Bin Application Form is available from Council's Customer Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Temporary Full or Part Road Closure Permit

This permit must be applied for if you require a full or a part road closure to take place to assist in your construction works. Please use the Works Permit Application Form, which is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website. Please note a Road Closure Permit is not required for standing plant.

### Hoarding/Fencing Permit

This permit must be applied for if you intend to erect a Class A (fence type) or Class B (overhead type) hoarding/fencing along the street frontage(s). A Hoarding Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

### Work Zone Permit

This permit must be applied for if you require permanent parking along the kerbside at the front of the site during construction works. A Work Zone Permit Application Form is available from Council's Customer Service Centre or can be downloaded from Council's website. The applicable fees and charges are located on Council's website.

#### Ground Anchoring Permit

This permit must be applied for, for the installation of ground anchors under Council's footway/road reserve. It does not cover ground anchors under private properties. A separate approval is required to be obtained from Roads and Maritime Services (RMS) if it is proposed to install ground anchors under a State or Classified Regional Road (please refer to the end of this application form for more information).

(Reason: Council requirement.)

### 29. **DILAPIDATION REPORT - PRE-COMMENCEMENT (CC)**

Subject to access being granted, a pre-commencement Dilapidation Report is to be undertaken on all adjoining properties, which in the opinion of a suitably qualified engineer, could be potentially affected by the construction of the project. The Dilapidation Report shall be carried out prior to the issue of a Construction Certificate.

The Dilapidation Report is to be prepared by a suitably Qualified Engineer with current Corporate Membership with the Institution of Engineers, Australia or Geotechnical Practitioner. The report shall include a photographic survey of adjoining properties detailing the physical condition of those properties, both internally and externally, including walls, ceilings, roof, structural members and other such items.

If access for undertaking the dilapidation survey is denied by an adjoining owner, the applicant must demonstrate, in writing, to Council's satisfaction attempts have been made to obtain access and/or advise the affected property owner of the reason for the survey and these attempts have been unsuccessful. Written concurrence must be obtained from Council in such circumstances.

The Report shall cover structural and geotechnical factors likely to arise from the development. A copy of this Report shall be submitted to Council as a record. The person having the benefit of the development consent must, at their own cost, rectify any damage caused to other properties during the construction of the project.

(Reason: To ensure no damage to adjoining properties occurs.)

### 30. **EROSION AND SEDIMENTATION CONTROL PLAN (CC)**

An Erosion and Sediment Control Plan is to be prepared where construction or excavation activity requires the disturbance of the soil surface and existing vegetation. Details including drawings and specifications must provide adequate measures for erosion and sediment control to ensure:

- i) Compliance with the approved Soil and Water Management Plan.
- ii) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval).
- iii) All uncontaminated run-off is diverted around cleared or disturbed areas.
- iv) Silt fences or other devices are installed to prevent sediment and other debris escaping from the cleared or disturbed areas into drainage systems or waterways.
- v) All erosion and sediment controls are fully maintained for the duration of demolition/development works.
- vi) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining

- roadways.
- vii) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar.
  - viii) All water pumped or otherwise removed from excavations or basement areas is filtered to achieve suspended solids/non filterable residue levels complying with the Australian Water Quality guidelines for Fresh and Marine Waters.
  - ix) Pumped or overland flows of water are discharged so as not to cause, permit or allow erosion before the commencement of work (and until issue of the occupation certificate).

Details of the proposed soil erosion and sedimentation controls are to be submitted to the Principal Certifying Authority with the Construction Certificate Application. Under no circumstances are any works to commence, prior to these details being approved by the Principal Certifying Authority and the controls being in place on the site.

(Reason: Environmental protection.)

### 31. **EXCAVATION - AFFECTING ADJOINING LAND (CC)**

If an excavation associated with the approved development extends below the level of the base of the footings of a building on an adjoining allotment of land, the person having the benefit of the development consent must, at the person's own expense, comply with the requirements of clause 98E of the Environmental Planning and Assessment Regulation 2000, including:

- i) protect and support the adjoining premises from possible damage from the excavation, and
- ii) where necessary, underpin the adjoining premises to prevent any such damage.

The condition referred to in subclause (i) does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Structural safety.)

### 32. **FLOODING - COMPLY WITH FLOOD IMPACT REPORT (CC)**

The applicant shall comply with the flood recommendations provided in the Flood Impact Report prepared by Alpha Engineering and Development dated 19 October 2018 received by council 2 November 2018. A certificate from a suitably qualified Engineer shall be submitted to the Certifying Authority stating compliance with these recommendations, prior to the issue of a Construction Certificate.

(Reason: To mitigate flood risk and associated damage.)

### 33. **LANDSCAPE PLAN – AMENDED (CC)**

The Landscape Concept Plan, drawing no. 18240 DA1, Rev A prepared by Vision Dynamics shall be amended to include the following:

- i) Reflect the approved architectural plans, including the deletion of the swimming pool and landscaping along the rear property boundary;
- ii) The Landscape Plan shall be prepared by qualified landscape architect or landscape consultant to a scale of 1:100 or 1:200, conforming to all relevant conditions of consent;

- iii) location of all existing and proposed landscape features including materials to be used;
- iv) all trees to be retained, removed or transplanted;
- v) existing and proposed finished ground levels;
- vi) top and bottom wall levels for both existing and proposed retaining and free standing walls; and
- vii) a detailed plant schedule which includes proposed species listed by botanical (genus and species) and common names, quantities of each species, pot sizes and the estimated size at maturity. A minimum of 25% of species shall be locally sourced indigenous species. Species shall be predominantly selected from Council's Recommended Tree List.

Consideration within the design should be given to the scale of planting in proportion to the proposed development, consistency with the existing landscape character of the area, potential views, solar access and privacy for neighbouring development.

The amended Landscape Plan is to be submitted and approved by the Principal Certifying Authority prior to the issue of the Construction Certificate.

(Reason: Landscape quality.)

**34. PRIVACY - OBSCURE GLAZING IN WET AREAS (CC)**

All bathroom, ensuite and toilet windows shall be installed with obscure glazing. Plans shall be notated accordingly and details demonstrating compliance submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Privacy amenity.)

**35. SECTION 7.12 CONTRIBUTION PAYMENT - INDIRECT CONTRIBUTIONS PLAN) (CC)**

In accordance with the provisions of Section 7.13 of the Environmental Planning and Assessment Act 1979 and the Strathfield Indirect Development Contributions Plan 2010-2030, a contribution in the form of cash, cheque or credit card (financial transaction fee applies) shall be paid to Council for the following purposes:

|                                |                   |
|--------------------------------|-------------------|
| Local Amenity Improvement Levy | <b>\$8,660.00</b> |
|--------------------------------|-------------------|

The total amount of the contribution is valid as at the date of determination and is subject to quarterly indexation. The amount of the contribution under this condition shall be indexed in accordance with clause 4.12 of the Strathfield Indirect Development Contributions Plan 2010-2030.

Contributions must be receipted by Council and submitted to the Accredited Certifier, prior to the issue of any Construction Certificate.

A copy of this condition is to be presented to Council's Customer Service Centre when paying the contribution so that it can be recalculated.

Note: A copy of Strathfield Council's Section 7.12 Indirect Development Contributions Plan may be downloaded from Council's website.

(Reason: To enable the provision of public amenities and services required/anticipated as a consequence of increased demand resulting from the development.)

**36. SECURITY PAYMENT - DAMAGE DEPOSIT FOR COUNCIL INFRASTRUCTURE (CC)**

A security (damage deposit) of **\$12,200.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to Council property during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development. All building work must be carried out in accordance with the Building Code of Australia.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

Any costs associated with works necessary to be carried out to rectify any damages caused by the development, shall be deducted from the Damage Deposit.

Note: Should Council property adjoining the site be defective e.g. cracked footpath, broken kerb etc., this should be reported in writing, or by photographic record, submitted to Council at least seven (7) days prior to the commencement of any work on site. This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

**The damage deposit shall be refunded upon completion of all works upon receipt of a Final Occupation Certificate stage and inspection by Council.**

(Reason: Protection of Council infrastructure.)

**37. STORMWATER - RAINWATER RE-USE (CC)**

A rainwater re-use system shall be provided in accordance with either the BASIX minimum requirements, any relevant Council Rainwater Policy and/or specification of the management of stormwater, whichever is applicable. A detailed stormwater plan showing the proposed re-use system shall be submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: Compliance and amenity.)

**38. STORMWATER DRAINAGE (CC)**

The following stormwater precautions are required to be provided on the site:

- i) Grated drains shall be provided along the driveway/basement entry at the vehicular crossing(s) and are to connect to the internal drainage system.
- ii) Overflow paths shall be provided to allow for flows in excess of the capacity of the pipe/drainage system draining the site.
- iii) Allowance shall be made for surface runoff from adjacent properties, and to retain existing surface flow path systems through the site. Any redirection or treatment of these flows shall not adversely affect any other properties
- iv) Boundary fencing shall be erected in such a manner as not to interfere with the natural flow of ground and surface water to the detriment of any other party.

(Reason: To ensure the site is drained appropriately and does not interfere with the natural flow of flood waters.)

**39. TRAFFIC - CONSTRUCTION TRAFFIC MANAGEMENT PLAN (CC)**

A Construction Traffic Management Plan (CTMP) is to be prepared by an appropriately qualified Traffic Management Consultant and submitted to and approved by Council's Engineering Section, prior to the commencement of any works including demolition.

The following matters should be addressed in the CTMP (where applicable):

- i) description of the demolition, excavation and construction works;
- ii) site plan/s showing the site, roads, footpaths, site access points and vehicular movements;
- iii) size, type and estimated number of vehicular movements (including removal of excavated materials, delivery of materials and concrete to the site);
- iv) proposed route(s) from the arterial (state) road network to the site and the proposed route from the site back to the arterial road network;
- v) impacts of the work and vehicular movements on the road network, traffic and pedestrians and proposed methods to safely manage pedestrians and construction related vehicles in the frontage roadways;
- vi) any Traffic Control Plans (TCP's) proposed to regulate traffic and pedestrian movements for construction activities (such as concrete pours, crane installation/removal etc.);
- vii) proposed hours of construction related activities and vehicular movements to and from the site;
- viii) current/proposed approvals from other Agencies and Authorities (including Roads and Maritime Services, Police and State Transit Authority);
- ix) any activities proposed to be located or impact upon Council's road, footways or any public place;
- x) measures to maintain public safety and convenience;
- xi) any proposed road and/or footpath closures;
- xii) turning areas within the site for construction and spoil removal vehicles, allowing a forward egress for all construction vehicles on the site;
- xiii) locations of work zones (where it is not possible for loading/unloading to occur on the site) in the frontage roadways accompanied by supporting documentation that such work zones have been approved by the Local Traffic Committee and Council;
- xiv) location of any proposed crane and concrete pump and truck standing areas on and off the site (and relevant approvals from Council for plant on road);
- xv) a dedicated unloading and loading point within the site for all construction vehicles, plant and deliveries;
- xvi) material, plant and spoil bin storage areas within the site, where all materials are to be dropped off and collected;
- xvii) on-site parking area for employees, tradespersons and construction vehicles as far as possible;
- xviii) proposed areas within the site to be used for the storage of excavated material, construction materials and waste and recycling containers during the construction period; and
- xix) how it is proposed to ensure that soil/excavated material is not transported onto surrounding footpaths and roadways.

(Reason: To mitigate traffic impacts on the surrounding area during the construction period.)

#### 40. **TREE BONDS (CC)**

A tree bond of **\$6,600.00** (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on

Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

(Reason: To ensure the protection of trees to be retained on Council's Road Reserve.)

**41. VEHICULAR CROSSINGS - WORKS PERMIT FOR CONSTRUCTION OF (CC)**

Full-width, heavy-duty concrete vehicular crossing(s) shall be provided across the footpath at the entrance(s) and/or exit(s) to the site and designed in accordance with Council's guidelines and specifications. In this regard, a Works Permit is to be obtained (available from Council's Customer Services Centre or downloaded from Council's website), and the appropriate fees and charges paid, prior to the lodgement of a Construction Certificate.

(Reason: To ensure appropriate access to the site can be achieved.)

**42. WATER SUSTAINABILITY – GENERALLY (CC)**

Water collected in the rainwater tank must comprise roof water only and not surface water. Water from the rainwater tank must only be used for following purposes and not for human consumption:

- i) toilet flushing;
- ii) clothes washing;
- iii) garden irrigation;
- iv) car washing and similar outdoor uses;
- v) filling swimming pools, spa pools and ornamental ponds; and
- vi) fire fighting.

(Reason: To promote sustainable water management practice.)

**43. WATER HEATING SYSTEMS - LOCATION OF (CC)**

Water heating systems shall be located so as not to be visible from public places and the ground level of adjoining properties. Details (type and location) of the water heaters shall be submitted to and approved by the Principal Certifying Authority, prior to the issue of a Construction Certificate.

(Reason: To maintain streetscape character.)

**44. WORKS WITHIN THE ROAD RESERVE (CC)**

Detailed drawings including long and short sections and specifications of all works within existing roads (including but not limited to structures, road works, driveway crossings, footpaths and stormwater drainage) shall be submitted to and approved by Council under

Section 138 of the Roads Act 1993 and all fees and charges paid, prior to the issue of a Construction Certificate.

Detailed drawings and specifications are to be prepared and certified by an appropriately qualified Civil Engineer. Pruning of the branches and roots of Council trees is prohibited unless approved by Council in writing. All Council trees are to be protected in accordance with Australian Standard AS4970 - 2009 , Protection of Trees on Development Sites.

Upon completion of the works, the Applicant is to provide to Council with electronic copies of 'Work as Executed Plans'. The plans are to show relevant dimensions and finished levels and are to be certified by a surveyor.

The Applicant is to provide to Council, in an approved format, details of all public infrastructure created as part of the works.

All civil engineering works adjacent/near/outside 55 Myrna Road, Strathfield are to be fully supervised by Council. A maintenance period of six (6) months shall apply to the work, after it has been completed and approved. In that period the Applicant shall be liable for any part of the work which fails to perform in the manner outlined in Council's specifications, or as would reasonably be expected under the design conditions.

(Reason: To ensure compliance of engineering works/Council assets are constructed to acceptable standards for engineering works.)

#### **CONDITIONS TO BE SATISFIED PRIOR TO THE COMMENCEMENT OF WORKS (CW)**

##### **45. APPOINTMENT OF A PRINCIPAL CERTIFYING AUTHORITY (PCA) (CW)**

No work shall commence in connection with this Development Consent until:

- i) A construction certificate for the building work has been issued by the consent authority or a Principal Certifying Authority.
- ii) The person having the benefit of the development consent has appointed a principal certifying authority for the building work, and notified the principal certifying authority that the person will carry out the building work as an owner/builder, if that is the case.
- iii) The principal certifying authority has, no later than 2 days before the building work commences:
  - notified the Council of his or her appointment, and
  - notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- iv) The person having the benefit of the development consent, if not carrying out the work as an owner-builder, has:
  - appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved;
  - notified the principal certifying authority of such appointment; and
  - unless that person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work.
- v) The person having the benefit of the development consent has given at least 2 days' notice to the Council of the person's intention to commence the erection of the building.

Note: If the principal certifying authority is the Council, the nomination will be subject to the payment of a fee for the service to cover the cost of undertaking all necessary inspections

and the issue of the appropriate certificates.

Under the Environment Planning and Assessment (Quality of Construction) Act, 2003, a sign must be erected in a prominent position on the work site showing the name, address and telephone number of the principal certifying authority; the name of the principal contractor (if any) for the building work and a telephone number at which that person may be contacted outside working hours. That sign must also state that unauthorised entry is prohibited. The sign must not be removed until all work has been completed.

(Reason: Statutory requirement.)

#### 46. **HOME BUILDING COMPENSATION FUND (CW)**

No residential building work within the meaning of the Home Building Act 1989 may commence until:

- i) A contract of insurance in accordance with Part 6 of the Home Building Act 1989 is entered into and in force, where such a contract is required under that Act (this is a prescribed condition of consent pursuant to clause 981(b) Environmental Planning and Assessment Regulation 2000.
- ii) The PCA is satisfied that the principal contractor for the work is the holder of the appropriate licence and is covered by the appropriate insurance, in each case if required by the Home Building Act 1989 (unless the work is to be carried out by an owner-builder).
- iii) If the work is to be carried out by an owner builder, that the owner builder is the holder of any owner -builder permit required under the Home Building Act 1989.
- iv) Written notice of the following information has been provided to Council (this is a prescribed condition of consent pursuant to clause 98B of the Environmental Planning and Assessment Regulation 2000):
  - In the case of work for which a principal contractor is required to be appointed:
    - the name and licence number of the principal contractor; and
    - the name of the insurer by which the work is insured under Part 6 of the Home Building Act 1989.
  - In the case of work to be done by an owner-builder:
    - the name of the owner-builder; and
    - if the owner-builder is required to hold an owner-builder permit under the Home Building Act 1989, the number of the owner-builder permits.

Where Council is not the PCA, the PCA is responsible for notifying Council of the above matters.

Note: Where arrangements for doing residential building work change while the work is in progress so that the above information becomes out of date, the PCA (where not the Council) must provide Council with written notice of the updated information.

(Reason: Statutory requirement.)

#### 47. **NOTICE OF COMMENCEMENT (CW)**

No work shall commence until the following details are submitted to Council:

- i) a Notice of Commencement (form will be attached with issue of a Construction Certificate or available from our website) within two (2) days of the date on which it is proposed to commence works associated with the Development Consent;
- ii) details of the appointment of a Principal Certifying Authority (either Council or another Principal Certifying Authority); and

- iii) details of the name, address and licence details of the Builder.

(Reason: Statutory requirement.)

### **CONDITIONS TO BE SATISFIED DURING DEMOLITION AND BUILDING WORKS (DW)**

#### **48. FILL MATERIAL (DW)**

The only waste derived material which may be received at the development site is:

- i) Virgin excavated material (within the meaning of the Protection of the Environment Operations Act 1997), and
- ii) any other waste-derived material the subject of a resource recovery exemption under cl.51A of the Protection of the Environment Operations (Waste) Regulation 2005 that is permitted to be used as fill material.

Any (b)-type material received at the development site must be accompanied by documentation certifying by an appropriately qualified environmental consultant the materials compliance with the exemption conditions; and this documentation must be provided to the Principal Certifying Authority on request.

(Reason: To ensure imported fill is of an acceptable standard for environmental protection purposes.)

#### **49. OBSTRUCTION OF PUBLIC WAY NOT PERMITTED DURING WORKS (DW)**

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances, without the prior approval of Council.

(Reason: To maintain public access and safety.)

#### **50. PUBLIC INFRASTRUCTURE AND SERVICES (DW)**

The applicant must comply with the requirements (including financial costs) of any relevant utility provider (e.g. Energy Australia, Sydney Water, Telstra, RMS, Council etc.) in relation to any connections, works, repairs, relocation, replacements and/or adjustments to public infrastructure or services affected by the development.

(Reason: To maintain public infrastructure and/or services.)

#### **51. SURVEY REPORT OF APPROVED LEVELS DURING AND POST CONSTRUCTION (DW)**

A Survey Certificate to Australian Height Datum shall be prepared by a Registered Surveyor as follows:

- i) At the completion of the first structural floor level prior to the pouring of concrete indicating the level of that floor and the relationship of the building to the boundaries.
- ii) At the completed height of the building, prior to the placement of concrete form work, or the laying of roofing materials.
- iii) At the completion of the development.

Progress certificates in response to points (1) through to (3) shall be provided to the Principal Certifying Authority at the time of carrying out relevant progress inspections. Under no circumstances is work allowed to proceed until such survey information is submitted to and approved by the Principal Certifying Authority.

(Reason: To ensure compliance with the approved plans.)

## **CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE (OC)**

### **52. CAR PARKING - SURPLUS VEHICULAR CROSSINGS (OC)**

All surplus vehicular crossings and/or kerb laybacks must be removed and reinstated with concrete kerb and gutter or to the existing edging profile as specified by Council. The nature strip is to be restored and the footpath area reinstated. All of the above are to be restored to the satisfaction of Council's Engineer and at full cost to the applicant, prior to the issue of any Occupation Certificate.

(Reason: Maintenance of public infrastructure.)

### **53. ENGINEERING WORKS (CERTIFICATION OF)**

Prior to occupation of the premises, a Work As Executed (WAE) Plan of all engineering and/or drainage works is to be submitted to the Principal Certifying Authority. The WAE Plan is to be certified by a suitably Qualified Engineer, with Corporate Membership standing in the Institution of Engineers Australia and registered on the National Professional Engineers Register (NPER) under the appropriate professional category, demonstrating that:

- i) the stormwater drainage system; and/or
- ii) the car parking arrangement and area; and/or
- iii) any related footpath crossing works; and/or
- iv) the proposed basement pump and well system; and/or
- v) the proposed driveway and layback; and/or
- vi) any other civil works

have been constructed in accordance with the approved plans and any relevant Standards and Council policies/specifications.

For major works, such as subdivisions, works within the road reserve (requiring separate S138 approval) and as where specified by Council, a Part 4A Certificate will be required. It is strongly recommended that an Engineer supervise all engineering related works.

Where Council is not the Principal Certifying Authority, an electronic copy of the above documents is to be provided to Council, prior to the issue of any Occupation Certificate.

(Reason: Asset management.)

### **54. OCCUPATION OF BUILDING (OC)**

A person must not commence occupation or use (or change of use where an existing building) of the whole or any part of a new building (within the meaning of section 109H (4) of the Act) unless an Interim Occupation Certificate or Final Occupation Certificate has been issued in relation to the building or part.

The Principal Certifying Authority is required to be satisfied, amongst other things, that:

- i) all required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
- ii) any preconditions to the issue of the certificate required by a development consent have been met.

Note: New building includes an altered portion of, or an extension to, an existing building.

(Reason: Statutory requirement.)

55. **RAINWATER TANKS (OC)**

Rainwater tanks must be installed on residential properties by a suitably qualified and licensed plumber and in accordance with the following:

- i) Australian/New Zealand Standard AS/NZS 3500:2003;
- ii) NSW Code of Practice Plumbing and Drainage, 2006 produced by Committee on Uniformity of Plumbing and Drainage Regulations in NSW (CUPDR); and
- iii) Council's rainwater tank policy.

Details demonstrating compliance with this condition are to be submitted to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

(Reason: To protect public health and amenity.)

56. **STORMWATER - CERTIFICATION OF THE CONSTRUCTED DRAINAGE SYSTEM (OC)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

(Reason: Adequate stormwater management.)

57. **STORMWATER - COVENANT AND RESTRICTION AS TO USER FOR STORMWATER CONTROLLED SYSTEMS (OC)**

Prior to the issue of any Occupation Certificate, the applicant shall register a Positive Covenant and a Restriction as to User under section 88E and or section 88B of the Conveyancing Act as appropriate in favour of Council, ensuring the ongoing retention, maintenance and operation of the stormwater facility (on-site detention, pump-out, charged lines, etc).

Where any drainage line or service conduit is to traverse any property other than that which it serves, an appropriate easement will be required. In this case, the applicant shall register an easement no less than 1200mm wide over the proposed drainage line or service concurrently with any subdivision registration.

The wording on the 88E and/or the 88B Instrument is to make reference to the Council file where the Construction plans and the Work As Executed (as built), plans are held. Typical wording can be obtained from Council's Specification for the Management of Stormwater document.

(Reason: To ensure the on-site detention and/or pump system is maintained to an appropriate operational standard.)

**RESOLUTION**

This development application for the construction of a two (2) storey dwelling house with basement and boundary fence at 55 Myrna Road, Strathfield, the decision to **REFUSE** be changed to one of **APPROVAL** subject to the conditions recommended in the Planning Officer's report.

**REASONS:**

1. The panel agrees with the planning officers report and draft conditions. The panel also notes that the flooding issues have been resolved and the swimming pool has been deleted from this application.

**FOR: P.Stein, M. Ryan, V. Albin, G. Markwell**

**AGAINST: Nil**

\*\*\*\* End Minutes - Report No. 1\*\*\*\*

**TO:** Strathfield Local Planning Panel Meeting - 7 February 2019  
**REPORT:** SLPP – Report No. 2  
**SUBJECT:** DA2018/138 - 1-9 SMALLWOOD AVENUE, HOMEBUSH  
LOT 103 DP 1246774  
**DA NO.** DA2018/138

## RECOMMENDATION

In consideration of the written request made by the applicant pursuant to Clause 4.6(3) of the Strathfield Local Environmental Plan 2012 (SLEP 2012), the consent authority is not satisfied that the non-compliance with the development standard contained in Clause 4.3 (Height of Buildings) of the SLEP 2012 is well founded and that there are sufficient environmental planning grounds to justify contravening the development standard.

In consideration of the written request made by the applicant pursuant to Clause 4.6(3) of the Strathfield Local Environmental Plan 2012 (SLEP 2012), the consent authority is not satisfied that the non-compliance with the development standard contained in Clause 4.4A (Exceptions to floor space ratio - Parramatta Road Corridor) of the SLEP 2012 is well founded and that there are sufficient environmental planning grounds to justify contravening the development standard.

That Development Application No. 2018/138 for alterations and additions to an approved mixed use development to add an additional storey comprising 10 additional units at 1-9 Smallwood Avenue, Homebush be **REFUSED** for the following reasons:

1. The proposed development does not comply with the development standard contained in Clause 4.3 (Height of Buildings) of the Strathfield Local Environmental Plan 2012. In this regard, a maximum building height of 20m is prescribed, whereas the proposed development has a building height of up to 25.4m (*Section 4.15(1)(a)(i) of the Environmental Planning and Assessment Act 1979*).
2. The proposed development does not comply with the development standard contained in Clause 4.4A (Exceptions to floor space ratio - Parramatta Road Corridor) of the Strathfield Local Environmental Plan 2012. In this regard, a maximum floor space ratio of 2.5:1 is prescribed, whereas the proposed development has a floor space ratio of 2.74:1 (*Section 4.15(1)(a)(i) of the Environmental Planning and Assessment Act 1979*).

## RESOLUTION

That this application be **DEFERRED**.

**FOR:** P.Stein, M. Ryan, V. Albin, G. Markwell

**AGAINST:** Nil

\*\*\*\* End Minutes - Report No. 2\*\*\*\*

**TO:** Strathfield Local Planning Panel Meeting - 7 February 2019  
**REPORT:** SLPP – Report No. 3  
**SUBJECT:** DA2018/069 - 12 MADELINE STREET, BELFIELD  
LOT 1 DP 204632  
**DA NO.** DA2018/069

## **RECOMMENDATION**

That Development Application No. 2018/069 for use of premise as a vehicle repair station for hydraulic excavator attachments and permit existing signage to remain at 12 Madeline Street, Belfield be **APPROVED**, subject to the following conditions:

## **SPECIAL CONDITIONS (SC)**

### **1. LOADING/UNLOADING (SC)**

All loading and unloading associated with the approved use is to occur on the premises and specifically within the two (2) dedicated loading docks behind the roller doors of the building. There is to be no loading or unloading on the street and adjacent nature strip.

(Reason: To minimise traffic impacts on the adjacent road.)

### **2. STORAGE OF GOODS AND MATERIALS (SC)**

All storage of parts, skip bins and any other materials used in conjunction with the approved use are to be stored within the building. No materials used in conjunction with the approved use, including skip bins, are to be stored on the adjacent nature strip, unless prior written approval is received from Strathfield Municipal Council.

(Reason: To ensure public safety and amenity.)

### **3. USE OF CAR PARK (SC)**

No equipment and other materials in conjunction with the approved use are to be stored within the dedicated car park. The car park area as shown on the approved plans is to be used for the parking of cars only.

(Reason: To minimise overflow parking in the adjacent road.)

### **4. NOISE FROM TRUCK MOVEMENTS (SC)**

All vehicles that are required to reverse into the building via the roller doors must be fitted with broadband reversing alarms, where work health and safety is appropriately considered, to reduce noise nuisances to neighbouring properties.

(Reason: To minimise noise impacts on residents in the locality.)

### **5. DELIVERIES TO PREMISES (SC)**

All deliveries must occur during the hours of operation of the approved use (i.e. between 7.30am and 4.30pm Mondays to Fridays, excluding public holidays).

(Reason: To minimise noise impacts on residents in the locality.)

**6. OIL/WASTE SEPARATOR (SC)**

All waste oil and other substances captured in the oil/waste separator must be adequately contained until collected by a licensed waste contractor.

(Reason: To minimise water pollution risks.)

**7. BUNDING (SC)**

The bunding in the cleaning area must be maintained to ensure that no waste water, oil and other substances can leave the area and potentially cause pollution.

(Reason: To minimise water pollution risks.)

**8. DUST NUISANCE (SC)**

The site is to be sealed and/or adequately vegetated to reduce dust nuisance. If dust nuisance complaints are received, dust mitigation procedures where appropriate must be implemented and maintained.

(Reason: To minimise air pollution risks.)

**9. TURFING OF NATURE STRIP (SC)**

The nature strip adjacent to the street frontage of the site is to be re-turfed without expense to council and maintained thereafter.

(Reason: To enhance the quality of the streetscape.)

**GENERAL CONDITIONS (GC)****10. APPROVED PLANS AND REFERENCE DOCUMENTATION (GC)**

The development, except where modified by conditions of this consent, is to be carried out in accordance with the following plans:

Plans affixed with Council's 'Development Consent' stamp relating to Development Consent No. 2018/069:

| Drawing No. | Title/Description                | Prepared by   | Issue / Revision & Date | Date received by Council |
|-------------|----------------------------------|---------------|-------------------------|--------------------------|
| A101        | Site Plan                        | Cad Draft P/L | 6 November 2018         | 21 November 2018         |
| A102        | Ground Floor Plan                | Cad Draft P/L | 6 November 2018         | 21 November 2018         |
| A103        | Mezzanine Plan                   | Cad Draft P/L | 12 April 2018           | 21 May 2018              |
| A104        | Elevations – Eastern & Western   | Cad Draft P/L | 12 April 2018           | 21 May 2018              |
| A105        | Elevations – Northern & Southern | Cad Draft P/L | 12 April 2018           | 21 May 2018              |
| A106        | Sections 1 & 2                   | Cad Draft P/L | 12 April 2018           | 21 May 2018              |
| A107        | Section 3                        | Cad Draft P/L | 12 April 2018           | 21 May 2018              |
| A108        | Signage Plan                     | Cad Draft P/L | 12 April 2018           | 21 May 2018              |

In the event of any inconsistency, the conditions of this consent shall prevail.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council.)

**11. LIGHTING (GC)**

Any lighting of the premises shall be installed and maintained in accordance with Australian Standard AS 4282-1997: Control of the Obtrusive Effects of Outdoor Lighting so as to avoid annoyance to the occupants of adjoining premises or glare to motorists on nearby roads.

No flashing, moving or intermittent lighting, visible from any public place may be installed on the premises or external signage associated with the development, without the prior approval of Council.

(Reason: To protect the amenity of surrounding development and protect public safety.)

**12. WASTE – TRACKABLE (GC)**

Removal of trackable waste (as defined by the NSW Environment Protection Authority) from the site must comply with the Protection of the Environment Operations (Waste) Regulation 2005 for the transportation, treatment and disposal of waste materials. Waste materials must not be disposed on land without permission of the land owner and must with the provisions of the Protection of the Environment and Operations Act 1997.

(Reason: To ensure compliance with legislation.)

**13. WASTE MANAGEMENT PLAN (GC)**

The waste management plan submitted with the development application is to be updated to include specific details of the bin storage location and a requirement for on-site collection of garbage and recycling bins. A copy of the updated waste management plan is to be submitted to council.

(Reason: To ensure adequate waste management practices.)

**CONDITIONS TO BE SATISFIED DURING ONGOING USE OF THE PREMISES (OU)**

**14. CHEMICAL STORAGE REQUIREMENTS (OU)**

All chemicals, paints and other liquids shall be stored in approved receptacles in an area that is bunded or has a spill containment system that will minimise the risk of pollution from liquid spills and leaks. Where applicable, the construction of bunds must comply with the requirements of:

- i) Australian Standard AS 1940D1993: The storage and Handling of Flammable and Combustible Liquids;
- ii) Australian Standard AS 4452B1997: The storage and Handling of Toxic Substances; and
- iii) The Dangerous goods Act 1975.

(Reason: Environmental protection.)

**15. LOADING AND UNLOADING - NO OBSTRUCTION OF PUBLIC ROAD OR FOOTWAY (OU)**

All loading and unloading operations including fork lift trucks or other similar loading, lifting

and/or carrying appliances used in conjunction with the premises, shall be carried out wholly within the boundaries of the site, at all times. There shall be no obstruction of any public roadway or footway at any time, without the prior approval of Strathfield Municipal Council.

(Reason: Public safety.)

**16. NOISE - COMPLAINTS RELATING TO USE OR MACHINERY (OU)**

The use of the premises shall comply with the requirements of the Protection of the Environment Operations (Noise Control) Regulation 2017.

Should substantiated complaints or breaches of noise regulations occur, a suitably qualified acoustic consultant shall be engaged by Council to measure noise emanating from the building/premises and to recommend appropriate action. The cost of such an appointment shall be borne by the operator/owner and any works recommended by the acoustic consultant shall also be borne by the operator/owner and carried out within a time frame set by Council.

(Reason: Noise control and amenity.)

**17. NOISE - REQUIREMENTS FOR INDUSTRIAL PREMISES (OU)**

The use of the premises shall comply with the requirements of the NSW Environment Protection Authority Noise Policy for Industry 2017 and shall not give rise to the transmission of offensive noise as defined in the Protection of the Environment Operation Act 1997 (NSW).

(Reason: Noise control and amenity.)

**18. POLLUTION - COMPLIANCE WITH PEOA 1997 GENERALLY (OU)**

The activities carried out on site shall not constitute a nuisance in relation to noise, air or water pollution as specified under the Protection of the Environment Operations Act 1997.

(Reason: Environmental protection.)

**19. WASTE MANAGEMENT (OU)**

Waste generated during the ongoing use of the premises is to be managed in accordance with the updated waste management plan referred to in the conditions of this consent.

(Reason: To ensure adequate waste management practices.)

**20. FIRE SAFETY ANNUAL STATEMENT (OU)**

Pursuant to Part 9, Division 5 of the Environmental Planning and Assessment Regulation (as amended) the owner of the building shall provide to Council an Annual Fire Safety Statement from an appropriately qualified person certifying the essential fire safety measures in the building. The Annual Fire Safety Statement shall be submitted within 12 months of the issue of the fire safety certificate, and then on an annual basis.

A copy of the Fire Safety Statement obtained and Fire Safety Schedule shall also be:

- i) Forwarded to the Commissioner of the New South Wales Fire Brigade; and
- ii) Prominently displayed in the building.

(Reason: Fire safety.)

## 21. HOURS OF OPERATION (OU)

The hours of operation of the approved use must not exceed the following, without the prior approval of Council:

| Days                       | Approved hours of operation |
|----------------------------|-----------------------------|
| Monday to Friday           | 7.30am to 4.30pm            |
| Saturday                   | Nil                         |
| Sunday and public holidays | Nil                         |

The premises must not open for business on Saturdays, Sundays or Public Holidays.

(Reason: Ensure industry operates between approved hours.)

## **RESOLUTION**

This application for use of premise as a vehicle repair station for hydraulic excavator attachments and permit existing signage and permitting existing signage to remain at 12 Madeline Street, Belfield be **APPROVED** subject to the draft conditions of consent in the Planning Officer's report as amended by the panel.

## **REASONS:**

1. **The panel agrees with the Planning Officer's report. The panel also notes that the applicant and his representative accepts all the recommended conditions of consent.**

**FOR: P.Stein, M. Ryan, V. Albin, G. Markwell**

**AGAINST: Nil**

\*\*\*\* End Minutes - Report No. 3\*\*\*\*